

Material and some slide content from:

- Emerson Murphy-Hill
- Software Architecture: Foundations, Theory, and Practice
- Essential Software Architecture



Architectural Styles

Reid Holmes

Lunar lander example

Language-based

- ▶ Influenced by the languages that implement them
- ▶ Lower-level, very flexible
- ▶ Often combined with other styles for scalability

Examples:

Main & subroutine

Object-oriented

Style: Main program & subroutine

Style: Main program & subroutine

- ▶ Decomposition of functional elements.
- ▶ Components:
 - ▶ Main program and subroutines.
- ▶ Connections:
 - ▶ Function / procedure calls.
- ▶ Data elements:
 - ▶ Values passed in / out of subroutines.
- ▶ Topology:
 - ▶ Directed graph between subroutines and main program.

Style: Main program & subroutine

- ▶ Additional constraints:
 - ▶ None.
- ▶ Qualities:
 - ▶ Modularity, as long as interfaces are maintained.
- ▶ Typical uses:
 - ▶ Small programs.
- ▶ Cautions:
 - ▶ Poor scalability. Data structures are ill-defined.
- ▶ Relations to languages and environments:
 - ▶ BASIC, Pascal, or C.

Style: Object-oriented



Style: Object-oriented

- ▶ Encapsulation of state and actions.
- ▶ Components:
 - ▶ Objects or ADTs.
- ▶ Connections:
 - ▶ Method calls.
- ▶ Data elements:
 - ▶ Method arguments.
- ▶ Topology:
 - ▶ Varies. Data shared through calls and inheritance.


Style: Object-oriented

- ▶ Additional constraints:
 - ▶ Commonly used with shared memory (pointers). Object preserves identity of representation.
- ▶ Qualities:
 - ▶ Data integrity. Abstraction. Change implementations without affecting clients. Can break problems into interacting parts.
- ▶ Typical uses:
 - ▶ With complex, dynamic data. Correlation to real-world entities.
- ▶ Cautions:
 - ▶ Distributed applications hard. Often inefficient for sci. computing. Potential for high coupling via constructors. Understanding can be difficult.
- ▶ Relations to languages and environments:
 - ▶ C++, Java.

Dataflow



[CZARNECKI]



- ▶ A data flow system is one in which:
 - ▶ The availability of data controls computation
 - ▶ The structure of the design is determined by the orderly motion of data between components
- ▶ The pattern of data flow is explicit
- ▶ Variations:
 - ▶ Push vs. pull
 - ▶ Degree of concurrency
 - ▶ Topology

Examples:

Batch-sequential

Pipe-and-filter

Style: Batch-sequential

Style: Batch-sequential

- ▶ Separate programs executed in order passed, each step proceeding after the the previous finishes.
- ▶ Components:
 - ▶ Independent programs.
- ▶ Connections:
 - ▶ Sneaker-net.
- ▶ Data elements:
 - ▶ Explicit output of complete program from preceding step.
- ▶ Topology:
 - ▶ Linear.

Style: Batch-sequential

- ▶ Additional constraints:
 - ▶ One program runs at a time (to completion).
- ▶ Qualities:
 - ▶ Interruptible execution.
- ▶ Typical uses:
 - ▶ Transaction processing in financial systems.
- ▶ Cautions:
 - ▶ Programs cannot easily feed back in to one another.

Style: Pipe-and-filter

Style: Pipe-and-filter

- ▶ Streams of data are passed concurrently from one program to another.
- ▶ Components:
 - ▶ Independent programs (called filters).
- ▶ Connections:
 - ▶ Explicitly routed by OS.
- ▶ Data elements:
 - ▶ Linear data streams, often text.
- ▶ Topology:
 - ▶ Typically pipeline.

Style: Pipe-and-filter

- ▶ Qualities:
 - ▶ Filters are independent and can be composed in novel sequences.
- ▶ Typical uses:
 - ▶ Very common in OS utilities.
- ▶ Cautions:
 - ▶ Not optimal for interactive programs or for complex data structures.

Layered

- ▶ Layered systems are hierarchically organized providing services to upper layers and acting as clients for lower layers
- ▶ Lower levels provide more general functionality to more specific upper layers
- ▶ In strict layered systems, layers can only communicate with adjacent layers

Examples:
Virtual machine
Client-server

Style: Client-server

Style: Client-server

- ▶ Clients communicate with server which performs actions and returns data. Client initiates communication.
- ▶ Components:
 - ▶ Clients and server.
- ▶ Connections:
 - ▶ Protocols, RPC.
- ▶ Data elements:
 - ▶ Parameters and return values sent / received by connectors.
- ▶ Topology:
 - ▶ Two level. Typically many clients.

Style: Client-server

- ▶ Additional constraints:
 - ▶ Clients cannot communicate with each other.
- ▶ Qualities:
 - ▶ Centralization of computation. Server can handle many clients.
- ▶ Typical uses:
 - ▶ Applications where: client is simple; data integrity important; computation expensive.
- ▶ Cautions:
 - ▶ Bandwidth and lag concerns.

Interpreter

- ▶ Commands interpreted dynamically
- ▶ Programs parse commands and act accordingly, often on some central data store

Examples:
Interpreter
Mobile code

Style: Mobile code

Style: Mobile code

- ▶ Code and state move to different hosts to be interpreted.
- ▶ Components:
 - ▶ Execution dock, compilers / interpreter.
- ▶ Connections:
 - ▶ Network protocols.
- ▶ Data elements:
 - ▶ Representations of code, program state, data.
- ▶ Topology:
 - ▶ Network.

Style: Mobile code

- ▶ Variants:
 - ▶ Code-on-demand, remote evaluation, and mobile agent.
- ▶ Qualities:
 - ▶ Dynamic adaptability.
- ▶ Typical uses:
 - ▶ For moving code to computing locations that are closer to the large data sets being operated on.
- ▶ Cautions:
 - ▶ Security. Transmission costs. Network reliability.

Shared state

- ▶ Characterized by:
 - ▶ Central store that represents system state
 - ▶ Components that communicate through shared data store
- ▶ Central store is explicitly designed and structured

Examples:

Blackboard

Rule-based

Style: Blackboard

Style: Blackboard

- ▶ Independent programs communicate exclusively through shared global data repository.
- ▶ Components:
 - ▶ Independent programs (knowledge sources), blackboard.
- ▶ Connections:
 - ▶ Varies: memory reference, procedure call, DB query.
- ▶ Data elements:
 - ▶ Data stored on blackboard.
- ▶ Topology:
 - ▶ Star; knowledge sources surround blackboard.

Style: Blackboard

- ▶ Variants:
 - ▶ Pull: clients check for blackboard updates.
 - ▶ Push: blackboard notifies clients of updates.
- ▶ Qualities:
 - ▶ Efficient sharing of large amounts of data. Strategies to complex problems do not need to be pre-planned.
- ▶ Typical uses:
 - ▶ Heuristic problem solving.
- ▶ Cautions:
 - ▶ Not optimal if regulation of data is needed or the data frequently changes and must be updated on all clients.

Implicit invocation

- ▶ In contrast to other patterns, the flow of control is “reversed”
- ▶ Commonly integrate tools in shared environments
- ▶ Components tend to be loosely coupled
- ▶ Often used in:
 - ▶ UI applications (e.g., MVC)
 - ▶ Enterprise systems
 - ▶ (e.g., WebSphere)

Examples:
Publish-subscribe
Event-based

Style: Publish-subscribe

Style: Publish-subscribe

- ▶ Subscribers register for specific messages or content. Publishers maintain registrations and broadcast messages to subscribers as required.
- ▶ Components:
 - ▶ Publishers, subscribers, proxies.
- ▶ Connections:
 - ▶ Typically network protocols.
- ▶ Data elements:
 - ▶ Subscriptions, notifications, content.
- ▶ Topology:
 - ▶ Subscribers connect to publishers either directly or through intermediaries.

Style: Publish-subscribe

- ▶ Variants:
 - ▶ Complex matching of subscribers and publishers can be supported via intermediaries.
- ▶ Qualities:
 - ▶ Highly-efficient one-way notification with low coupling.
- ▶ Typical uses:
 - ▶ News, GUI programming, network games.
- ▶ Cautions:
 - ▶ Scalability to large numbers of subscriber may require specialized protocols.

Style: Event-based

Style: Event-based

- ▶ Independent components asynchronously emit and receive events.
- ▶ Components:
 - ▶ Event generators / consumers.
- ▶ Connections:
 - ▶ Event bus.
- ▶ Data elements:
 - ▶ Events.
- ▶ Topology:
 - ▶ Components communicate via bus, not directly.

Style: Event-based

- ▶ Variants:
 - ▶ May be push or pull based (with event bus).
- ▶ Qualities:
 - ▶ Highly scalable. Easy to evolve. Effective for heterogenous applications.
- ▶ Typical uses:
 - ▶ User interfaces. Widely distributed applications (e.g., financial markets, sensor networks).
- ▶ Cautions:
 - ▶ No guarantee event will be processed. Events can overwhelm clients.

Peer to Peer

- ▶ Network of loosely-coupled peers
- ▶ Peers act as clients and servers
- ▶ State and logic are decentralized amongst peers
- ▶ Resource discovery a fundamental problem

Peer-to-peer

Style: Peer-to-peer

- ▶ State and behaviour are distributed among peers that can act as clients or servers.
- ▶ Components:
 - ▶ Peers (aka independent components).
- ▶ Connections:
 - ▶ Network protocols.
- ▶ Data elements:
 - ▶ Network messages.
- ▶ Topology:
 - ▶ Network. Can vary arbitrarily and dynamically.

Style: Peer-to-peer

- ▶ Qualities:
 - ▶ Decentralized computing. Robust to node failures. Scalable.
- ▶ Typical uses:
 - ▶ When informations and operations are distributed.
- ▶ Cautions:
 - ▶ Security. Time criticality.

Activity

- Design Quest using an assigned pattern.
- What are the components, connectors, and topology?

