

Grail: Engineering Automata in C++
Version 2.0

Darrell Raymond * Derick Wood †

January 1994

*Department of Computer Science, University of Waterloo, Waterloo, Canada

†Department of Computer Science, University of Western Ontario, London, Canada

Contents

1	Introduction	3
2	A brief introduction to <i>Grail</i>.	4
3	<i>Grail</i>'s design.	6
4	A short history of <i>Grail</i>	8
5	Related software systems	12
6	Some empirical lessons.	13
	6.1 How do I obtain <i>Grail</i> ?	14
	6.2 Acknowledgements.	14
7	References	15

1 Introduction

I saw the Holy Grail, All pall'd in crimson samite.

Tennyson, *Holy Grail*

They seemed to seek some Hofbrauhaus of the spirit like a grail, hold a krug of Munich beer like a chalice.

T. Pynchon, *V*

This equipment can be used to counter heat-seeking missiles such as the Soviet SA-7 Grail shoulder-fired weapon, now extensively deployed in Third World countries.

Daily Telegraph, Nov. 22, 1985, 32/6

We can't go doddering across Malaya behind an inspired crackpot following the Holy Grail, can we?

H.M. Tomlinson, *Gallions Reach*

Grail is a symbolic computation environment for finite-state machines, regular expressions, and other formal language theory objects. Using *Grail*, one can input machines or expressions, convert them from one form to the other, minimize, make deterministic, complement, and perform many other operations. *Grail* is intended for use in teaching, for research into the properties of machines, and for efficient computation with machines.

This paper provides a basic introduction to *Grail* and describes some of its history and development. If you want to use *Grail*, you should also consult the *User's Guide to Grail* and the *man* pages for the individual filters. If you are installing *Grail*, or if you want to write C++ programs that use *Grail*, consult the *Programmer's Guide to Grail*.

Grail is written in C++. It can be accessed either through a process library or through a C++ class library. The process library is used much like other filters; from a command shell, a user can execute processes on files or input streams, generating output that can be filtered by other processes. The C++ class library can be compiled into applications that need direct access to *Grail*, or that wish to minimize the costs of stream I/O.

The name 'grail' isn't necessarily an acronym, though it could be. In the past, we have sometimes suggested that *Grail* stands for something like 'Grammars, regular expressions, automata, languages' (we've never come up with something convincing

for the i!). It's probably just as reasonable to think of our *Grail* experience as a search for the hofbrauhaus of formal language theory.

2 A brief introduction to *Grail*.

The primary objects in version 2.0 of *Grail* are parameterizable finite-state machines and regular expressions. By 'parameterizable', we mean that *Grail* supports regular expressions and machines whose input alphabet is defined by the user.

The standard regular expressions in *Grail* look much the same as they do elsewhere; *Grail* supports catenation, union, and Kleene star for regular expressions, along with parentheses to specify precedence. The following are examples of regular expressions acceptable to *Grail*:

```
a+b
((a+bcd*)+c)*
{}
""+a
```

The expression {} denotes the empty set, and the expression "" denotes the empty string. In these examples, the ASCII characters are the alphabet, but it is possible to parameterize *Grail*'s regular expressions to accept other alphabets, such as integers, strings, regular expressions, or user-defined classes and types.

A deterministic finite-state machine (usually called an *automaton*) is generally specified by a 5-tuple:

$$\langle Q, \Sigma, \delta, s, F \rangle$$

where Q is the set of states, Σ is the input alphabet, δ is a partial relation $\delta : Q \times \Sigma \rightarrow \{Q\}$, $s \in Q$ is the start state, and $F \subseteq Q$ is a set of final states. To simplify input in *Grail*, we represent machines as sets of instructions. A machine that accepts the language ab , for example, is specified by:

```
(START) |- 0
0 a 1
1 b 2
2 -| (FINAL)
```

Each instruction is a triple consisting of a source state, an instruction symbol, and the corresponding target state. The start and final states of the machine are indicated by means of special *pseudo-instructions*, whose labels are special symbols that can be thought of as endmarkers on the input tape. The states (START) and (FINAL) are *pseudo-states*; they simply indicate that the other state in the instruction is a start or final state. The set of (non-pseudo) instructions is an enumeration of the instruction relation. The alphabet of the machine is given implicitly; it is the set of symbols that appear in (non-pseudo) instructions. *Grail*'s

machines differ from conventional machines in that we permit multiple start states as well as multiple final states.

As with regular expressions, *Grail* supports the parameterization of finite-state machines; it is possible to define the input alphabet to be an arbitrary C++ type or class. *Grail* predefines one such extension which we call *extended finite-state machines*; these are machines which have regular expressions as instruction labels.

When compiled, *Grail* is a set of filters that can be combined using a command shell, such as *sh* or *csh*. Most processes take a machine or regular expression as input, and produce a machine or regular expression as output. Regular expressions and machines can be entered directly from the keyboard or (more usually) redirected from files. To convert a regular expression into a finite-state machine, for example, one might issue the following command:

```
% echo "(a+b)*(abc)" | retofm
```

whose output would be

```
0 a 1
2 b 3
0 a 0
0 a 2
2 b 0
2 b 2
4 a 1
4 a 0
4 a 2
4 b 3
4 b 0
4 b 2
(START) |- 4
1 a 6
3 a 6
4 a 6
6 b 8
8 c 10
10 -| (FINAL)
```

The filter *retofm* converts an input regular expression into a nondeterministic finite-state machine, which it prints on its standard output. This output can be the input for another filter; for example, a filter that converts the machine back into a regular expression (folded here to fit onto the page):

```
% echo "(a+b)*(abc)" | retofm | fmtore
abc+aabc+aa*aabc+ba*aabc+babc+a(b+ba*a)*ba*aabc+a(b+ba*a)*
babc+b(b+ba*a)*ba*aabc+b(b+ba*a)*babc+aa*a(b+ba*a)*ba*aabc
+aa*a(b+ba*a)*babc+ba*a(b+ba*a)*ba*aabc+ba*a(b+ba*a)*babc
```

Any number of filters can be applied to such a stream. We may choose to make the machine deterministic before converting it to a regular expression:

```
% echo "(a+b)*(abc)" | retofm | fmdeterm | fmtore
aa*b(aa*b+bb*aa*b)*c+bb*aa*b(aa*b+bb*aa*b)*c
```

Or we may choose to minimize the deterministic machine before converting it to a regular expression:

```
% echo "(a+b)*(abc)" | retofm | fmdeterm | fmmin | fmtore
b*aa*b(aa*b+bb*aa*b)*c
```

This set of pipelines illustrates a range of possibilities for developing regular expressions for a given language. As a teaching tool, the preceding examples show that algorithms that preserve language equivalence do not preserve identity (it also emphasizes the point that manually checking for language equivalence is hopeless except for very simple languages). As a software tool, the above sequence is useful for generating variants of a single language that can be used as test cases.

For those who want to avoid the cost of I/O implicit in the use of the filter approach, *Grail* can also be accessed directly as a C++ library. The filter command

```
% echo "(a+b)*(abc)" | retofm | fmdeterm | fmmin | fmtore
```

can also be written directly in C++:

```
#include      "grail.h"

main()
{
    re<char> r;
    fm<char> a;
    char*   example = "(a+b)*(abc)\n";

    istrstream(example, strlen(example)) >> r;
    a = r.retofm();
    r.fmtore(a.subset().min_by_partition());

    cout << r << "\n";
}
```

In the above program, the `istrstream` function is used to convert an internal string into input to be read as a regular expression; the `retofm` function converts the expression into a machine; and the machine is made deterministic (via `subset`), minimized (via `min_by_partition`), and converted back to an expression (via `fmtore`).

3 *Grail's* design.

Most tools for working with machines and expressions are designed for a specific application, such as program parsing. *Grail*, on the other hand, is designed to be a general-purpose package for symbolic computation with machines and expressions. We intend *Grail* to (eventually) fill all of the following needs:

- research

Grail should facilitate the theoretical and practical investigation of machines and expressions, and the development of new algorithms for processing them. *Grail* has already been useful in investigating the properties of subset construction[11].

- education

Grail should facilitate teaching about machines. In part, it should do this by making it easier to experiment with machines, but we also hope that *Grail* will add a leavening of engineering to a subject that is mostly taught as theoretical mathematics. *Grail* has seen some use in undergraduate teaching.

- application

Grail should facilitate the use of machines in solving applied problems, such as protocol testing, embedded state machines, executing concurrent processes, parsing, string searching, and any other application that can be described by machines or expressions. Currently this aspect of *Grail* is underexplored.

The key theme of *Grail*'s design is modularity. We seek modularity not just because it is the generally accepted route to a good software design, but because we expect that adding new facilities to *Grail* and developing new uses for *Grail* will be the most common activity of both its users and its designers. Modularity in *Grail* arises in four important areas:

- philosophy

Other approaches to software for machines assume that minimal, deterministic machines are the desired end result of all processing. In *Grail* we do not make this assumption; we treat machines and expressions as equal first-class objects. Programmers will find in *Grail* a collection of useful tools and a number of ways to connect the tools to address new and interesting problems in formal language theory. Moreover, we intend to make many algorithms and implementations of algorithms accessible within *Grail*, both the (apparently) inefficient as well as the efficient, in order to facilitate experimentation and study, as well as to generate test cases.

- process-based software

Instead of developing yet another language for writing machine programs, *Grail* is based on a set of individual processes that can be accessed by any command shell or any program that is capable of launching processes. Processes are modules whose encapsulation is enforced by the operating system; a process-based approach encourages programmers to develop simple, generally-applicable tools. A second advantage of this approach is that it is easy to distribute computation; by using the capabilities of *rsh* to set up internet pipes, we can run processes on different machines. A third advantage is that a process-based approach separates language issues from machines processing.

It also leverages users' knowledge of shell programming; rather than requiring users to learn a new language, users can exploit *sh*, *csh*, *ksh*, *bash*, *perl*, and many other languages.

- textual interchange

A multiple-process design requires some form of interprocess communication, since processes cannot access each others' data. We use a textual description of machines and regular expressions as the intermediary for *Grail*. Each process reads a textual description of the input machine, converts it into an internal form, processes it, and writes a textual description of an output machine. The advantage of this approach is that the input and output can be read, edited, and manipulated by standard utilities such as *vi*, *sort* and *wc*. One disadvantage is the extra cost of encoding and decoding between the language and internal forms.

- C++ class library

C++ encourages encapsulation and the definition of interfaces, and hence encourages modularity in low-level code. In addition, we make extensive use of template classes, which in effect define operations on 'black boxes' that are ready to be instantiated with the user's choice of modules.

Grail's 34 filters are briefly described in Table 1.

4 A short history of *Grail*

Grail was preceded by two packages written at the University of Waterloo. The earlier effort was Leiss's REGPACK[10], a package written in 1977 to support experimentation and research with finite-state machines. REGPACK, written in SPITBOL, supported the conversion of nondeterministic machines to deterministic machines, minimization of deterministic machines, and construction of syntactic monoids. While REGPACK did not directly influence the current effort, it is interesting to note that Leiss's goal of an environment for experimentation with machines is still one of our primary goals.

A program with more direct influence on *Grail* was Howard Johnson's INR[7]. INR was developed because of Johnson's interest in rational relations and their use in defining string similarity[6]. INR takes rational relations (including regular expressions) as input and converts them into finite-state machines, which can then be manipulated in various ways. INR can produce single- or multiple-tape machines; the latter are useful for describing transducers, since one tape can be considered an output tape for the other (input) tapes.

Johnson made special efforts to ensure that INR was a highly efficient and powerful tool for managing machines. His goal was the effective processing of machines with thousands of states and instructions. As a result, INR is written very compactly in C, and is especially efficient in handling potentially costly tasks such as memory allocation, subset construction, and minimization of machines. The basic

<i>fmcoment</i>	complement a machine
<i>fmcomp</i>	complete a machine
<i>fmcat</i>	catenate two machines
<i>fmcross</i>	cross product of two machines
<i>fmddeterm</i>	make a machine deterministic
<i>fmenum</i>	enumerate strings in the language of a machine
<i>fmexec</i>	execute a machine on a given string
<i>fmmin</i>	minimize a machine by Hopcroft's method
<i>fmminrev</i>	minimize a machine by reversal
<i>fmplus</i>	plus of a machine
<i>fmreach</i>	reduce a machine to reachable states and instructions
<i>fmrenum</i>	canonical renumbering of a machine
<i>fmreverse</i>	reverse a machine
<i>fmstar</i>	star of a machine
<i>fmtore</i>	convert a machine to regular expression
<i>fmunion</i>	union of two machines
<i>iscomp</i>	test a machine for completeness
<i>isdeterm</i>	test a machine for determinism
<i>isomorph</i>	test two machines for isomorphism
<i>isuniv</i>	test a machine for universality
<i>isempty</i>	test for equivalence to empty set
<i>isnull</i>	test for equivalence to empty string
<i>recat</i>	catenate two regular expressions
<i>remin</i>	minimal bracketing of a regular expression
<i>restar</i>	Kleene star of a regular expression
<i>retofm</i>	convert a regular expression to a machine
<i>reunion</i>	union of two regular expressions
<i>xfmcat</i>	catenate two extended machines
<i>xfmplus</i>	plus of an extended machine
<i>xfmreach</i>	reduce extended machine to reachable states and instructions
<i>xfmreverse</i>	reverse an extended machine
<i>xfmstar</i>	star of an extended machine
<i>xfmtore</i>	convert an extended machine to a regular expression
<i>xfmunion</i>	union of two extended machines

Table 1: *Grail* filters

algorithms for handling such tasks are well known, but there has been relatively little attention paid to efficient implementation of these algorithms. Johnson took the trouble to develop efficient implementations, with the result that INR was the only software system capable of handling the transduction of the *Oxford English Dictionary*[8]. Even today, many of INR's capabilities are more advanced than those of other software (though we like to think that *Grail* is catching up). The present effort has borrowed INR's philosophy of combining powerful capabilities with efficient design, as well as its notation for machines.

The first project to actually use the name 'Grail' was a joint effort between Howard Johnson, Carl-Johan Seger, and Derick Wood. This project extended INR to handle context-free grammars and machines with regular expressions as instruction labels. Software developed for this project consisted of a layer of code that used INR as an underlying computational engine. After some work, this effort was discontinued.

The *Grail* project was resuscitated by the present authors in 1990. We began with the observation that some issues were not satisfactorily handled either by INR or 'old Grail.' The first issue was obscurity. In pursuit of efficiency, INR had become a somewhat complex and monolithic piece of code. The layer of software added by 'old Grail' merely increased the complexity, because it was not easily maintainable or modifiable. The lack of documentation for INR and 'old Grail' made this software difficult to understand for anyone other than its programmers. Thus, the first order of business was to develop software that was more approachable and better documented, to improve maintainability and robustness, and to ensure that many programmers could work on the software.

The second issue was modularity. Much of the difficulty of building upon INR was a result of its tightly connected structure. Adding a new algorithm for subset construction, for example, required knowing much about the internals of INR, including its data structures, memory allocation, parser, and so on. We wanted a software environment in which programmers could work on algorithms without having to learn too much about the details of the existing code. This meant that we would have to build the software in a modular fashion, devising interfaces at several levels.

The third issue was generality. Like most systems that have appeared since, INR assumed that the user wanted to input regular expressions and receive deterministic, minimized machines as output. This bias resulted in a system that could not accept machines as input and produce regular expressions as output. We wanted *Grail* to be a general purpose manipulation language, in which one could convert machines and expressions freely, with user control over minimization and determinism.

Grail version 0.5 was written in C, and consisted of the following filters:

cross	compute the cross product of two machines
lreverse	reverse the input machine using empty-string instructions
min	minimize the input machine by Hopcroft's partition algorithm
min1	minimize the input machine by reversal and subset construction
percent	compute the alternation (i.e. $(ab)^+$) of two machines
plus	compute $\text{star}-\epsilon$ of the machine
quest	compute the machine $+\epsilon$
reverse	reverse the input machine
star	compute the Kleene star of the input machine
subset	subset construction of the input machine
union	compute the union of two machines

These filters accessed a library of functions that did most of the actual work (the filters themselves were essentially simple I/O routines). The library contained procedures for handling I/O and for processing machines. The idea behind this decomposition was that the filters should be efficient enough for most problems involving machines; for very large or complex problems, a competent C programmer could access the library directly and thereby avoid any inefficiency introduced by process communication.

While the filters were reasonably successful, the library was not. Our C code was not particularly reliable, readable, or reusable. This latter problem was irritating both aesthetically and as a pure engineering problem. Operations on machines and regular expressions involve frequent manipulation of container structures such as sets and relations; it would be both elegant and efficient to use a single implementation of these structures for many different contents. Using C, however, one can provide this generality only by giving up strict type checking. In spite of these problems, version 0.5 did support a significant research project on subset construction[11].

We decided to switch to C++ to re-implement *Grail*. We made this choice of language under the impression that we would develop an elegant class hierarchy that would greatly increase code reuse and the overall robustness of the system. C++ has led to much better clarity and robustness, but not because of the class hierarchy; in fact, *Grail* makes relatively little use of inheritance. Instead, we have found that C++'s strict type checking and encapsulation have been its most important contributions to better code. C++'s template facility in particular is indispensable to *Grail*.

Versions 0.8 through 1.2 of *Grail* saw the development of our C++ class library, which included the classes `set`, `list`, `string`, `regexp`, `trans` (transition), `state`, `fa`, `tset` (sets of transitions), and `xfa` (extended finite machine). This latter class defines machines that have regular expressions as transition labels. The `set` and `list` classes are template classes; they and `xfa` were our first attempt to take serious advantage of C++'s ability to support code reuse. In addition to rewriting our existing code in C++, we also added more functionality—the number of filters jumped from 11 to 34. Version 1.0 introduced an automatic testing facility that

was used to check that changes to code still resulted in working filters. Version 1.1 introduced an automatic profiling facility that was used to test that purported improvements actually did lead to more efficient code. Version 1.2 was subjected to quality checks, both through the use of Purify and through correcting the bugs and inconsistencies that were discovered by compiling the code with two C++ compilers that are more strict than USL's cfront.

The most recent version of *Grail* is Version 2.0. The main difference between Version 2.0 and previous versions is the added support for parameterizable machines and expressions. Parameterizable finite-state machines can take any type as instruction label, and parameterizable regular expressions can take any type as a symbol class. Version 2.0 thus dispenses with the distinction between *xfa* and *fa* (each is an instance of the new parameterizable machine class *fm*), and has extended the reach of the *regexp* class (now called *re*) beyond strings of ASCII alphabetic characters. Version 2.0 also dispenses with the class *tset* and makes *string* a parameterized class. Despite its increased functionality, the source code for Version 2.0 is smaller than the source code of Version 1.2—a nice example of how it is sometimes advantageous to solve a more general problem.

5 Related software systems

Recently, several systems for computing with machines have appeared in the literature or have been made available over the internet.

Champarnaud's AUTOMATE system, written in C, supports finite-state machines and finite semigroups[3]. It can compute deterministic minimal machines, syntactic monoids, and transition monoids of regular languages.

The AMORE system, written in C, supports finite-state machines, regular expressions, and syntactic monoids[5]. It can produce minimal DFAs, handle ϵ -NFAs, and perform various tests on syntactic monoids (for example, star-freeness, finiteness, and cofiniteness). AMORE can also display its machines graphically.

Both AMORE and AUTOMATE have goals similar to those of *Grail*—to serve as a research environment, to facilitate the study of machine implementations, and to provide a package for executing machines for other purposes (such as validating concurrent programs). Where *Grail* differs is in its emphasis on providing a full symbolic computing environment; in its provision of both filters and a class library; and in the fact that *Grail* does not attempt to provide its own graphical user interface or programming language. AMORE and AUTOMATE appear to be monolithic programs that attempt to provide a single interface to the user.

One use of machines is for hardware verification and protocol checking. FANCY, the Finite AutomatoN Checker of nancy, is Stefan Krischer's tool for formal hardware verification. It provides equivalence and inclusion checking for finite-state machines and is accessible through a graphical user interface.

FADELA[13], the Finite Automaton DEbugging LAnguage, is a project directed by Gjalt de Jong. FADELA is designed to investigate ω -regular languages (that is, regular languages whose words are of infinite length). FADELA supports the

production of deterministic Müller machines, and can convert these machines into regular expressions. FADELA also supports other operations on machines including minimization and complement.

An interesting experience is the development of machine tools in Nuprl, a proof language based on the lambda calculus[9]. Definitions were constructed in Nuprl for finite sets, strings, tuples, and deterministic machines. Nuprl was then able to construct a proof of the pumping lemma. The main point of this work was not the development of an environment for manipulating machines, but an illustration of the utility of the Nuprl proof development system.

We know of three other systems whose motivation was primarily pedagogical. An early effort was GRAMPA, which was only partially implemented[1]. More recently, Hannay has built a Hypercard-based system for simulating machines[4]. This program appears to be useful for introductory teaching purposes, and for simulating small machines. FLAP, the Formal Languages and Automata Package, comes from Rensselaer Polytechnic Institute. FLAP supports the drawing and execution of finite-state machines, pushdown machines and Turing machines. FLAP can handle nondeterministic machines, provides the ability to step through the execution of a machine, and supports paper output[2,12].

In addition to these systems, there is a vast amount of work on using grammars and machines in applications. Many operating system utilities understand a limited form of regular expression, for example, and almost every text editor provides general-purpose search-and-replace capabilities. The machines used in such tools are generally custom built, or perhaps adapted from custom code; operating systems have yet to offer a standard machine package in the same way that they offer a standard sorting and searching routines.

6 Some empirical lessons.

Developing *Grail* has taught us much about implementing algorithms for machines. C++ is an important contributor to the robustness of the code, mainly because of strict type checking. The C++ compiler has resisted many questionable constructs that were unquestioningly accepted by C. Consequently, programming bugs and errors less frequently show up in low-level operations. When bugs do appear, they are now almost always incorrect specifications of algorithms.

Grail has also taught us some lessons that apply to the construction of mathematical libraries in general. One lesson is that a library of routines is only half the battle; the other half is in developing a library of test data, and in the provision of a mechanism for automatic testing and performance evaluation. In the early stages of development, *Grail's* filters were tested with simple machines and the results were checked by hand. As the pace of development increased, however, this was no longer sufficient; one cannot very well test tens of programs on each of several test cases by hand, and one cannot test very large machines or expressions by hand at all, since the probability of a manual error in checking soon becomes higher than the probability of an error in the code. Thus, it becomes necessary to automate testing.

Automation is also essential in performance evaluation, which relies on large inputs in order to thoroughly exercise the code. One approach to generating large test cases is to apply filters that generate non-isomorphic machines that are language equivalent. Repeatedly converting between machine and regular expression, for example, will result in a large machine that accepts a known language. Hence, the result of processing such a machine can be tested by minimizing and comparing it to the known minimal machine. Another related tactic is to repeatedly take the cross product of a nondeterministic machine with itself; there will be an exponential blowup in the size of the result, which is still language equivalent with the original.

A second important lesson is that a sound theoretical understanding of an algorithm is not the same as a sound implementation. To paraphrase a popular saying, a little knowledge of worst-case performance is a dangerous thing. Algorithms that have bad worst case performance may be quite acceptable for most practical uses. Subset construction, in particular, is exponential in the worst case, but empirical study shows that the number of machines that exhibit this behaviour is small[11]. Moreover, it appears to be predictable from the input whether an exponential result is likely to occur. Since most users do not want to store or further use exponential output, predicting this result may be sufficient.

On the other hand, a sloppy implementation of a well-known algorithm with reasonable average case performance may be unacceptable for *every* large input. Linear-time algorithms can easily become quadratic-time if careful attention is not paid to problems such as the proper management of sets.

6.1 How do I obtain *Grail*?

Grail is available without charge to researchers and students, or anyone who wishes to use the software for their own private education. Version 2.0 of *Grail* can be obtained by anonymous ftp at `daisy.uwaterloo.ca` (129.97.140.58) in directory `nih`; you should download `grail2.0.tar.Z` for source code and documentation, and `grail2.0.sun.tar.Z` for Sparc binaries.

Grail is not in the public domain. It cannot be sold, used for commercial purposes, or included as part of a commercial product without our permission.

6.2 Acknowledgements.

This research was supported by grants from the Natural Sciences and Engineering Research Council of Canada, and the Information Technology Research Centre of Ontario. The first author was also supported by an IBM Canada Research Fellowship. We would like to thank Howard Johnson for his assistance and encouragement.

Darrell Raymond can be reached at `drraymon@daisy.uwaterloo.ca`. Derick Wood can be reached at `dwood@csd.uwo.ca`.

7 References

1. K.R. Barnes, "Exploratory Steps Towards a Grammatical Manipulation Package (GRAMPA)," M.Sc. Thesis, McMaster University, Hamilton, Canada (1972).
2. D. Caugherty and S. Rodger, "NPDA: A Tool for Visualizing and Simulating Nondeterministic Pushdown Automata," *Proceedings of the DIMACS Workshop on Computational Support for Discrete Mathematics*, (to appear).
3. J.M. Champarnaud and G. Hansel, "AUTOMATE: A Computing Package for Automata and Finite Semigroups," *Journal of Symbolic Computation* **12** pp.197-220 (1991).
4. D.G. Hannay, "Hypercard Automata Simulation: Finite-State, Pushdown, and Turing Machines," *SIGSCE Bulletin* **24**(2) pp.55-58 (June 1992).
5. V. Jansen, A. Potthoff, W. Thomas, and U. Wermuth, "A Short Guide to the AMORE System," *Aachener Informatik-Berichte* **90**(02)Lehrstuhl für Informatik II, Universität Aachen, (January 1990).
6. J.H. Johnson, "Formal Models for String Similarity," Research report CS-83-32, Department of Computer Science, University of Waterloo, Waterloo, Canada (November 1983).
7. J.H. Johnson, "INR: A Program for Computing Finite Automata," unpublished manuscript, Department of Computer Science, University of Waterloo, Waterloo, Canada (January 1986).
8. R. Kazman, "Structuring the Text of the Oxford English Dictionary Through Finite State Transduction," Research report CS-86-20, Department of Computer Science, University of Waterloo, Waterloo, Canada (June 1986).
9. C. Kreitz, "Constructive Automata Theory Implemented with the Nuprl Proof Development System," Technical report TR-86-779, Department of Computer Science, Cornell University, Ithaca, New York (September 1986).
10. E. Leiss, "REGPACK: An Interactive Package for Regular Languages and Finite Automata," Research report CS-77-32, Department of Computer Science, University of Waterloo, Waterloo, Canada (October 1977).
11. T.K.S. Leslie, "Efficient Approaches to Subset Construction," Research report CS-92-29, Department of Computer Science, University of Waterloo, Waterloo, Canada (April 1992).
12. M. LoSacco and S. Rodger, "FLAP: A Tool for Drawing and Simulating Automata," *ED-MEDIA 93, World Conference on Educational Multimedia and Hypermedia*, pp.310-317 (June 1993).

13. J.G.N.M. van der Zanden, "FADELA: Finite Automata DEbugging LAnguage," Master's thesis, Department of Electrical Engineering, Eindhoven University of Technology, Eindhoven, The Netherlands (August 1990).