


```
Zoran" } | {zmiskovi} |  
[.....]
```

This is undergrad courses only, excluding Co-op sequence choice ("SEQ" subject code, see <http://math.uwaterloo.ca/new-math-students-2012/co-op/sequences-charts>), and excluding WLU courses. Really I need to define more views - in particular, one showing all sections that still need an admin unit defined.

Now:

```
odyssey_prod=> select *, teaching_admin_class_require  
(term_id, class_id) from (select term_id, course_subject  
|| ' ' || course_catalog as course, section_component ||  
' ' || section_code as section, course_id, offering_id,  
class_id, department_code, section_title, section_units,  
section_grade_basis, combined_id from cls_section natural  
join cls_offering natural join cls_course where (term_id,  
group_code, section_session, section_type, career_code) =  
( '1129', 'MAT', 1, 'E', 'UG') and section_status <> 'X'  
and course_subject <> 'SEQ' and campus_id <> 'WLU' and  
topic_id is null and combined_id is null) t left join  
(select term_id, class_id, array_agg (instructor_name),  
array_agg (instructor_userid) from cls_instructor natural  
left join cls_instructor_look
```

NOTICE: Section (term_id, class_id) = (1129, 5494) does not map to existing admin unit

NOTICE: Section (term_id, class_id) = (1129, 5216) does not map to existing admin unit

NOTICE: Section (term_id, class_id) = (1129, 5555) does not map to existing admin unit

```
term_id | class_id | course | section | course_id |  
offering_id | department_code  
| section_title | section_units |  
section_grade_basis | combined_id
```

```
|          array_agg          | array_agg |
admin_id | teaching_admin_class_require
-----+-----+-----+-----+-----+
-----+-----+-----+-----+-----+
-----+-----+-----+-----+-----+
-+-----+-----+-----+-----+-----+
-----+-----+-----+-----+-----+
[...]
```