

# DeltaShaper

## Enabling Unobservable Censorship-resistant TCP Tunneling over Videoconferencing Streams


Diogo Barradas

Nuno Santos


Luís Rodrigues

INESC-ID, Instituto Superior Técnico, Universidade de Lisboa


# Censors monitor / control Internet access



# Censors monitor / control Internet access




# Censors attempt to block covert channels



# DeltaShaper

- Goals

- Establish a covert TCP/IP channel
- Maintain unobservability
- Resist against network perturbations



# Multimedia protocol tunneling


System / Properties	Security	Coverage	
	Active/Passive Attack Resistance	Arbitrary Data Transmission	Interactive Communication
FreeWave <i>(Houmansadr et al.)</i> <u>Audio Modulation</u>	-	✓	✓
Facet <i>(Li et al.)</i> <u>Video Embedding</u>	✓	-	-
CovertCast <i>(McPherson et al.)</i> <u>Video Modulation</u>	✓	✓	-
DeltaShaper <u>Video Modulation</u>	✓	✓	✓

# Threat model

- **Assumptions:**
  - Packets carrying multimedia data are encrypted
- **Censor's Capabilities:**
  - *Deep Packet Inspection*
  - Observe, store and analyze traffic flows
  - Apply artificial constraints on the network
- **Censor's Limitations:**
  - Unable to decipher the content of Skype packets
  - Not in collusion with the video-conferencing provider
  - Attempts to minimize collateral damage


# A naïve approach at data modulation

- Replace chat video frames
- Encode data in all available pixels




# Drawbacks of naïve data modulation

- **Data loss**
  - Lossy compression (downsampling + quantization)
- **Abnormal traffic patterns**
  - Poor compression (spatial & inter-frame redundancy)





# C1: Can we distinguish regular from irregular Skype streams?



- **Traffic signatures appear to be different**
  - Packet lengths frequency distribution



# C2: How much throughput can we achieve while preserving unobservability?



Poor Unobservability  
High Throughput




Good Unobservability  
Low Throughput



Censored Region

Uncensored Region

# C3: How to maintain unobservability in adverse network conditions?




# Contributions

- **DeltaShaper : A censorship-resistant system**
  - Tunnel TCP/IP data over Skype videocalls
- **Distinguish regular / irregular Skype call streams**
  - Packet frequency distribution / EMD
- **Maximize throughput and maintain unobservability**
  - Explore the space encoding parameters
- **Adaptation to network conditions**
  - Dynamic calibration of encoding parameters


# How to characterize Skype streams?

- **Characteristic Function - Create a stream signature**
  - Frequency distribution of packet lengths
- **Similarity Function - Quantify streams' differences**
  - *Earth Mover's Distance (EMD)*



# Different videos generate distinct traffic

- Differences between signatures can be quantified
  - *Earth Movers' Distance*








# Different videos generate distinct traffic

- Censors can identify streams with unusual traffic



$\Delta = 0.06$




$EMD > \Delta$   
**Flagged**

$EMD < \Delta$   
**Regular Call**

$EMD > \Delta$   
**Flagged**

# Can we encode data and maintain unobservability?

- Strawman: Embed a small payload in each frame
- Generated traffic does not reflect this embedding




# A better approach for data modulation

- **Strive for unobservability**
- **Accommodate for lossy compression**



(a) Carrier Frame

+



(b) Payload Frame

=




(c) Covert Frame

Parameter	Description
$a_p$	payload frame area (pixel×pixel)
$a_c$	cell size (pixel×pixel)
$b_c$	color encoding (bits)
$r_p$	payload frame rate (frames/s)


# Adapt to network conditions

- **Calibrate encoding parameters**
  - Maintain unobservability
  - Modulate max. amount of data



# DeltaShaper adaptation mechanism


- Periodically:
  - Estimate network conditions from recorded baselines
  - Select adequate parameters from pre-computed table




# Implementation challenges

- **Network interaction**
  - Allow transparent TCP/IP communication
- **Video processing**
  - Combine carrier / payload frames
- **Video-conferencing software as a *black-box***
  - Send covert frames without modifying Skype

# DeltaShaper client module





# DeltaShaper server module



# Evaluation Steps

- 1. Can we distinguish Skype streams?**
- 2. Can we balance throughput and unobservability?**
- 3. How well does DeltaShaper perform?**

# Can we distinguish Skype streams?



- **83% accuracy in distinguishing Skype streams**
- **DeltaShaper streams must remain under  $\Delta_I$**

# Can we balance throughput and unobservability?

Parameter	Description	Configuration
$a_p$	payload frame area (pixel×pixel)	320 x 240
$a_c$	cell size (pixel×pixel)	8 x 8
$b_c$	color encoding (bits)	6
$r_p$	payload frame rate (frames/s)	1

# How well does DeltaShaper perform?

- **Achieved configuration:**

Parameter	Description	Configuration
$a_p$	payload frame area (pixel×pixel)	320 x 240
$a_c$	cell size (pixel×pixel)	8 x 8
$b_c$	color encoding (bits)	6
$r_p$	payload frame rate (frames/s)	1

- **Performance**
  - Raw throughput: **7.2 Kbps**
  - Round-Trip-Time: **2s 973ms**

# How well does DeltaShaper perform?

Use Case	Protocol Session W/ DS (mm:ss)	Protocol Session W/o DS (mm:ss)	Overhead
Wget (4kB file)	0:22	< 0:01	3,142.9 x
FTP (4kB file)	1:43	0:09	11.4 x
SSH + SMTP	2:41	0:38	4.2 x
SSH	1:29	0:06	14.8 x
Telnet	1:13	0:06	12.2 x
Netcat chat	0:01	< 0:01	166.7 x
SSH Tunnel	2:19	0:22	6.3 x

■ Non-interactive session  
■ Interactive session

- DeltaShaper allows for the execution of traditional TCP/IP applications which cover different users' needs

# Conclusions

- **DeltaShaper: A censorship-resistant system**
  - Supports high-latency / low-throughput TCP applications
- **Maximize throughput and preserve unobservability**
  - Greedy exploration of encoding configurations
- **Adaptation in multimedia protocol tunneling**
  - Provides improved unobservability
  - Could also enhance similar systems