

# Multiagent Systems: Intro to Game Theory

CS 486/686: Introduction to Artificial Intelligence

# Introduction

---

---

- So far almost everything we have looked at has been in a single-agent setting
  - Today - Multiagent Decision Making!
- For participants to act optimally, they must account for how others are going to act
- We want to
  - Understand the ways in which agents interact and behave
  - Design systems so that agents behave the way we would like them to

**Hint for the final exam:** MAS is my main research area. I like MAS problems. I even enjoy marking MAS questions. The other instructor is also a MAS researcher as is one of the TAs. They also like marking MAS questions. There *will* be a MAS question on the final exam.

# Introduction

---

---

- Multiagent systems can be
  - cooperative or self-interested
- Self-interested multiagent systems can be studied from different viewpoints
  - non-strategic and strategic
- We will look at strategic self-interested systems

# Self-Interest

---

---

- Self-interested does **not** mean
  - Agents want to harm others
  - Agents only care about things that benefit themselves
- Self-interested means
  - Agents have their own description of states of the world
  - Agents take actions based on these descriptions

# Tools for Studying MAS

---

---

- Game Theory
  - Describes how self-interested agents should behave
- Mechanism Design
  - Describes how we should design systems to encourage certain behaviours from self-interested agents

# What is Game Theory?

---

---

- The study of games!
  - Bluffing in poker
  - What move to make in chess
  - How to play Rock-Paper-Scissors



Also auction design,  
strategic  
deterrence, election  
laws, coaching  
decisions, routing  
protocols,...

# What is Game Theory?

---

---


- Game theory is a formal way to analyze interactions among a group of rational agents that behave strategically

# What is Game Theory?

---

---

- Game theory is a formal way to analyze **interactions** among a **group** of **rational** agents that behave **strategically**
  - **Group:** Must have more than 1 decision maker
    - Otherwise, you have a decision problem, not a game



Solitaire is not a game!



# What is Game Theory?

---

---

- Game theory is a formal way to analyze **interactions** among a **group** of **rational** agents that behave **strategically**
  - **Interaction**: What one agent does directly affects at least one other
  - **Strategic**: Agents take into account that their actions influence the game
  - **Rational**: Agents chose their best actions

# Example

---

---



- Decision Problem
  - Everyone pays their own bill
- Game
  - Before the meal, everyone decides to split the bill evenly

# Strategic Game

## (Matrix Game, Normal Form Game)

---

---

- Set of agents  $I = \{1, 2, \dots, N\}$
- Set of actions  $A_i = \{a_i^1, \dots, a_i^m\}$
- Outcome of a game is defined by a profile  $a = (a_1, \dots, a_n)$
- Agents have preferences over outcomes
  - Utility functions  $u_i: A \rightarrow \mathbf{R}$

# Examples

		Agent 2	
		One	Two
Agent 1	One	2, -2	-3, 3
	Two	-3, 3	4, -4


**Zero-sum game.**  
 $\sum_{i=1}^n u_i(o) = 0$

$I = \{1, 2\}$

$A_i = \{\text{One}, \text{Two}\}$

An outcome is (One, Two)

$U_1((\text{One}, \text{Two})) = -3$  and  $U_2((\text{One}, \text{Two})) = 3$



# Examples

---

---

## BoS


	B	S
B	2,1	0,0
S	0,0	1,2



**Coordination Game**

## Chicken

	T	C
T	-1,-1	10,0
C	0,10	5,5



**Anti-Coordination Game**

# Example: Prisoners' Dilemma

---



Confess

Don't Confess

Confess

-5,-5

0,-10

Don't  
Confess

-10,0

-1,-1


# Playing a Game

---

---

- Recall, agents are rational
  - Let  $p_i$  be agent  $i$ 's belief about what its opponents will do
  - **Best response:**  $a_i = \operatorname{argmax}_{a_i} \sum_{a_{-i}} u_i(a_i, a_{-i}) p_i(a_{-i})$

Notation Break:  $a_{-i} = (a_1, \dots, a_{i-1}, a_{i+1}, \dots, a_n)$



# Dominated Strategies

---

---

- A strategy  $a'_i$  strictly dominates strategy  $a_i$  if

$$u_i(a'_i, a_{-i}) > u_i(a_i, a_{-i}) \forall a_{-i}$$

- A rational agent will never play a dominated strategy!



# Example

---

---

	Confess	Don't Confess
Confess	-5,-5	0,-10
Don't Confess	-10,0	-1,-1

# Example

---

---


	Confess	Don't Confess
Confess	-5,-5	0,-10
Don't Confess	<del>-10,0</del>	<del>-1,-1</del>

	Confess	Don't Confess
Confess	-5,-5	0,-10

# Example

	Confess	Don't Confess
Confess	-5,-5	0,-10
Don't Confess	<del>-10,0</del>	<del>-1,-1</del>

	Confess	Don't Confess
Confess	-5,-5	<del>0,-10</del>



# Prisoner's Dilemma

---

---

	Confess	Don't Confess
Confess	-5,-5	0,-10
Don't Confess	-10,0	-1,-1

Is this a good outcome?

Is it Pareto Optimal?

# Strict Dominance Does Not Capture the Whole Picture

---

---

	A	B	C
A	0,4	4,0	5,3
B	4,0	0,4	5,3
C	3,5	3,5	6,6

What strict domination eliminations can we do?

What would you predict the players of this game would do?

# Nash Equilibrium

---

---

- **Key Insight:** an agent's best-response depends on the actions of other agents
- An action profile  $a^*$  is a **Nash equilibrium** if no agent has incentive to change given that others do not change

$$\forall i u_i(a_i^*, a_{-i}^*) \geq u_i(a_i', a_{-i}^*) \forall a_i'$$

# Nash Equilibrium

---

---

- Equivalently,  $a^*$  is a N.E. iff

$$\forall i a_i^* = \arg \max_{a_i} u_i(a_i, a_{-i}^*)$$

	A	B	C
A	0,4	4,0	5,3
B	4,0	0,4	5,3
C	3,5	3,5	6,6

**(C,C) is a N.E. because**

$$u_1(C, C) = \max \begin{bmatrix} u_1(A, C) \\ u_1(B, C) \\ u_1(C, C) \end{bmatrix}$$

**AND**

$$u_2(C, C) = \max \begin{bmatrix} u_2(C, A) \\ u_2(C, B) \\ u_2(C, C) \end{bmatrix}$$

# Nash Equilibrium

---

- If  $(a_1^*, a_2^*)$  is a N.E. then player 1 won't want to change its action given player 2 is playing  $a_2^*$
- If  $(a_1^*, a_2^*)$  is a N.E. then player 2 won't want to change its action given player 1 is playing  $a_1^*$

-5,-5	0,-10
-10,0	-1,-1

	A	B	C
A	0,4	4,0	5,3
B	4,0	0,4	5,3
C	3,5	3,5	6,6




# Another Example

---

---

	B	S
B	2,1	0,0
S	0,0	1,2

A 2x2 payoff matrix for a coordination game. The columns are labeled B and S, and the rows are labeled B and S. The payoffs are (2,1) for (B,B), (0,0) for (B,S), (0,0) for (S,B), and (1,2) for (S,S). The (B,B) and (S,S) cells are circled in green. Red arrows point from (B,S) to (B,B) and from (S,B) to (S,S). Green arrows point from (S,S) to (S,S) and from (B,B) to (B,B).



2 Nash Equilibria

Coordination Game

# Yet Another Example

---

---

		Agent 2	
		One	Two
Agent 1	One	2,-2	-3,3
	Two	-3,3	4,-4

# (Mixed) Nash Equilibria

---

---



- **(Mixed) Strategy:**  $s_i$  is a probability distribution over  $A_i$
- **Strategy profile:**  $s=(s_1,\dots,s_n)$
- **Expected utility:**  $u_i(s)=\sum_a \prod_j s(a_j)u_i(a)$
- **Nash equilibrium:**  $s^*$  is a (mixed) Nash equilibrium if

$$u_i(s_i^*, s_{-i}^*) \geq u_i(s_i', s_{-i}^*) \forall s_i'$$

# Yet Another Example

		q	
		One	Two
p	One	2, -2	-3, 3
	Two	-3, 3	4, -4

How do we determine p and q?



# Yet Another Example

---

---

		q	One	Two
p	One		2,-2	-3,3
	Two		-3,3	4,-4

How do we determine p and q?

# Exercise

---

---

	<b>B</b>	<b>S</b>
<b>B</b>	2,1	0,0
<b>S</b>	0,0	1,2

This game has 3 Nash Equilibrium (2 pure strategy NE and 1 mixed strategy NE).

# Mixed Nash Equilibrium

---

---

- Theorem (Nash 1950): Every game in which the action sets are finite, has a mixed strategy equilibrium.

John Nash  
Nobel Prize in Economics (1994)



# Finding NE

---

---

- Existence proof is non-constructive
- Finding equilibria?
  - 2 player zero-sum games can be represented as a linear program (Polynomial)
  - For arbitrary games, the problem is in PPAD
  - Finding equilibria with certain properties is often NP-hard



# Extensive Form Games

---

---

- Normal form games assume agents are playing strategies simultaneously
  - What about when agents' take turns?
    - Checkers, chess,...

# Extensive Form Games (with perfect information)


---

---

- $G=(I,A,H,Z,\alpha,\rho,\sigma,u)$ 
  - $I$ : player set
  - $A$ : action space
  - $H$ : non-terminal choice nodes
  - $Z$ : terminal nodes
  - $\alpha$ : action function  $\alpha:H\rightarrow 2^A$
  - $\rho$ : player function  $\rho:H\rightarrow N$
  - $\sigma$ : successor function  $\sigma:H\times A\rightarrow H\cup Z$
  - $u=(u_1,\dots,u_n)$  where  $u_i$  is a utility function  $u_i:Z\rightarrow R$

# Extensive Form Games (with perfect information)

- The previous definition describes a tree



S

A strategy specifies an action to each non-terminal history at which the agent can move

$$S_1 = \{(A,G),(A,H),(B,G),(B,H)\}$$

$$S_2 = \{(C,E),(C,F),(D,E),(D,F)\}$$

# Nash Equilibria

---


We can transform an extensive form game into a normal form game.

	(C,E)	(C,F)	(D,E)	(D,F)
(A,G)	3,8	3,8	8,3	8,3
(A,H)	3,8	3,8	8,3	8,3
(B,G)	5,5	2,10	5,5	2, 10
(B,H)	5,5	1,0	5,5	1,0

# Subgame Perfect Equilibria

---

---




What are the NE?

# Subgame Perfect Equilibria

---

---



**Subgame Perfect Equilibria**  
 $s^*$  must be a Nash equilibrium in all subgames

What are the SPE?

# Existence of SPE

---


---

- **Theorem (Kuhn):** Every finite extensive form game has an SPE.
- Compute the SPE using backward induction
  - Identify equilibria in the bottom most subtrees
  - Work upwards

# Example: Centipede Game

---

---





# Summary

---

---

- Definition of a Normal Form Game
- Dominant strategies
- Nash Equilibria
- Extensive Form Games with Perfect Information
- Subgame Perfect Equilibria