

Reinforcement Learning

June 20, 2006
CS 486/686
University of Waterloo

Outline

- Russell & Norvig Sect 21.1-21.3
- What is reinforcement learning
- Temporal-Difference learning
- Q-learning

2

Machine Learning

- Supervised Learning
 - Teacher tells learner what to remember
- Reinforcement Learning
 - Environment provides hints to learner
- Unsupervised Learning
 - Learner discovers on its own

3

What is RL?

- Reinforcement learning is learning what to do so as to maximize a numerical reward signal
 - Learner is not told what actions to take, but must discover them by trying them out and seeing what the reward is

4

What is RL

- Reinforcement learning differs from supervised learning

Supervised learning



Reinforcement learning



5

Animal Psychology

- Negative reinforcements:
 - Pain and hunger
- Positive reinforcements:
 - Pleasure and food
- Reinforcements used to train animals
- Let's do the same with computers!

6

RL Examples

- Game playing (backgammon, solitaire)
- Operations research (pricing, vehicle routing)
- Elevator scheduling
- Helicopter control
- <http://neuromancer.eecs.umich.edu/cgi-bin/twiki/view/Main/SuccessesOfRL>

7

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Reinforcement Learning

- Definition:
 - Markov decision process with unknown transition and reward models
- Set of states S
- Set of actions A
 - Actions may be stochastic
- Set of reinforcement signals (rewards)
 - Rewards may be delayed

8

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart


Policy optimization

- Markov Decision Process:
 - Find optimal policy given transition and reward model
 - Execute policy found
- Reinforcement learning:
 - Learn an optimal policy while interacting with the environment

9

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Reinforcement Learning Problem




Goal: Learn to choose actions that maximize $r_0 + \gamma r_1 + \gamma^2 r_2 + \dots$, where $0 < \gamma < 1$

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Example: Inverted Pendulum

- State: $x(t), x'(t), \theta(t), \theta'(t)$
- Action: Force F
- Reward: 1 for any step where pole balanced



Problem: Find $\delta: S \rightarrow A$ that maximizes rewards

11

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

RL Characteristics

- Reinforcements: rewards
- Temporal credit assignment: when a reward is received, which action should be credited?
- Exploration/exploitation tradeoff: as agent learns, should it exploit its current knowledge to maximize rewards or explore to refine its knowledge?
- Lifelong learning: reinforcement learning

12

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Types of RL

- **Passive vs Active learning**
 - **Passive learning**: the agent executes a fixed policy and tries to evaluate it
 - **Active learning**: the agent updates its policy as it learns
- **Model based vs model free**
 - **Model-based**: learn transition and reward model and use it to determine optimal policy
 - **Model free**: derive optimal policy without learning the model

13

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Passive Learning

- Transition and reward model known:
 - Evaluate δ :
 - $V^\delta(s) = R(s) + \gamma \sum_{s'} \Pr(s'|s, \delta(s)) V^\delta(s')$
- Transition and reward model unknown:
 - Estimate policy value as agent executes policy: $V^\delta(s) = E_\delta[\sum_t \gamma^t R(s_t)]$
 - Model based vs model free

14

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Passive learning

3	r	r	r	+1
2	u		u	-1
1	u			
	1	2	3	4

$$\gamma = 1$$

$$r_i = -0.04 \text{ for non-terminal states}$$

Do not know the transition probabilities

$(1,1) \rightarrow (1,2) \rightarrow (1,3) \rightarrow (1,2) \rightarrow (1,3) \rightarrow (2,3) \rightarrow (3,3) \rightarrow (4,3)_{+1}$
 $(1,1) \rightarrow (1,2) \rightarrow (1,3) \rightarrow (2,3) \rightarrow (3,3) \rightarrow (3,2) \rightarrow (3,3) \rightarrow (4,3)_{+1}$
 $(1,1) \rightarrow (2,1) \rightarrow (3,1) \rightarrow (3,2) \rightarrow (4,2)_{-1}$

What is the value $V(s)$ of being in state s ?

15

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Passive ADP

- Adaptive dynamic programming (ADP)
 - Model-based
 - Learn transition probabilities and rewards from observations
 - Then update the values of the states

16

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

ADP Example

3	r	r	r	+1
2	u		u	-1
1	u			
	1	2	3	4

$$\gamma = 1$$

$$r_i = -0.04 \text{ for non-terminal states}$$

$$V^\delta(s) = R(s) + \gamma \sum_{s'} \Pr(s'|s, \delta(s)) V^\delta(s')$$

$(1,1) \rightarrow (1,2) \rightarrow (1,3) \rightarrow (1,2) \rightarrow (1,3) \rightarrow (2,3) \rightarrow (3,3) \rightarrow (4,3)_{+1}$
 $(1,1) \rightarrow (1,2) \rightarrow (1,3) \rightarrow (2,3) \rightarrow (3,3) \rightarrow (3,2) \rightarrow (3,3) \rightarrow (4,3)_{+1}$
 $(1,1) \rightarrow (2,1) \rightarrow (3,1) \rightarrow (3,2) \rightarrow (4,2)_{-1}$

$$\left. \begin{array}{l} P((2,3)|(1,3),r) = 2/3 \\ P((1,2)|(1,3),r) = 1/3 \end{array} \right\} \text{Use this information in}$$

We need to learn all the transition probabilities!

17

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Passive TD

- Temporal difference (TD)
 - Model free
- At each time step
 - Observe: s, a, s', r
 - Update $V^\delta(s)$ after each move
 - $V^\delta(s) = V^\delta(s) + \alpha (R(s) + \gamma V^\delta(s') - V^\delta(s))$

Learning rate α

Temporal difference $R(s) + \gamma V^\delta(s') - V^\delta(s)$

18

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

TD Convergence

Thm: If α is appropriately decreased with number of times a state is visited then $V^\delta(s)$ converges to correct value

- α must satisfy:
 - $\sum_t \alpha_t \rightarrow \infty$
 - $\sum_t (\alpha_t)^2 < \infty$
- Often $\alpha(s) = 1/n(s)$
 - $n(s)$ = # of times s is visited

19

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Active Learning

- Ultimately, we are interested in improving δ
- Transition and reward model known:
 - $V^*(s) = \max_a R(s) + \gamma \sum_{s'} \Pr(s'|s,a) V^*(s')$
- Transition and reward model unknown:
 - Improve policy as agent executes policy
 - Model based vs model free

20

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Q-learning (aka active temporal difference)

- Q-function: $Q: S \times A \rightarrow \mathbb{R}$
 - Value of state-action pair
 - Policy $\delta(s) = \arg\max_a Q(s,a)$ is the optimal policy
- Bellman's equation:

$$Q^*(s,a) = R(s) + \gamma \sum_{s'} \Pr(s'|s,a) \max_{a'} Q^*(s',a')$$

21

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart


Q-learning

- For each state s and action a initialize $Q(s,a)$ (0 or random)
- Observe current state
- Loop
 - Select action a and execute it
 - Receive immediate reward r
 - Observe new state s'
 - Update $Q(a,s)$
 - $Q(s,a) = Q(s,a) + \alpha(r(s) + \gamma \max_{a'} Q(s',a') - Q(s,a))$
 - $s = s'$

22

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Q-learning example



$r=0$ for non-terminal states
 $\gamma=0.9$
 $\alpha=0.5$

$$\begin{aligned} Q(s_1, \text{right}) &= Q(s_1, \text{right}) + \alpha (r(s_1) + \gamma \max_{a'} Q(s_2, a') - Q(s_1, \text{right})) \\ &= 73 + 0.5 (0 + 0.9 \max[66, 81, 100] - 73) \\ &= 73 + 0.5 (17) \\ &= 81.5 \end{aligned}$$

23

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Q-learning

- For each state s and action a initialize $Q(s,a)$ (0 or random)
- Observe current state
- Loop
 - Select action a and execute it
 - Receive immediate reward r
 - Observe new state s'
 - Update $Q(a,s)$
 - $Q(s,a) = Q(s,a) + \alpha(r(s) + \gamma \max_{a'} Q(s',a') - Q(s,a))$
 - $s = s'$

24

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Exploration vs Exploitation

- If an agent always chooses the action with the highest value then it is **exploiting**
 - The learned model is not the real model
 - Leads to suboptimal results
- By taking random actions (pure **exploration**) an agent may learn the model
 - But what is the use of learning a complete model if parts of it are never used?
- Need a balance between exploitation and exploration

25

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Common exploration methods

- ϵ -greedy:
 - With probability ϵ execute random action
 - Otherwise execute best action a^*
 $a^* = \operatorname{argmax}_a Q(s,a)$
- Boltzmann exploration

$$P(a) = \frac{e^{Q(s,a)/T}}{\sum_a e^{Q(s,a)/T}}$$

26

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Exploration and Q-learning


- Q-learning converges to optimal Q-values if
 - Every state is visited infinitely often (due to exploration)
 - The action selection becomes greedy as time approaches infinity
 - The learning rate α is decreased fast enough but not too fast

27

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

A Triumph for Reinforcement Learning: TD-Gammon

- Backgammon player: TD learning with a neural network representation of the value function:



28

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart

Next Class

- Machine learning
- Decision trees
- Russell and Norvig: chapter 18

29

CS4386/686 Lecture Slides (c) 2006 K. Larson and P. Poupart