# Ensemble Learning [RN2] Sec 18.4 [RN3] Sec 18.10

CS 486/686 University of Waterloo Lecture 18: July 2, 2015

## Outline

- Ensemble Learning
  - Bagging
  - Boosting

86/686 Lecture Slides (c) 2015 P. Poupart

## Supervised Learning

- · So far...
  - Decision trees
  - Statistical learning
    - · Bayesian Learning
    - · Maximum a posteriori
    - · Maximum likelihood
- · Which technique should we pick?

CS486/686 Lecture Slides (c) 2015 P. Poupart

3

## Ensemble Learning

- Sometimes each learning technique yields a different hypothesis
- But no perfect hypothesis...
- Could we combine several imperfect hypotheses into a better hypothesis?

CS486/686 Lecture Slides (c) 2015 P. Poupar

## Ensemble Learning

- Analogies:
  - Elections combine voters' choices to pick a good
  - Committees combine experts' opinions to make better decisions
- · Intuitions:
  - Individuals often make mistakes, but the "majority" is less likely to make mistakes.
  - Individuals often have partial knowledge, but a committee can pool expertise to make better decisions.


CS486/686 Lecture Slides (c) 2015 P. Poupart

5

## Ensemble Learning

- · Definition: method to select and combine an ensemble of hypotheses into a (hopefully) better hypothesis
- Can enlarge hypothesis space
  - Perceptrons
    - · linear separators
  - Ensemble of perceptrons
    - polytope

CS486/686 Lecture Slides (c) 2015 P. Poupar



## Bagging

- · Assumptions:
  - Each hi makes error with probability p
  - The hypotheses are independent
- · Majority voting of n hypotheses:
  - k hypotheses make an error:  $\binom{n}{k}$   $p^k(1-p)^{n-k}$
  - Majority makes an error:  $\Sigma_{k>n/2} \binom{n}{k} p^k (1-p)^{n-k}$
  - With n=5, p=0.1  $\rightarrow$  err(majority) < 0.01

CS486/686 Lecture Slides (c) 2015 P. Poupart

## Weighted Majority

- · In practice
  - Hypotheses rarely independent
  - Some hypotheses have less errors than others
- · Let's take a weighted majority
- · Intuition:
  - Decrease weight of correlated hypotheses
  - Increase weight of good hypotheses

CS486/686 Lecture Slides (c) 2015 P. Poupart

9

## Boosting

- · Very popular ensemble technique
- · Computes a weighted majority
- · Can "boost" a "weak learner"
- · Operates on a weighted training set

## Weighted Training Set

- Learning with a weighted training set
  - Supervised learning → minimize train. error
  - Bias algorithm to learn correctly instances with high weights
- Idea: when an instance is misclassified by a hypothesis, increase its weight so that the next hypothesis is more likely to classify it correctly

CS486/686 Lecture Slides (c) 2015 P. Poupart


11

# Boosting Framework

- Set all instance weights  $w_x$  to 1
- Repeat
  - $h_i \leftarrow learn(dataset, weights)$
  - Increase  $w_x$  of misclassified instances x
- Until sufficient number of hypotheses
- Ensemble hypothesis is the weighted majority of h<sub>i</sub>'s with weights w<sub>i</sub> proportional to the accuracy of h<sub>i</sub>

CS486/686 Lecture Slides (c) 2015 P. Poupart

## Boosting Framework



CS486/686 Lecture Slides (c) 2015 P. Poupart

13

w: vector of N instance weights

z: vector of M hypoth. weights

# AdaBoost (Adaptive Boosting)

- $w_j \leftarrow 1/N \ \forall_j$
- For m=1 to M do
  - $h_m \leftarrow learn(dataset,w)$
  - err ← 0
  - For each  $(x_j,y_j)$  in dataset do
    - If  $h_m(x_j) \neq y_j$  then err  $\leftarrow$  err +  $w_j$
  - For each  $(x_i, y_i)$  in dataset do
    - If  $h_m(x_j) = y_j$  then  $w_j \leftarrow w_j$  err / (1-err)
  - w ← normalize(w)
  - $z_m \leftarrow \log [(1-err) / err]$
- Return weighted-majority(h,z)

CS486/686 Lecture Slides (c) 2015 P. Poupar

#### What can we boost?

- Weak learner: produces hypotheses at least as good as random classifier.
- · Examples:
  - Rules of thumb
  - Decision stumps (decision trees of one node)
  - Perceptrons
  - Naïve Bayes models

CS486/686 Lecture Slides (c) 2015 P. Poupart

15

## **Boosting Paradigm**

- Advantages
  - No need to learn a perfect hypothesis
  - Can boost any weak learning algorithm
  - Boosting is very simple to program
  - Good generalization
- · Paradigm shift
  - Don't try to learn a perfect hypothesis
  - Just learn simple rules of thumbs and boost them

CS486/686 Lecture Slides (c) 2015 P. Poupart

## Boosting Paradigm

- When we already have a bunch of hypotheses, boosting provides a principled approach to combine them
- Useful for
  - Sensor fusion
  - Combining experts

CS486/686 Lecture Slides (c) 2015 P. Poupart

17

## **Applications**

- Any supervised learning task
  - Collaborative filtering (Netflix challenge)
  - Body part recognition (Kinect)
  - Spam filtering
  - Speech recognition/natural language processing
  - Data mining
  - Etc.

18

CS486/686 Lecture Slides (c) 2015 P. Poupart

## Netflix Challenge

 Problem: predict movie ratings based on database of ratings by previous users

Launch: 2006

- Goal: improve Netflix predictions by 10%

- Grand Prize: 1 million \$

CS486/686 Lecture Slides (c) 2015 P. Poupart

19

## Progress

- · 2007: BellKor 8.43% improvement
- 2008:
  - No individual algorithm improves by > 9.43%
  - Top two teams BellKor and BigChaos unite
    - Start of ensemble learning
    - Jointly improve by > 9.43%
- · June 26, 2009:
  - Top 3 teams BellKor, BigChaos and Pragmatic unite
  - Jointly improve > 10%
  - 30 days left for anyone to beat them

CS486/686 Lecture Slides (c) 2015 P. Poupart

### The Ensemble

- · Formation of "Grand Prize Team":
  - Anyone could join
  - Share of \$1 million grand prize proportional to improvement in team score
  - Improvement: 9.46%
- · 5 days to the deadline
  - "The Ensemble" team is born
    - Union of Grand Prize team and Vanderlay Industries
    - · Ensemble of many researchers

CS486/686 Lecture Slides (c) 2015 P. Poupart

21

#### Finale

- · Last Day: July 26, 2009
- 6:18 pm:
  - BellKor's Pragmatic Chaos: 10.06% improv.
- 6:38 pm:
  - The Ensemble: 10.06% improvement
- · Tie breaker: time of submission

CS486/686 Lecture Slides (c) 2015 P. Poupart


## Xbox 360 Kinect

- Microsoft Cambridge
- · Body part recognition: supervised learning




CS486/686 Lecture Slides (c) 2015 P. Poupart

23



## Kinect Body Part Recognition

· Problem: label each pixel with a body part




CS486/686 Lecture Slides (c) 2015 P. Poupart

25

## Kinect Body Part Recognition

Features: depth differences between pairs of pixels



· Classification: forest of decision trees

