

CS489/698

Lecture 22: March 27, 2017

Bagging and Distributed Computing

[RN] Sec. 18.10, [M] Sec. 16.2.5,

[B] Chap. 14, [HTF] Chap 15-16,

[D] Chap. 11

Boosting vs Bagging

- Review

Independent classifiers/predictors

- How can we obtain independent classifiers/predictors for bagging?
- Bootstrap sampling
 - Sample (without replacement) subset of data
- Random projection
 - Sample (without replacement) subset of features
- Learn different classifiers/predictors based on each data subset and feature subset

Bagging

For $k = 1$ to K

$\mathbf{D}_k \leftarrow$ sample data subset

$\mathbf{F}_k \leftarrow$ sample feature subset

$h_k \leftarrow$ train classifier/predictor based on \mathbf{D}_k and \mathbf{F}_k

Classification: *majority*($h_1(\mathbf{x}), \dots, h_K(\mathbf{x})$)

Regression: *average*($h_1(\mathbf{x}), \dots, h_K(\mathbf{x})$)

Random forest: bag of decision trees

Application: Xbox 360 Kinect

- Microsoft Cambridge
- Body part recognition: supervised learning



Depth camera

- Kinect



Infrared image




Gray scale depth map




Kinect Body Part Recognition

- Problem: label each pixel with a body part




Kinect Body Part Recognition

- Features: depth differences between pairs of pixels



- Classification: forest of decision trees



Large Scale Machine Learning

- Big data
 - Large number of data instances
 - Large number of features
- Solution: distribute computation (parallel computation)
 - GPU (Graphics Processing Unit)
 - Many cores

GPU computation

- Many Machine Learning algorithms consist of vector, matrix and tensor operations
 - A tensor is a multidimensional array
- GPU (Graphics Processing Units) can perform arithmetic operations on all elements of a tensor in parallel
- Packages that facilitate ML programming on GPUs: TensorFlow, Theano, Torch, Caffe, DL4J

Multicore Computation

- Idea: Train a different classifier/predictor with a subset of the data on each core
- How can we combine the classifiers/predictors?
- Should we take the average of the parameters of the classifiers/predictors?

No, this might lead to a worse classifier/predictor. This is especially problematic for models with hidden variables/units such as neural networks and hidden Markov models

Bad case of parameter averaging

- Consider two threshold neural networks that encode the exclusive-or Boolean function

- Averaging the weights yields a new neural network that does not encode exclusive-or

Safely Combining Predictions

- A safe approach to ensemble learning is to **combine the predictions** (not the parameters)
- **Classification:** majority vote of the classes predicted by the classifiers
- **Regression:** average of the predictions computed by the regressors