

# CS489/698

## Lecture 17: March 7, 2018

Convolutional Neural Networks  
[GBC] Chap. 9

# Large networks

- What kind of neural networks can be used for large or variable length input vectors (e.g., time series)?
- Common networks:
  - Convolutional networks
  - Recursive networks
  - Recurrent networks

# Convolution

- Convolution: mathematical operation on two functions  $x()$  and  $w()$  that produces a third function  $y()$  that can be viewed as a modified version of one of the original functions  $x()$

$$y(i) = \int_t x(t)w(i - t)dt$$
$$y(i) = (x * w)(t)$$

Where  $*$  is an operator denoting a convolution

# Example Smoothing

# Discrete convolution

- Discrete convolution

$$y(i) = \sum_{t=-\infty}^{\infty} x(t)w(i - t)$$


- Multidimensional convolution

$$y(i, j) = \sum_{t_1=-\infty}^{\infty} \sum_{t_2=-\infty}^{\infty} x(t_1, t_2)w(i - t_1, j - t_2)$$

# Example: Edge Detection

- Consider a grey scale image
- Detect vertical edges:  $y(i, j) = x(i, j) - x(i - 1, j)$

$$\text{hence } w(i - t_1, j - t_2) = \begin{cases} 1 & t_1 = i, t_2 = j \\ -1 & t_1 = i + 1, t_2 = j \\ 0 & \text{otherwise} \end{cases}$$



# Convolutions for feature extraction

- In neural networks
  - A **convolution** denotes the linear combination of a **subset of units** based on a **specific pattern of weights**.


$$a_j = \sum_i w_{ji} z_i$$

- Convolutions are often combined with an activation function to produce a feature

$$z_j = h(a_j) = h\left(\sum_i w_{ji} z_i\right)$$

# Gabor filters

- Gabor filters: common feature maps inspired by the human vision system



- Weights:

Grey: zero

White: positive

Black: negative




# Convolution Neural Network

- A **convolutional neural network** refers to any network that includes an **alternation of convolution and pooling layers**, where **some of the convolution weights are shared**.
- Architecture:

# Pooling

- Pooling: **commutative** mathematical operation that combines several units
- Examples:
  - Max, sum, product, Euclidean norm, etc.
- Commutative property (order does not matter):
$$\max(a, b) = \max(b, a)$$

# Example: Digit Recognition



# Benefits

- Sparse interactions
  - Fewer connections
- Parameter sharing
  - Fewer weights
- Locally equivariant representation
  - Locally invariant to translations
  - Handle inputs of varying length

# Parameters

- **# of filters:** integer indicating the # of filters applied to each window.
- **kernel size:** tuple (width, height) indicating the size of the window.
- **Stride:** tuple (horizontal, vertical) indicating the horizontal and vertical shift between each window.
- **Padding:** “valid” or “same”. Valid indicates no input padding. Same indicates that the input is padded with a border of zeros to ensure that the output has the same size as the input.

# Examples

# Training

- Convolutional neural networks are trained in the same way as other neural networks
  - E.g., backpropagation
- Weight sharing:
  - Combine gradients of shared weights into a single gradient

# Applications

- Image processing
- Data with sequential, spatial, or tensor patterns