

# Unifying Interfaces, Type Classes, and Family Polymorphism

(Technical Report)

Yizhou Zhang     Andrew C. Myers

Cornell University

September, 2017

## Abstract

Parametric polymorphism and inheritance are both important, extensively explored language mechanisms for providing code reuse and extensibility. But harmoniously integrating these apparently distinct mechanisms—and powerful recent forms of them, including type classes and family polymorphism—in a single language remains an elusive goal. In this paper, we show that a deep unification can be achieved by generalizing the semantics of interfaces and classes. The payoff is a significant increase in expressive power with little increase in programmer-visible complexity. Salient features of the new programming language include retroactive constraint modeling, underpinning both object-oriented programming and generic programming, and module-level inheritance with further-binding, allowing family polymorphism to be deployed at large scale. The resulting mechanism is syntactically light, and the more advanced features are transparent to the novice programmer. We describe the design of a programming language that incorporates this mechanism; using a core calculus, we show that the type system is sound. We demonstrate that this language is highly expressive by illustrating how to use it to implement highly extensible software and by showing that it can not only concisely model state-of-the-art features for code reuse, but also go beyond them.

## 1 INTRODUCTION

*It is futile to do with more things that which can be done with fewer.*

—William of Ockham

Types help programmers write correct code, but they also introduce rigidity that can interfere with reuse. In statically typed languages, mechanisms for polymorphism recover needed flexibility about the types that code operates over.

*Subtype polymorphism* [15] and *inheritance* [22] are polymorphism mechanisms that have contributed to the wide adoption of modern object-oriented (OO) languages like Java. They make types and implementations open to future type-safe extensions, and thus increase code extensibility and reuse.

*Parametric polymorphism* offers a quite different approach: explicitly parameterizing code over types and modules it mentions [38, 44, 40]. It has dominated in functional languages but is also present in modern OO languages. Parametric polymorphism becomes even more powerful with the addition of type classes [68], which allow existing types to be *retroactively adapted* to the requirements of generic code.

Harmoniously integrating these two kinds of polymorphism has proved challenging. The success of type classes in Haskell, together with the awkwardness of using F-bounded constraints [14] for generic programming, has inspired recent efforts to integrate type classes into OO languages [60,

71, 75]. However, type classes and instances for those type classes burden already feature-rich languages with entirely new kinds of interfaces and implementations. The difficulty of adopting *concepts* in C++ [63] suggests that the resulting languages may seem too complex.

Meanwhile, work on object-oriented inheritance has increased expressive power by allowing inheritance to operate at the level of *families* of related classes and types [42, 65, 41, 25, 47, 5, 48, 27, 19, 56]. Such *family polymorphism*, including virtual types and virtual classes, supports coordinated, type-safe extensions to related types and classes contained within a larger module. These features have also inspired [54] the addition of *associated types* [17] to type classes. Associated types are adopted by recent languages such as Rust [58] and Swift [64]. However, the lack of family-level inheritance limits the expressive power of associated types in these languages.

Combining all these desirable features in one programming language has not been done previously, perhaps because it threatens to confront programmers with a high degree of surface complexity. Our contribution is a lightweight unification of these different forms of polymorphism, offering increased expressive power with low apparent complexity. This unified polymorphism mechanism is embodied in a proposed Java-like language that we call Familia.


The key insight is that a lightweight presentation of the increased expressive power can be achieved by using a single interface mechanism to express both data abstraction and type constraints, by using classes as their implementations, and by using classes (and interfaces) as modules. Both interfaces and classes can be extended. The expressive power offered by previous polymorphism mechanisms, including flexible adaptation and family polymorphism, falls out naturally. Specifically, this paper makes the following contributions:

- We show how to unite object-oriented polymorphism and parametric polymorphism by generalizing existing notions of interfaces, classes, and method calls (Sections 3 and 4). The extensibility of objects and the adaptive power of type classes both follow from this reinterpretation.
- We further show how to naturally integrate an expressive form of family polymorphism. The design accommodates features found in previous family-polymorphism mechanisms (including associated types and nested inheritance) in the above setting of generalized classes and interfaces, and goes beyond them by offering new expressive power. We present a case study of using Familia to implement a highly reusable program analysis framework (Section 5).
- We capture the new language mechanisms formally by introducing a core language, Featherweight Familia, and we establish the soundness of its type system (Section 6).
- We show the power of the unified polymorphism mechanism by comparing Familia with various prior languages designed for software extensibility (Section 7).

## 2 BACKGROUND

Our goal is a lightweight, expressive unification of the state of the art in genericity mechanisms. A variety of complementary genericity mechanisms have been developed, with seemingly quite different characteristics.

**Genericity via inheritance.** Object-oriented languages permit a given interface to be implemented in multiple ways, making clients of that interface generic with respect to future implementations. Hence, we call this a form of *implementation genericity*. Inheritance extends the power of implementation genericity by allowing the code of a class to be generic with respect to implementation changes in future subclasses; method definitions are *late-bound*. While the type-theoretic essence of class inheritance is parameterization [20], encoding inheritance in this way is more verbose and less intuitive [6].



**Figure 1.** Applying family polymorphism to compiler construction.

Family polymorphism [26] extends the expressive power of inheritance by allowing late binding of the meaning of types and classes declared within a containing class, supporting the design of highly extensible and composable software [48]. Virtual types [65, 50] and associated types [35, 17] allow the meaning of a type identifier to be provided by subclasses; with virtual classes as introduced by Beta [42, 26], the code of a nested class is also generic with respect to classes it is nested within. The outer class can then be subclassed to override the behavior and structure of the entire family of related classes and types in a coordinated and type-safe way. Classes and types become members of an object of the family class. The late binding of type names means that all type names implicitly become hooks for later extension, without cluttering the code with a possibly large number of explicit type parameters.

There are two approaches to family polymorphism; in the nomenclature of Clarke et al. [19], the original *object family* approach of Beta treats nested classes as attributes of objects of the family class [42, 26, 5], whereas in the *class family* approach of Concord [36], Jx and J& [47, 48], and ^FJ [33] nested classes and types are attributes of the family classes directly. The approaches have even been combined by work on Tribe [19]. Familia follows Jx by providing *nested inheritance* [47], a class family mechanism that allows both further binding (specialization of nested classes) at arbitrary depth in the class nesting structure, and also inheritance across families.

To see how support for coordinated changes can be useful, suppose we are building a compiler for a programming language called Saladx, which extends a previous language called Salad. The Salad compiler defines data structures (that is, types) and algorithms that operate on these types. We would like to reuse the Salad compiler code in a modular way, without modification. Figure 1 sketches how this can be done in a modular, type-safe way using nested inheritance.

The original compiler defines abstract syntax tree (AST) nodes such as `Node` and `Stmt`. The extended compiler defines a new module `Saladx` that inherits as a family from the original `Salad` module. The new module adds support for a new type of AST node, `UnaryExpr`, by adding a new class definition. `Saladx` also *further binds* the class `Node` to add a new method `constFold` that performs constant folding. Importantly, the rest of `Salad.Node` does not need to be restated. Nor does any code need to be written for `Saladx.Stmt`; this class *implicitly* exists in the `Saladx` module and inherits `constFold` from the new version of `Node`. References in the original `Salad` code to names like `Node` and `Stmt` now refer in the `Saladx` compiler to the `Saladx` versions of these classes. The `Salad` code is highly extensible without being explicitly parameterized.

By contrast, the conventional OO approach could extend individual classes and types from `Salad` with new behavior. However, each individually extended class could not access the others' extended behavior (such as `constFold`) in a type-safe way. Alternatively, extensibility could be implemented for `Salad` by cluttering the code with many explicit type parameters.

**Genericity via parametric polymorphism.** Parametric polymorphism, often simply called *generics*, provides a more widely known and complementary form of genericity in which code is *explicitly* parameterized with respect to the types or modules of data it manipulates. Whereas implementation genericity makes client code and superclass code generic with respect to future

implementations, parametric polymorphism makes *implementations* generic with respect to future *clients*. *Constrained* parametric polymorphism [38] ensures that generic code can be instantiated only on types meeting a constraint. These constraints act effectively as a second kind of interface.

Haskell’s type classes [68] manifest these interfaces as named constraints to which programmers can explicitly adapt existing types. By contrast, most OO languages (e.g., Java and C#) use subtyping to express constraints on type parameters. Subtyping constraints are rigid: they express binary methods in an awkward manner, and more crucially, it is typically impossible to retroactively adapt types to satisfy the subtyping requirement. The rigidity of subtyping constraints has led to new OO languages that support type classes [60, 71, 75].

**Combining genericity mechanisms.** Genericity mechanisms are motivated by a real need for expressive power. Both family polymorphism and type classes can be viewed as reactions to the classic *expression problem* [69] on the well-known difficulty of extending both data types and the operations on them in a modular, type-safe way [57]. However, the approaches are complementary: type classes do not also provide the *scalable extensibility* [47] offered by family polymorphism, whereas family polymorphism lacks the *flexible adaptation* offered by type classes. Despite becoming popular among recent languages that incorporate type classes [58, 64], associated types do not provide the degree of extensibility offered by an expressive family-polymorphism mechanism.

On the other hand, *data abstraction* is concerned with separating public interfaces from how they are implemented so that the implementation can be changed freely without affecting the using code. Implementations are defined in terms of a *representation* that is hidden from clients of the interface. Abstract data types, object interfaces, and type classes can all provide data abstraction [21]. Genericity mechanisms such as inheritance and parametric polymorphism are not essential to data abstraction. However, they add significant expressive power to data abstraction.

Languages that combine multiple forms of polymorphism tend to duplicate data abstraction mechanisms. For example, recent OO languages incorporate the expressive power of type classes by adding new language structures above and beyond the standard OO concepts like interfaces and classes [60, 71, 75]. Unfortunately, a programming language that provides data abstraction in more than one way is likely to introduce feature redundancy and threatens to confront the programmer with added surface complexity. Even for Haskell, it has been argued that type classes introduced duplication of functionality [23], and that the possibility of approaching the same task in multiple ways created confusion [53].

Our contribution is a clean way to combine data abstraction and these disparate and powerful polymorphism mechanisms in a compact package. As a result, programmers obtain the expressive power they need for a wide range of software design challenges, without confronting the linguistic complexity that would result from a naive combination of all the mechanisms.

### 3 UNIFYING OBJECT-ORIENTED INTERFACES AND TYPE CLASSES

Both object-oriented interfaces and type classes are important, but having both in a language can lead to confusion and duplication. Fortunately, both can be supported by a single, unified interface mechanism, offering an economy of concepts.

We unify interfaces with type classes by decoupling the *representation type* of an object-oriented interface from its *object type*. A representation type is an underlying type used to implement the interface; the implementations of interface methods operate on these representation types. An object type, on the other hand, specifies the externally visible operations on an object of the interface.

For example, an interface `Eq` describing the ability of a type  $\tau$  to be compared for equality can be written as shown in Figure 2.<sup>1</sup> This interface declares a single representation type  $\tau$  (in parentheses

---

<sup>1</sup>Except as noted, Familia follows the syntactic and semantic conventions of Java [28].

<pre>interface Eq(T) {   boolean T.equals(T); }</pre>	<pre>interface Hashable   extends Eq {   int hashCode(); }</pre>	<pre>interface PartialOrd   extends Eq {   boolean leq(This); }</pre>	<pre>interface Ord   extends PartialOrd {   int compare(This); }</pre>
---	--	---	--

**Figure 2.** Four interfaces with single representation types. Eq explicitly names its representation type T; the others leave it implicit as This. The receiver types of the interface methods are the representation types.

<pre>interface Set[E where Eq(E)]   extends Collection[E] {     int size();     boolean contains(E);     Self add(E);     Self remove(E);     Self addAll(Set[E]);     ...   }</pre>	<pre>1 interface SortedSet[E] 2 extends Set[E] where Ord(E) { 3   E max() throws SetEmpty; 4   E min() throws SetEmpty; 5   Self subset(E, E); 6   ... 7 }</pre>
--	--

(a) Interface Set is parameterized by a type parameter and a where-clause constraint.

(b) Interface SortedSet extends Set. Its where-clause constraint Ord(E) entails Eq(E).

**Figure 3.** Interfaces Set and SortedSet.

after the interface name Eq); the receiver of method equals hence has this representation type. Each implementation of this interface chooses some concrete type as the representation type.

As convenient syntactic sugar, an interface with a single representation type may omit its declaration, implicitly declaring a single representation type named This. In this usage, all non-static methods declared by the interface have implicit receiver type This. In Figure 2, the other three interfaces all exploit this sugar.

An interface may also declare ordinary type parameters for generic programming, grouped in square brackets to distinguish them from representation type parameters. For example, a generic set interface might be declared as shown in Figure 3a, where the interface Set has an explicit type parameter E representing its elements. In the figure, the omitted representation type of Set (i.e., This) is also the implicit representation type of Collection[E], the interface being extended.

**Using interfaces to constrain types.** Interfaces can be used as type classes: that is, as constraints on types. In Figure 3a, Set has a where-clause where Eq(E), which constrains the choice of types for E to those which satisfy the interface Eq and that therefore support equality. A where-clause may have several such constraints, each constraining a type parameter by instantiating an interface using that type (E in this example) as the representation type. Hence, we also refer to representation types as *constraint parameters*.

As syntactic sugar, a where-clause may be placed outside the brackets containing type parameters (e.g., line 2 of Figure 3b). If kept inside the brackets, the parameters to the constraint may be omitted, defaulting to the preceding type parameter(s), as in line 1 of Figures 6a and 6b. A where-clause constraint can optionally be named (e.g., line 20 of Figure 5).

**Using the object type.** Each interface also defines an *object type* that has the same name as the interface. Using an interface as an object type corresponds to the typical use of interfaces in OO languages. In this case, the interface hides its representation type from the client. For example,

```

1 interface LowerLattice extends PartialOrd {
2     This This.meet(This); // covariant and contravariant uses of This
3     static This top(); // a static method
4     static This meetAll(Iterable[This] c) {
5         This glb = top();
6         for (This elem : c) { glb = glb.meet(elem); }
7         return glb;
8     } // a static method with a default implementation
9 }

```

**Figure 4.** An invariant interface for a lower semilattice.

in the variable declaration “Hashable x;”, the representation type is an *unknown* type  $T$  on which the constraint  $\text{Hashable}(T)$  holds. The programmer can make the method call  $x.\text{hashCode}()$  in the standard, object-oriented way. Thus, the interface  $\text{Hashable}$  serves both as a type class that is a constraint on types and as an ordinary object type.

From a type-theoretic viewpoint, object types are existential types, as in some prior object encodings [8]. A method call on an object (e.g.,  $x.\text{hashCode}()$ ) implicitly unpacks the existentially typed receiver. This unpacking is made explicit in the core language of Section 6.

**Subtype polymorphism and constraint entailment.** Subtype polymorphism is an essential feature of statically typed OO languages. As Figures 2 and 3 show, interfaces can be extended in *Familia*. The declaration `extends Collection[E]` in the definition of interface `Set` introduces a subtype relationship between `Set[E]` and `Collection[E]`. An interface definition can extend multiple interfaces.

Such subtype relationships are higher-order [55], in the sense that interfaces in *Familia* can be viewed as type operators that accept a representation type. When the interfaces are used as object types, this higher-order subtyping relation becomes the familiar, first-order subtyping relation between object types. When the interfaces are used to constrain types, this higher-order subtyping relation manifests in *constraint entailment*, a relation between constraints on types [71, 75]. For example, consider the instantiation of `Set` on line 2 of `SortedSet` in Figure 3b. The type `Set` can only be instantiated on a type  $T$  that satisfies the constraint  $\text{Eq}(T)$ ; here, because `Ord` (transitively) extends `Eq`, constraint `Ord(E)` being satisfied entails `Eq(E)` being satisfied.

A second form of constraint entailment concerns varying the representation type, rather than the interface, when the interface is contravariant in its representation type. For example, all interfaces in Figures 2 and 3 are contravariant, because they do not use their representation types in covariant or invariant positions. Because `Eq` is contravariant, it is safe to use a class that implements `Eq(Set[E])` to satisfy the constraint `Eq(SortedSet[E])`. Figure 4 shows an example of an invariant interface, `LowerLattice`, which uses `This` on line 2 both covariantly (as a return type) and contravariantly (as receiver and argument types). *Familia* infers interfaces to be either contravariant or invariant in their constraint parameters, with most interfaces being contravariant. A constraint parameter that is inferred contravariant may also be explicitly annotated as invariant. Covariance and bivarience in constraint parameters are not supported because these forms of variance do not seem useful.

**Static and default methods in interfaces.** Interfaces may also declare static methods that do not expect a receiver. For example, consider the interface `LowerLattice` in Figure 4. It describes a bounded lower semilattice, with its representation type `This` as the carrier set of the semilattice. Therefore, `LowerLattice` extends `PartialOrd` and additionally declares a binary method `meet()` and a static method `top()` that returns the greatest element.

```

graphs
1 module graphs;
2 static List[List[V]] findSCCs[V,E](List[V] vertices) where Graph(V,E) {
3   ... new postOrdIter[V,E](v) ... new postOrdIter[V,E with transpose[V,E]](v) ...
4 } // Implements Kosaraju's algorithm for finding strongly connected components

graphs.Graph
5 interface Graph(Vertex,Edge)
6 extends Hashable(Vertex) {
7   Vertex Edge.source();
8   Vertex Edge.sink();
9   Iterable[Edge] Vertex.outgoingEdges();
10  Iterable[Edge] Vertex.incomingEdges();
11 }

graphs.postOrdIter
12 class postOrdIter[V,E] for Iterator[V]
13 where Graph(V,E) {
14   postOrdIter(V root) { ... }
15   V next() throws NoMoreElement { ... }
16   ...
17 }

graphs.transpose
18 class transpose[Vertex,Edge]
19 for Graph(Vertex,Edge)
20 where Graph(Vertex,Edge) g {
21   Vertex Edge.source()
22   { return this.(g.sink()); }
23   Vertex Edge.sink()
24   { return this.(g.source()); }
25   Iterable[Edge] Vertex.outgoingEdges()
26   { ... }
27   Iterable[Edge] Vertex.incomingEdges()
28   { ... }
29   int Vertex.hashCode()
30   { return this.(g.hashCode()); }
31 }

```

**Figure 5.** A generic graph module. Interface `Graph` has two constraint parameters, so the method receiver types in interface `Graph` (and also its implementing class `transpose`) cannot be omitted. The code in this graph (except for lines 5–11) is discussed in Section 4.

Interfaces can also provide default implementations for methods. Method `meetAll` in `LowerLattice` computes the greatest lower bound of a collection of elements. However, an implementation of `LowerLattice` can override this default with its own code for `meetAll`.

**The current interface `Self`.** In `Familia`, all interfaces have access to a `Self` interface that precisely characterizes the current interface in the presence of inheritance. For example, in interface `Set` (Figure 3a), `Self` is used as the return type of the `addAll` method, meaning that the return type varies with the interface the method is enclosed within: in interface `Set`, the return type is understood as `Set[E]`; when method `addAll` is inherited into interface `SortedSet`, the return type is understood as `SortedSet[E]`. Hence, adding all elements of a (possibly unsorted) set into a sorted set is known statically to produce a sorted set:

```

SortedSet[E] ss1 = ...; Set[E] s = ...;
SortedSet[E] ss2 = ss1.addAll(s);

```

This and `Self` are implicit parameters of an interface, playing different roles. The parameter `This` stands for the representation type, which is instantiated by the implementation of an interface with the type of its representation. On the other hand, the parameter `Self` stands for the current interface, and its meaning is refined by interfaces that inherit from the current interface. Section 4.4 further explores the roles of `This` and `Self`.

**Interfaces with multiple representation types.** An interface can act as a multiparameter type class if it declares multiple representation types—that is, if it has multiple constraint parameters. As

```

1 class hashset[E where Hashable]
2 for Set[E] {
3   hashset() { table = new E[10]; }
4   E[] table; int size;
5   int size() { return this.size; }
6   boolean contains(E e)
7     { ... e.hashCode() ... }
8   ...
9 }

1 class mapset[E where Eq]
2 for Set[E](Map[E,?]) {
3   boolean contains(E e)
4     { return this.containsKey(e); }
5   int size()
6     { return this.(Map[E,?].size)(); }
7   ...
8 }

```

(a) The representation of `hashset` is its fields.

(b) The representation of `mapset` is a `Map` object.

**Figure 6.** Two implementations of the `Set` interface using different representations.

an example, the `Graph` interface (lines 5–11 in Figure 5) constrains both `Vertex` and `Edge` types. Note that the implicit constraint parameter of the superinterface `Hashable` is used explicitly here. As seen on lines 7–10, when there are multiple constrained types, the receiver type of each defined operation must be given explicitly. Unlike interfaces with a single representation type, interfaces with multiple representation types do not define an object type.

## 4 UNIFYING OO CLASSES AND TYPE-CLASS IMPLEMENTATIONS

All previous languages that integrate type classes into the OO setting draw a distinction between classes and implementations of type classes. Confusingly, different languages use different terminology to describe type-class implementations. Haskell has “instances”, the various C++ proposals have “concept maps” [63], JavaGI [71] has “implementations”, and Genus [75] has “models”.

Familia avoids unnecessary duplication and terminology by unifying classes with type-class implementations. Classes establish the ability of an underlying representation to satisfy the requirements of an interface. The representation may be a collection of fields, in the usual OO style. Alternatively, unlike in OO style, the representation can be any other type that is to be retroactively adapted to the desired interface.

For example, to implement the interface `Set` (Section 3), we can define the class `hashset` shown in Figure 6a. Class `hashset` implicitly instantiates the representation type `This` of its interface `Set[E]` as a record type comprising its field types (i.e., `{E[] table; int size}`). Since `this` denotes the receiver and the receiver has this representation type, the field access on line 5 type-checks. The receiver type of a class method is usually omitted when the class has a single representation type.

Classes are not types. If classes were types, code using classes would be less extensible because any extension would be forced to choose the representation type in a compatible way. We give classes lowercase names to emphasize that they are more like terms. A class can be used via its constructors; for example, `new hashset[E]()` produces a new object of type `Set[E]`.

A distinguishing feature of Familia is that a class can also instantiate its representation type explicitly, effectively *adapting* an existing type or types to an interface. Suppose we already had an interface `Map` and wanted to implement `Set` in terms of `Map`. As shown in Figure 6b, this adaptation can be achieved by defining a class that instantiates the representation type of `Set[E]` as `Map[E, ?]`. Class `mapset` implements the `Set` operations by redirecting them to corresponding methods of `Map`. Note that the value type of the map does not matter, hence the wildcard `?`. Because expression `this` has type `Map[E, ?]` in class `mapset`, the method call `this.containsKey(e)` on line 4 type-checks, assuming `Map` defines such a method.

A class like `mapset` has by default a single-argument constructor that expects an argument of the representation type. So an object `x` of type `Map[K, V]` can be used to construct a set through the



expression `new mapset[K](x)`, an expression with type `Set[K]`. It is also possible to define other constructors to initialize the class' representation.

Classes can be extended via inheritance. A subclass can choose to implement an interface that is a subtype of the superclass interface, but cannot alter the representation type to be a subtype, which would be unsound. The fact that a subclass can add extra fields is justified by treating the representation type of a class with fields as a nested type (Section 5.2).

#### 4.1 Classes as Witnesses to Constraint Satisfaction

The ability of classes to adapt types to interfaces makes generic programming more expressive and improves checking that it is being used correctly. In particular, the Familia type system keeps track of which class is used to satisfy each type constraint. For example, suppose we want sets of strings that are unique up to case-insensitivity; we would like a `Set[String]` where string equality is defined in a case-insensitive way. Because interface `String` has an `equals` method

```
interface String { boolean equals(String); ... }
```

it automatically structurally satisfies the constraint `Eq(String)` that is required to instantiate `Set`. However, it satisfies that interface in the wrong, case-sensitive way. We solve this problem in Familia by defining a class that rebinds the necessary methods:

```
class cihash for Hashable(String) {
  boolean equals(String s) { return equalsIgnoreCase(s); }
  int hashCode() { return toLowerCase().hashCode(); }
}
Set[String with cihash] s1 = new hashset[String with cihash]();
Set[String] s2 = s1; // illegal
```

Notice that the types in this example keep track of the class being used to satisfy the constraint, a feature adopted from Genus [75]: a `Set[String]`, which uses `String` to define equality, cannot be confused with a `Set[String with cihash]`. Such a confusion might be dangerous because the implementation of `Set` might rely on the property that two sets use the same notion of equality.

The type `Set[String]` does not explicitly specify a class, so to witness the constraint `Eq(String)` for it, Familia infers a default class, which in this case is a *natural class* that Familia automatically generates because `String` structurally conforms to the constraint `Eq`. The natural class has an `equals` method that conforms to that required by `Eq(String)`, and its implementation simply calls through to the underlying method `String.equals`. We call these “natural classes” by analogy with natural models [75].

The natural class can also be named explicitly using the name `String`, so `Set[String]` is actually a shorthand for `Set[String with String]`. However, the natural class denoted by `String` is different from the `String` type.

We've seen that a class can be used both to construct objects and to witness satisfaction of where-clause constraints. In fact, even object construction is really another case of using a class to witness satisfaction of a constraint. For example, creating a `Set[E]` object needs both a value of some representation type  $T$  and a class that satisfies the constraint `Set[E](T)`. The job of a class constructor is to use its arguments to create a value of the representation type.

#### 4.2 Classes as Dispatchers

Like other OO languages, Familia uses classes to obtain dispatch information. Unlike previous OO languages, Familia allows methods to be dispatched using classes that are *not* the receiver object's class.

The general form of a method call is

$$e_0.(d.m)(e_1, \dots, e_n)$$

where  $e_0$  is the receiver, class  $d$  is the *dispatcher*, and  $e_1, \dots, e_n$  are the ordinary method arguments. Dispatcher  $d$  provides the method  $m$  being invoked; the receiver  $e_0$  must have the same type as the representation type of  $d$ .

This generalized notion of method invocation adds valuable expressive power. For an example, return to class `transpose` in Figure 5. On line 20, its `where`-clause constraint, named `g`, denotes some class for `Graph(Vertex, Edge)`. Class `transpose` implements the transpose of the graph defined by `g` by reversing all edge orientations in `g`; for example, method call `this.(g.sink)()` on line 22 uses class `g` to find the sink of a vertex and returns it as the source. Note that the transposed graph is implemented *without* creating a new data structure. On lines 2–4, the method `findSCCs()` demonstrates one use for the transposed graph. It finds strongly connected components via Kosaraju’s algorithm [3], which performs two postorder traversals, one on the original graph and one on the transposed graph.

Dispatcher classes can usually be elided in method calls—Familia infers the dispatcher for an ordinary method call of form  $e_0.m(e_1, \dots, e_n)$ —offering convenience in the common cases where there is no ambiguity about which dispatcher to use. This inference process handles method invocation for both object-oriented polymorphism and constrained parametric polymorphism.

In the common case corresponding to object-oriented polymorphism, this ordinary method call represents finding a method in the dispatch information from  $e_0$ ’s *own* class. For example, assuming `s1` and `s2` have type `String`, the method call `s1.equals(s2)` is syntactic sugar for using the natural class implicitly generated for `String` as the dispatcher: it means `s1.(String.equals)(s2)`. The natural class generated for an interface `I` actually implements the constraint `I(I)`. So the `equals` method in the natural class for `String` must have receiver type `String` and argument type `String`. Hence the expanded method call above type-checks.

In another common case corresponding to constrained parametric polymorphism, ordinary method call syntax may be employed by generic code to invoke operations promised by constraints on type parameters. For example, consider the method call `e.hashCode()` on line 7 in class `hashset` (Figure 6a). Familia infers the dispatcher to be the class passed in to satisfy the `where`-clause constraint `Hashable(E)`. So if the programmer named the constraint as in “`where Hashable(E) h`”, the desugared method call would be `e.(h.hashCode)()`.

The generalized form of method calls provides both static and dynamic dispatch. While the dispatcher class is chosen statically, the actual method code to run is chosen dynamically from the dispatcher class. It is easy to see this when the dispatcher is a natural class; the natural class uses the receiver’s own class to dispatch the method call. An explicit class can also provide specialized behavior for subtypes of the declared representation type; all such methods are dispatched dynamically based on the run-time type of the receiver.

In fact, class methods are actually multimethods that dispatch on all arguments whose corresponding types in the interface signature are `This`. Since Familia unifies classes with type-class implementations, the semantics of multimethods in Familia is the same as model multimethods in Genus [75]. For example, class `setP0` in Figure 7 implements a partial ordering for `Set` based on set containment. It has two `leq` methods, one for the base case, and the other for two sorted sets. Notice that in the second `leq` method, the receiver and the parameter are guaranteed to have the same ordering, because both occurrences of `SortedSet` indicate a subtype of the same `Set[E with eq]` type, assuming the `where`-clause constraint is named `eq`. Hence, the second `leq` method can be implemented in an asymptotically more efficient way. When class `setP0` is used to dispatch a method call to `leq`, the most specific version is chosen based on the run-time types of the receiver and the argument.

```

class setPO[E where Eq] for PartialOrd(Set[E]) {
  boolean Set[E].leq(Set[E] that) { return this.containsAll(that); } // base implementation
  boolean SortedSet.leq(SortedSet that) { ... } // specialization
  ...
}

```

**Figure 7.** The `leq` methods in class `setPO` are multimethods. The second `leq` method offers an asymptotically more efficient implementation for two sets sorted using the *same* order.

### 4.3 Inferring Default Classes

As mentioned in Sections 4.1 and 4.2, Familia can infer default classes both for elided `with` clauses and for elided dispatchers. It does so based on how classes are *enabled* as potential default choices, similarly to how models are enabled in Genus [75]. If only one enabled class works in the `with` clause or as the dispatcher, that class is chosen as the default class. Otherwise, Familia requires the class to be specified explicitly.

Classes can be enabled in four ways: 1. Types automatically generate and enable natural classes. 2. A `where`-clause constraint enables a class within its scope. 3. A `use`-statement enables a class in the scope where the `use`-statement resides; for example, the statement “`use mapset;`” enables this class as a way to adapt `Map[E, ?]` to `Set[E]`. 4. A class is enabled within its own definition; this enclosing class can be accessed via the keyword `self`.

For example, consider the method call on line 6 in class `mapset` (Figure 6b). If the dispatcher were elided, two classes would be enabled as potential dispatcher choices—one, the natural class generated for the receiver’s type (i.e., `Map[E, ?]`, which has a `size()` method), and the other, the enclosing class `mapset`, which defines a `size()` method with a compatible receiver type. Because of this ambiguity, Familia requires the dispatcher to be specified explicitly.

As another example, consider the method call `glb.meet(elem)` on line 6 in Figure 4. An enclosing class in this case is the class that implements the `LowerLattice` interface (this class inherits the method definition that contains this method call), and only this class is enabled as a potential dispatcher for the call. So Familia desugars the method call as `glb.(self.meet)(elem)`.

### 4.4 Self, This, self, and this

As discussed in Section 3, an interface definition has access to both the `Self` interface and the `This` type: `Self` is the current interface, while `This` is the type of the underlying representation of the current interface. Analogously, a class definition (as well as a non-static default method in an interface) has access to both the `self` class and the `this` term: `self` denotes the current class, while `this` denotes the underlying representation of the current class (or equivalently, the receiver). A class definition also has access to a `Self` interface that denotes the interface of the current class `self`. Hence, class `self` witnesses the constraint `Self(T)` where `T` is the type of `this`.

Although they sound similar, `Self` (or `self`) and `This` (or `this`) serve different purposes. Both `Self` and `self` are late-bound: in the presence of inheritance, their interpretation varies with the current interface or class. In this sense, `Self` and `self` provide a typed account of interface and class extensibility. Section 5 shows how the `self` class is further generalized to support type-safe extensibility at larger scale. On the other hand, the representation type `This` and the representation `this` provide *encapsulation*—objects hide their representations and object types hide their representation types—and *adaptation*—classes adapt their representations to interfaces.

Ignoring nesting (Section 5), objects in Familia are closest from a type-theoretic viewpoint to the denotational interpretation of objects by Bruce [9], who gives a denotation of an object type using two special type variables: the first represents the type of an object as viewed from the inside, and

the second, the type of the object once it has been packed into an existential. These type variables roughly correspond to `This` and `Self` in *Familia*. This denotational semantics is intended as a formal model for OO languages, but no later language distinguishes between these two types. *Familia* shows that by embracing this distinction in the surface language, the same underlying model can express both object types and type classes.

#### 4.5 Adaptive Use-Site Genericity

*Familia* further extends the adaptive power of interfaces to express use-site genericity ala *Genus* [75]. The adaptive power arises from the duality between use-site genericity and definition-site genericity (i.e., parametric polymorphism), which respectively correspond to existential and universal type quantification. Because of this adaptive power, we call this “use-site genericity” rather than “use-site variance”, which only concerns subtyping [67].

Java uses wildcards and subtyping constraints to express use-site variance. For example, the type `List<? extends Set<E>>` describes all lists whose element type is a subtype of `Set<E>`. The corresponding type in *Familia* is `List[out Set[E]]`, which is sugar for the explicit existential type `[some T where Set[E](T)]List[T]`, where `Set[E]` is used to constrain the unknown type `T`, and the leading brackets denote constrained existential quantification. Therefore, one can assign a `List[SortedSet[E]]` to a `List[out Set[E]]` because the natural class generated for `SortedSet[E]` satisfies the constraint `Set[E](SortedSet[E])`. More interestingly, one can assign a `List[Map[E, ?]]` to a `List[out Set[E]]` in a context in which class `mapset` (Figure 6b) is enabled. Note that this adaptation is asymptotically more efficient than with the Adapter pattern: when assigning a `List[Map[E, ?]]` into a `List[out Set[E]]`, the resulting list is represented by a list of maps and a class that adapts `Map` to `Set`, rather than by wrappers that inefficiently wrap each individual map into a set.

## 5 EVOLVING FAMILIES OF CLASSES AND INTERFACES

Thus far we have seen how to unify OO classes and interfaces with type classes and their implementations. However, the real payoff comes from further unifying these mechanisms with family polymorphism, to support *coordinated* changes to related classes and types contained within a larger module.

### 5.1 Class-Based Family Polymorphism in *Familia*: an Overview

As in many OO languages, *Familia*’s module mechanism is based on nesting: classes and interfaces are modules that can contain classes, interfaces, and types. *Familia* has nesting both via classes and via a pure module construct that is analogous to packages in Java or namespaces in C++. Apart from being able to span multiple compilation units, such a module is essentially a degenerate class that has no instances and does not implement an interface. Hence, both classes and modules define families containing their components. *Familia* interfaces can also contain nested components; a class inherits the nested components from its interfaces. Since nesting is allowed to arbitrary depth, a nested component may be part of multiple families at various levels.

Unlike most OO languages, *Familia* allows not only classes but all modules to be extended via inheritance. Following C++ convention [62], we call the module being extended the *base module* and the extending module, the *derived module*. Hence, superclass and base class are synonyms, as are subclass and derived class. We also slightly abuse the terminology “module” to mean not only the module construct but all families that contain nested components.

```

dataflow.base
abstract module dataflow.base {
  class cfg for Graph(Peer,Edge);
  type Item;
  class itemlat for LowerLattice(Item);
}

dataflow.base.Transfer
interface Transfer { Item apply(Item); }

dataflow.base.transfer
class transfer for Transfer(Node) {
  Item Node.apply(Item item) { return item; }
}

dataflow.base.Worker
interface Worker { Map[Peer,Item] result(); }

dataflow.base.worker
1 use cfg, itemlat;
2 class worker for Worker {
3   Map[Peer,Item] items; // analysis result
4   ...
5   void worklist(List[Peer] src) {
6     List[List[Peer]] sccs =
7     graphs.findSCCs[Peer,Edge](src);
8     for (List[Peer] scc : sccs) {
9       boolean change = false;
10      do { // Iteratively computes result
11        for (Peer p : scc) {
12          Item newf = outflow(p);
13          Item oldf = items.get(p);
14          change |= !oldf.equals(newf);
15          items.put(p,newf);
16        }
17      } while (change);
18    }
19  }
20  Item outflow(Peer p) {
21    List[Item] ins = inFlows(p);
22    Item conf = itemlat.meetAll(ins);
23    Node node = p.node();
24    return node.(transfer.apply)(conf);
25  }
26  List[Item] inFlows(Peer p) { ... }
27 }

```

**Figure 8.** Excerpt from an extensible dataflow analysis framework.  
(A Peer is a vertex in the CFG, and has access to an AST node, Node.)

When a module is inherited, all components of the base module—including nested modules, classes, interfaces, types,<sup>2</sup> and methods—are inherited into the derived module; the inherited code is polymorphic with respect to a family it is nested within. Further, the derived module may *override* the nested components. In this sense, names of components nested inside a module are *implicit parameters* declared by their families.

**Example: dataflow analysis.** As an example where coordinated changes to a module are useful, consider the problem of developing an extensible framework for dataflow analysis. A dataflow analysis can be characterized as a four-tuple  $(G, I, L, F_n)$  [4]: the direction  $G$  that items flow on the control-flow graph (CFG), the set  $I$  of items being propagated, the operations  $\sqcap$  and  $\sqcup$  of the semilattice  $L$  formed by the items, and the transfer functions  $F_n$  associated with each type of AST node.

We would like to be able to define a generic dataflow analysis framework that leaves the four parameters either unspecified or partially specified, so that a specific analysis task (such as live variable analysis) can be obtained by instantiating or specializing the parameters. This can be achieved using family polymorphism, but does not work with conventional OO languages since they do not support coordinated changes, as discussed in Section 2.

Figure 8 shows the code of the module base, which is nested inside the module `dataflow`. It provides a base implementation of the extensible dataflow analysis framework discussed earlier. The four parameters  $(G, I, L, F_n)$  of a dataflow analysis framework correspond to class `cfg`, type `Item`, class `itemlat`, and class `transfer`, respectively. The rest of the module—especially class `worker`, which implements the `worklist` algorithm (lines 5–26)—is generic with respect to the choice of

<sup>2</sup> Nested interfaces are similar to nested types except that nested interfaces can be used to constrain types and that nested types need not necessarily be bound to interfaces.

```

dataflow.liveness
module dataflow.liveness extends dataflow.base {
  class cfg extends transpose[Peer,Edge with flowGraph]; // Backward analysis
  type Item = Set[Var]; // Liveness analysis propagates sets of variables
}

dataflow.liveness.transfer          dataflow.liveness.itemlat
// Def-Use                          1 class itemlat for LowerLattice(Item) {
class transfer for Transfer(Node) {  2   static Item top() fixes Item
  Item LocalVar.apply(Item item) {  3     { return new HashSet[Var](); }
    return item.add(this.var());    4   Item meet(Item that)
  }                                  5     { return this.addAll(that); }
  Item LocalAssign.apply(Item item) { 6   boolean leq(Item that)
    LocalVar n = this.left();        7     { return this.(setPO[Var].leq)(that); }
    return item.remove(n.var());     8   boolean equals(Item that)
  }                                  9     { return this.(setPO[Var].equals)(that); }
}                                     10  }

```

**Figure 9.** An extension of the base dataflow framework: live variable analysis.

these parameters. Therefore, writing a specific dataflow analysis amounts to instantiating these four parameters in a derived module. Crucially, this instantiation can be done in a lightweight, type-safe way by either binding or further-binding the four nested components.

To illustrate such an extension, Figure 9 shows a module that inherits from the base dataflow module and implements live variable analysis. Recall that live variable analysis is a backward analysis where the items are sets of local variables, the meet operator  $\sqcap$  takes the union of two sets, the greatest element  $\top$  is the empty set, and the transfer functions are defined in terms of the variables each CFG node defines and uses. The module definition (*liveness*) declares that it extends the base module. It provides the definitions of exactly these four implicit parameters.

The combined power of family inheritance and retroactive adaptation is apparent: with roughly 20 lines of straightforward code, we are able to implement a new program analysis. And this analysis is itself extensible; for example, it can be further extended to report unused variables. Implementing this example with the same extensibility in any previous language would require more boilerplate code or design patterns.

## 5.2 Further Binding

In Familia, all nested names are points of extensibility that can be further-bound in derived modules. In addition, base modules, superclasses, superinterfaces, supertypes, and interfaces of classes can be further-bound in derived modules.

**Binding nested, unbound names.** A derived module can *bind* the nested components left unbound in its base module. In the example, derived module *liveness* binds three components unbound in module *base*: it binds nested class *cfg* by using the transpose of *flowGraph* (we assume *flowGraph* is a class for constraint *Graph*(*Peer*, *Edge*)) as its superclass, it binds nested type *Item* to type *Set*[*Var*], and it binds nested class *itemlat* to a nested class definition. A module can nest unbound methods, classes, or types if it is abstract or one of its families is abstract;<sup>3</sup> module *base* is declared abstract.

<sup>3</sup> “Abstract methods” in previous OO languages actually mean unbound methods in Familia, while “abstract classes” retain their meaning.

Unbound classes are not to be confused with abstract classes. An unbound class is one that a non-abstract, derived module of one of its enclosing families must provide a binding for. So unlike abstract classes, unbound classes *can* be used to satisfy constraints (including creating objects) and dispatch method calls. For example, consider the `worklist()` method in the base module, which computes the strongly connected components of the CFG (line 7) to achieve faster convergence [46]. Class `cfg`, though unbound, is used (as the default class) to satisfy the constraint required by the generic `findSCCs()` method from Figure 5. As another example, unbound class `itemLat` is used as the (inferred) dispatcher in the method call on line 14.

It is perfectly okay to give partial definitions to nested classes `cfg` and `itemLat` without declaring them abstract, because a non-abstract, derived module of their family is required to complete the definitions. (Class `itemLat` is indeed partially defined because it inherits a default method implementation from its interface defined in Figure 4.) It follows that the above discussion about unbound classes applies to partially bound classes as well. Previous languages with family polymorphism do not support non-abstract classes that are unbound or partially bound.

Nested type `Item` is essentially an *associated type* of its family. Associated types are unbound type members of interfaces and superclasses [35, 17].<sup>4</sup> Associated types were introduced to reduce the number of type parameters, a rationale that applies here as well. However, unlike languages like Scala and Haskell that support associated types, it is possible in Familia to further-bind a previously bound nested name in a derived module.

**Further-binding nested names.** In Familia, a derived module can *further-bind* nested interface and class definitions, *specializing* and *enriching* the behavior of the corresponding definition in the base module. Further binding was introduced by Beta [43]. Languages that support virtual types but not full family polymorphism, such as Scala, can only simulate further binding through design patterns [49, 72].

In the dataflow example, class `transfer` in the derived module further-binds its counterpart in the base module. Recall from Section 4.2 that a class can provide specialized behavior for subtypes of the representation type and that all such methods are dynamically dispatched. The implementation of the transfer functions demonstrates how family inheritance interacts with this feature. The `transfer` class in the base module provides a default implementation of a transfer function through the method `apply`. The `transfer` class in the derived module `liveness` inherits this default implementation, and refines it by specializing the implementation of `apply` to handle the particular types of AST nodes that play an interesting role in live variable analysis. Dispatching on the receiver object is used to allow choosing the most specific method among all of the three `apply` methods at run time.

In addition to specialization, a further-bound interface or class definition can also enrich the corresponding definition in the base module. This enrichment was seen in the example from Section 2, in which the class `Node` and implicitly, all of its derived classes, were extended with a new method `constFold`. This example works in Familia as well. If `Node` were an interface rather than a class, Familia would check that every class implementing it in the derived module provides a definition for method `constFold`.

A nested type can also be further-bound to a subtype. In fact, further-binding is what allows subclasses to add new fields. Recall from Section 4 that the representation type of a class with fields is a record type containing the field types. We take this unification a step further with nested types: field types are essentially a nested record type that can be further-bound to a subtype. For example, consider classes `c1` and `c2` on the left of Figure 10, whose representation types are a nested type. Class `c2` adds a new field `g` by further-binding the nested type `Fields` to a subtype. Since this has type `Fields` in class `c2`, the nested fields can be accessed via `this.f` and `this.g`.

---

<sup>4</sup> Associated types take different forms in different languages: `typedef` in C++, abstract type members in Scala, `associatedtype` in Swift, to name a few.

```

1 interface I { int This.m(); }
2 class c1 for I(Fields) {
3   type Fields = { int f }
4   int Fields.m() { return this.(self.n()); }
5   int Fields.n() { return this.f; }
6 }
7 class c2 for I(Fields) extends c1 {
8   type Fields = { int f; int g }
9   int Fields.n() { return this.f + this.g; }
10 }

```

```

// Testing code
{ int f } t1 = { f = 1 };
{ int f; int g } t2 = { f = 0; g = 2; }
I i = new c2(t2);
i.(I.m()); // dispatcher is the natural class
t2.(c2.m()); // dispatcher is c2
t1.(c2.m()); // illegal

```

**Figure 10.** On the left are two classes with fields as their representations (Section 5.2). Testing code on the right is used to illustrate how late binding ensures type safety (Section 5.3). Receiver types in method signatures and dispatcher classes in method calls are written out in this example.

**Further-binding base modules.** In Familia, not only can nested names be further-bound, but base modules, superclasses, superinterfaces, and interfaces that classes implement can also be further-bound. The utility of further-binding base modules can be demonstrated by the new opportunity in Familia to co-evolve related, non-nested families of classes and interfaces.

For example, suppose the dataflow framework in Figures 8 and 9 was developed for the Salad programming language from Section 2. Because the Saladx extension in Figure 1 adds unary expressions to Salad, we cannot expect the dataflow framework to automatically work correctly for Saladx. If the dataflow module happened to be nested within the salad module, family polymorphism with further binding would allow us to add a transfer function for unary expressions in class `saladx.dataflow.liveness.transfer` (which would further-bind class `salad.dataflow.liveness.transfer`). This approach is illustrated in Figure 11a. Suppose, however, that the dataflow framework were implemented separately by a third party, and thus had to import the module `salad` rather than residing within it. The extensibility strategy just outlined would not work.


This need to co-evolve related families is addressed by further-binding a base module. Figure 11b illustrates how to co-evolve the dataflow framework and the Salad implementation, and Figure 12 shows the code. In Figure 12a, module `dataflow`, the dataflow framework for the base Salad language, declares a nested name `lang` and binds it by using `salad` as its base module. In Figure 12b, derived module `dataflowx`, the dataflow framework for Saladx, further-binds the base module of `lang` to `saladx`, and updates the transfer function to account for unary expressions. (For brevity, we also say that module `dataflow` binds nested name `lang` to `salad` and that module `dataflowx` further-binds it to `saladx`.) As we soon see in Section 5.3, the `dataflow` and `dataflowx` modules interpret names imported from the `salad` and `saladx` modules (e.g., `Node`) relative to their own nested component `lang`. This relativity ensures that the relationships between the related components in modules `salad` and `dataflow` are preserved when inherited into derived modules `saladx` and `dataflowx`; components of module `salad` cannot be mixed with components of module `dataflowx`, which work with `saladx`.

Familia supports this kind of further binding for other kinds of nested components than modules. For example, when a derived module further-binds the superclass of a nested class, Familia checks that the new superclass extends—up to transitivity and reflexivity—the original superclass. This check ensures that inherited code is type-safe with respect to the new binding.

### 5.3 Late Binding of Nested Names via `self`

A key to making family polymorphism sound is that relationships between nested components within a larger module are preserved when inherited into a derived module. Familia statically en-





(a) Module dataflow is nested within module salad, and is further-bound by the dataflow module in saladx. This approach requires module dataflow to be nested within module salad. (b) Module dataflow imports salad by binding the base module of nested module lang to it. Derived module dataflowx further-binds the base module to saladx.

**Figure 11.** Two approaches to co-evolving modules dataflow and salad.

```

dataflow
module dataflow {
  module lang
  extends salad;
}

dataflowx
module dataflowx
  extends dataflow {
    module lang
    extends saladx;
  }
}

dataflowx.liveness.transfer
class transfer for Transfer(Node) {
  Item UnaryExpr.apply(Item item) {
    return item.remove(this.var());
  }
}

```

(a) Dataflow analysis for Salad.

(b) Dataflow analysis for extended Salad.

**Figure 12.** Evolving the dataflow module in accordance with the extension to Salad, using the approach illustrated by Figure 11b.

ensures that relationships between nested components are preserved through *late binding* of all nested names. To see what would go wrong without late binding, consider the right side of Figure 10. Without late binding of the nested name `Fields`, the last method call would type-check because the `m()` in `c2` is inherited from `c1` and its receiver type would be `{ int f }` instead of the late-bound `Fields`. This would result in a run-time error as `t1` does not have the `g` field.

Recall from Section 4.3 that `Familia` uses the keyword `self` to represent the current class or module. By adding a qualifier, `self` can also be used to refer to any enclosing class or module. Names that are not fully qualified are interpreted in terms of an enclosing class or module denoted by a `self`-prefix. For example, consider the mentions of the unqualified name `Fields` in class `c1` of Figure 10. Here `Fields` is syntactic sugar for the qualified name `self[c1].Fields`, where the prefix `self[c1]` refers to the enclosing class that is, or inherits from `c1`. When the code is inherited into class `c2`, the inferred `self`-prefix becomes `self[c2]`, a class that is, or inherits from `c2`. The unqualified name `Fields` then has a new meaning in class `c2`: `self[c2].Fields`. On the right of Figure 10, when class `c2` is used to invoke method `m`, the method signature is obtained by substituting the dispatcher for the `self` parameter in `int self[c2].Fields.m()`. This substitution suggests that the receiver should have type `{ int f; int g }`, so the last method call `t1.(c2.m)()` is rejected statically.

The further binding of the base module of nested name `lang` offers another example. The `transfer` class of the base `dataflow` module (Figure 8) mentions `Node`, defined by module `salad.ast`. Because the enclosing module `dataflow` binds `lang` to `salad` (Figure 12a), `Node` is expanded to `lang.ast.Node`. Further desugaring the mention of `lang` yields `self[dataflow].lang.ast.Node`. Hence, in the derived module `dataflowx` (Figure 12b), the unqualified name `Node` is reinterpreted as `self[dataflowx].lang.ast.Node`. Similarly, module `dataflowx` interprets the unqualified name

Stmt as `self[dataflowx].lang.ast.Stmt`, so the subtyping relationship between Stmt and Node is preserved.

Importantly, late binding in Familia supports separate compilation with modular type checking—existing code need not be rechecked or recompiled when inherited into derived modules. For example, derived module `liveness` inherits method `outflow()` (lines 20–25 of Figure 8), which takes the meet of all incoming flows of a node and computes the outgoing flow by applying the transfer function. The call to `apply()` on line 24 in the base module need not be rechecked in a derived module, say `dataflowx.liveness`, which interprets the receiver type as `self[dataflowx].lang.ast.Node`, the formal parameter type `self[dataflowx.liveness].Item`, and the dispatcher class `self[dataflowx.liveness].transfer`. This guarantees that the method can only be invoked using arguments and dispatcher that are compatible.

It is occasionally useful to locally turn off late binding. Consider implementing the static `top()` method in class `liveness.itemlat` (Figure 9). We would like to create a new `HashSet[Var]` and return it. However, it would not type-check because the return value would have type `Set[Var]`, which is different from the expected, late-bound return type `Item`. This issue is addressed in a type-safe and modular way by the `fixes`-clause in the method signature (line 2). A `fixes`-clause is followed by a late-bound name. In this case, the clause `fixes Item` allows the method to equate types `Item` and `Set[Var]` so that the return statement type-checks. To ensure type safety, the `fixes`-clause also forces a derived module of `liveness` (or a family thereof) to override `top()` if it further binds its nested type `Item` to a different type than `Set[Var]`.

Because `self`-qualifiers can be omitted and inferred, family polymorphism becomes transparent to the novice programmer. And code written without family polymorphism in mind can be extended later without modification.

## 6 A CORE LANGUAGE

To make the semantics of the unified polymorphism mechanism more precise, we define a core language called Featherweight Familia (abbreviated  $F^2$ ), capturing the key aspects of the unification behind Familia.

### 6.1 Syntax and Notation

$F^2$  follows the style of Featherweight Java [34], and makes similar assumptions and simplifications. It omits a few convenient features of Familia: in  $F^2$ , uses of nested names are fully expanded, the class used by a method call or a `with`-clause is always explicit, and natural classes are encoded explicitly rather than generated implicitly. For simplicity,  $F^2$  does not model certain features of Familia whose formalization would be similar to that in Featherweight Genus [74]: interfaces with multiple constraint parameters, multimethods, and use-site genericity.

Figure 13 presents the syntax of  $F^2$ . An overline denotes a (possibly empty) sequence or mapping. For example,  $\bar{x}$  denotes a sequence of type variables,  $\bar{m}:\bar{s}$  denotes an (unordered) mapping that maps method names  $\bar{m}$  to method signatures  $\bar{s}$ , and  $\emptyset$  denotes an empty sequence or mapping. The  $i$ -th element in  $\bar{m}$  is denoted by  $m^{(i)}$ . To avoid clutter, we write  $[\varphi]$  to denote a bracketed list of type variables and where-clause constraints, and write  $[\omega]$  to denote the arguments to these parameters. A where-clause constraint in  $[\varphi]$  is explicitly named by a class variable  $p$ . Substitution takes the form  $\bar{m}\{n/\bar{m}\}$ , and is defined in the usual way. We introduce an abbreviated notation for instantiating parameterized abstractions:  $\bar{m}\{\omega/\varphi\}$  substitutes the types and classes in  $[\omega]$  for their respective parameters in  $[\varphi]$ . Type variables, term variables, and class variables are all assumed distinct in any environment. Type variables  $X$  include `This`, the implicit constraint parameter of all interfaces. Term variables  $x$  include `this`. We use  $R^*$  to mean the reflexive, transitive closure of binary relation  $R$ .

programs	$\mathcal{P} ::= \diamond \{ \bar{I} \ \bar{C} \ e \}$	class names	c
class definitions	$C ::= \text{class } c[\varphi] \text{ for } Q(T) \text{ extends } P \{ \bar{I} \ \bar{C} \ \bar{M} \}$	interface names	I
interface definitions	$I ::= \text{interface } I^v[\varphi] \text{ extends } Q \{ \bar{m} : \bar{S} \}$	method names	m
method definitions	$M ::= m : S(\bar{x}) \{ e \}$	class variables	p
parameterization	$[\varphi] ::= [ \bar{x} \ \text{where } \bar{p} \ \text{for } H(T) ]$	type variables	X
instantiation	$[\omega] ::= [ \bar{T} \ \text{with } \bar{d} ]$	term variables	x
interface variance	$v ::= - \mid \emptyset$		
method signatures	$S ::= [\varphi] \bar{T}_1 \rightarrow T_2$		
types	$T ::= \text{int} \mid X \mid H$		
interface paths	$H ::= Q \mid Q^!$		
inexact class paths	$P ::= P^!.c[\omega]$		
inexact interface paths	$Q ::= P^!.I[\omega]$		
exact class paths	$P^! ::= \diamond \mid P^!.c^![\omega] \mid \text{self}[P]$		
exact interface paths	$Q^! ::= P^!.I^![\omega] \mid \text{Self}[Q] \mid d.\text{itf}$		
dispatchers	$d ::= P^! \mid p$		
expressions	$e ::= n \mid x \mid \text{pack}(e, d) \mid \text{unpack } e_1 \text{ as } (x, p) \text{ in } e_2 \mid e_0.(d.m[\omega])(\bar{e}_1)$		

**Figure 13.** Featherweight Familia: program syntax.

A program  $\mathcal{P}$  comprises interface and class definitions ( $I$  and  $C$ ) and a “main” expression. A class definition can contain its own nested classes, interfaces, and methods. An interface definition has the implicit representation type `This`, and its variance with respect to `This` is signified by  $v$ . All classes implement some interface in  $F^2$ , although they do not have to in Familia. Familia supports multiple interface inheritance and nested type declarations, permits interfaces to contain components other than nested methods, and infers interface variance. For simplicity,  $F^2$  does not model these features. In  $F^2$ , classes do not have explicit fields because field types are essentially a nested record type (Section 5.2) and because record types can be simulated by interface types.

A *class path* represents the use of a class. Class paths have exactness, a notion that is also seen in previous approaches to type-safe extensibility (e.g., Bruce et al. [11], Nystrom et al. [47], Bruce and Foster [10], Nystrom et al. [48], Ryu [59]). An *exact class path*  $P^!$  denotes a particular class, while an *inexact class path*  $P$  abstracts over all of its subclasses (including itself). Inexact class paths are of the form  $P^!.c[\omega]$  and can be used in `extends`-clauses in class headers as superclasses. Similar to Featherweight Java,  $F^2$  assumes the well-foundedness condition that there are no cycles in inheritance chains, as well as the existence of a distinguished, universal superclass `empty`.

An exact class path  $P^!$  may take one of the following forms:

- (1)  $\diamond$ , denoting the program  $\mathcal{P}$  that nests everything;
- (2)  $P^!.c^![\omega]$ , denoting class  $c[\omega]$ —not including a subclass thereof—nested within  $P^!$ ; or
- (3)  $\text{self}[P]$ , denoting an enclosing class that must either be  $P$ , extend  $P$ , or further-bind  $P$ .

For example, in a class definition named  $c_2$  nested within class definition  $c_1$  which is nested within  $\mathcal{P}$ , the current class  $c_2$  is referred to as  $\text{self}[\text{self}[\diamond.c_1].c_2]$ . Familia uses the lighter syntax  $\text{self}[c_1.c_2]$  to denote this path, or even just  $\text{self}$  if  $c_2$  is the immediately enclosing class, but the heavier syntax in  $F^2$  makes it straightforward to perform substitution for outer `self`-parameters like  $\text{self}[\diamond.c_1]$ . Some paths may never appear in programs; for example, the path  $\text{self}[\diamond.c_1^!.c_2]$  has valid syntax but cannot appear in  $F^2$  programs. Nevertheless, the static semantics may create such paths to facilitate type checking. Given an inexact class path  $P_1 = P_2^!.c[\omega]$ , we use  $P_1^!$  to mean the exact class path  $P_2^!.c^![\omega]$ .

Although  $F^2$  requires explicit exactness annotations (i.e., `!`), they are usually not needed in Familia. The exactness of certain uses of classes is obvious and thus inferred: class paths used in

values  $v ::= n \mid \text{pack } (v, P^!)$   
 evaluation contexts  $\mathcal{E} ::= [\cdot] \mid \mathcal{E}.(P^!.m[\omega])(\bar{v}) \mid v_0.(P^!.m[\omega])(\bar{v}_1, \mathcal{E}, \bar{v}) \mid \text{pack } (\mathcal{E}, P^!) \mid \text{unpack } \mathcal{E} \text{ as } (x, p) \text{ in } e_2$

$$\boxed{\diamond \rightsquigarrow \mathbb{P}^! \vdash e_1 \longrightarrow e_2}$$

[UNPACK]  $\diamond \rightsquigarrow \mathbb{P}^! \vdash \text{unpack } (\text{pack } (v, P^!)) \text{ as } (x, p) \text{ in } e \longrightarrow e\{v/x\}\{P^!/p\}$

[CALL] 
$$\frac{\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^! \rightsquigarrow \mathbb{P}_{\text{disp}}^! \quad \mathbb{P}_{\text{disp}}^!(m) = [\varphi] \bar{T}_1 \rightarrow T_2(\bar{x})\{e\}}{\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash v_0.(P^!.m[\omega])(\bar{v}_1) \longrightarrow e\{v_0/\text{this}\}\{\omega/\varphi\}\{\bar{v}_1/\bar{x}\}}$$

**Figure 14.** Featherweight Familia: operational semantics.

extends-clauses are inexact, but class paths used in with-clauses, pack-expressions, and as dispatchers in method calls are all exact.

An *interface path*  $H$  represents the use of an interface. Similar to class paths, interface paths can be exact ( $Q^!$ ) or inexact ( $P^!.I[\omega]$ ). Inexact interface paths can be used in extends-clauses in interface headers and for-clauses in class headers. The distinguished interface `Any` is the universal superinterface.<sup>5</sup>

An exact interface path  $Q^!$  may take one of the following forms:

- (1)  $P^!.I[\omega]$ , denoting interface  $I[\omega]$ —not including a subinterface thereof—nested within  $P^!$ ;
- (2) `Self[ $Q$ ]`, denoting an enclosing interface that must either be  $Q$ , extend  $Q$ , or further-bind  $Q$ ;  
or
- (3) `d.itf`, denoting the interface implemented by dispatcher  $d$ .

For example, in the class definition of  $c_2$  nested within  $c_1$  which is nested within  $\mathcal{P}$ , the interface implemented by the current class is denoted by `self[self[ $\diamond.c_1$ ]. $c_2$ ].itf`. In Familia, this interface is denoted by the lighter syntax `Self[ $c_1.c_2$ ]`. Familia also supports interface paths with inexact prefixes (i.e.,  $P^!.c[\omega_1].I[\omega_2]$ ); they are not modeled in  $F^2$  for simplicity.

A type  $T$  is either the integer type, a type variable  $x$ , or an object type denoted by an interface path, which can be either exact or inexact. Inexactly typed values may have a run-time type that is a subtype, while exactly typed values cannot. A dispatcher  $d$  is either an exact class path or a class variable. Dispatchers are used in method calls  $e_0.(d.m[\omega])(\bar{v}_1)$ , object-creation expressions `pack` ( $e, d$ ), and with-clauses. Function  $FTV(\blacksquare)$  returns the type variables occurring free in  $\blacksquare$ . Function  $FCV(\blacksquare)$  returns free class variables.

## 6.2 Dynamic Semantics

Figure 14 presents the operational semantics of Featherweight Familia, including its values, evaluation contexts, and reduction rules. Object values take the form `pack` ( $v, P^!$ ). Reduction rule [UNPACK] unpacks an object. Rule [CALL] reduces a method call. The method body to evaluate is retrieved from  $\mathbb{P}_{\text{disp}}^!$ , the *linkage* of the dispatcher  $P^!$ . A linkage provides a dispatch table indexed by method names, as discussed in more detail in Section 6.3.

type environments  $\Delta ::= \emptyset \mid \Delta, \text{Self}[Q] \mid \Delta, X$   
 class environments  $K ::= \diamond \rightsquigarrow \mathbb{P}^! \mid K, \text{self}[P] \mid K, p \text{ for } H(T)$   
 term environments  $\Gamma ::= \emptyset \mid \Gamma, x:T$

**Figure 15.** Featherweight Familia: environment syntax.

$$\begin{array}{c}
 \boxed{\Delta; K \vdash \{\omega/\varphi\} \text{ OK}} \\
 \text{[INST]} \quad \frac{
 \begin{array}{c}
 (\forall i) \Delta; K \vdash T_1^{(i)} \text{ OK} \quad (\forall i) \Delta; K \vdash d^{(i)} \text{ OK} \quad (\forall i) K \vdash d^{(i)} \text{ dispatches } T_3^{(i)} \\
 (\forall i) K \vdash d^{(i)}. \text{itf}(T_3^{(i)}) \leq H^{(i)}(T_2^{(i)}) \left\{ \overline{T_1} / \overline{x} \right\}
 \end{array}
 }{
 \Delta; K \vdash \left\{ \overline{T_1} \text{ with } \overline{d} / \overline{x} \text{ where } \overline{p} \text{ for } H(T_2) \right\} \text{ OK}
 } \\
 \\
 \boxed{\Delta; K; \Gamma \vdash e : T} \\
 \text{[E-PACK]} \quad \frac{
 \Delta; K \vdash d \text{ OK} \quad K \vdash d \text{ dispatches } T \quad \Delta; K; \Gamma \vdash e : T
 }{
 \Delta; K; \Gamma \vdash \text{pack}(e, d) : d.\text{itf}
 } \\
 \text{[E-UNPACK]} \quad \frac{
 \Delta; K; \Gamma \vdash e_1 : H \quad \Delta, X; K, p \text{ for } H(X); \Gamma, x:X \vdash e_2 : T \quad X \notin \text{FTV}(T) \quad p \notin \text{FCV}(T)
 }{
 \Delta; K; \Gamma \vdash \text{unpack } e_1 \text{ as } (x, p) \text{ in } e_2 : T
 } \\
 \text{[E-CALL]} \quad \frac{
 \begin{array}{c}
 \Delta; K \vdash d \text{ OK} \quad K \vdash d \text{ dispatches } T_0 \quad \Delta; K; \Gamma \vdash e_0 : T_0 \quad K \vdash d.\text{itf} \rightsquigarrow \mathbb{Q}^! \\
 \mathbb{Q}^! \{T_0/\text{This}\}(m) = [\varphi] \overline{T_1} \rightarrow T_2 \quad \Delta; K \vdash \{\omega/\varphi\} \text{ OK} \quad (\forall i) \Delta; K; \Gamma \vdash e_1^{(i)} : T_1^{(i)} \{\omega/\varphi\}
 \end{array}
 }{
 \Delta; K; \Gamma \vdash e_0.(d.m[\omega])(\overline{e_1}) : T_2 \{\omega/\varphi\}
 } \\
 \\
 \boxed{\vdash \mathcal{P} \text{ OK}} \\
 \text{[PROG]} \quad \frac{
 \begin{array}{c}
 \text{flatten}(\diamond \{ \overline{I} \ \overline{C} \ e \}) = \mathbb{P}^! \quad K \stackrel{\text{def}}{=} \diamond \rightsquigarrow \mathbb{P}^! \quad K \vdash \mathbb{P}^! \text{ I-Conform} \quad K \vdash \mathbb{P}^! \text{ FB-Conform} \\
 (\forall i) \emptyset; K; \diamond \vdash I^{(i)} \text{ OK} \quad (\forall i) \emptyset; K; \diamond \vdash C^{(i)} \text{ OK} \quad \emptyset; K; \emptyset \vdash e : T
 \end{array}
 }{
 \vdash \diamond \{ \overline{I} \ \overline{C} \ e \} \text{ OK}
 }
 \end{array}$$

**Figure 16.** Featherweight Familia: selected well-formedness rules.

### 6.3 Static Semantics

The complete static semantics of Featherweight Familia can be found in Appendix A. Below we explain the judgment forms and discuss selected judgment rules shown in Figures 16 and 18.

**Environments.** The syntax of environments is shown in Figure 15. A type environment  $\Delta$  contains  $\text{Self}[Q]$  parameters as well as type variables. A class environment  $K$  always contains the linkage of the entire program ( $\diamond \rightsquigarrow \mathbb{P}^!$ ). It may also contain  $\text{self}$ -parameters as well as class variables. For example, checking program  $\mathcal{P}$  adds the program linkage into  $K$ , checking class  $c$  (nested within  $\mathcal{P}$ ) adds  $\text{self}[\diamond.c]$  into  $K$ , and checking interface  $I$  (nested within  $c$ ) adds  $\text{Self}[\text{self}[\diamond.c].I]$  into  $\Delta$ .

**Constrained parametric polymorphism.** As shown in Figure 13, all nested components ( $C$ ,  $I$ , and  $M$ ) can be parameterized, so their well-formedness rules require the well-formedness of

<sup>5</sup> Class `empty` and interface `Any` are nested directly within the program  $\mathcal{P}$ . Class `empty` is parameterized by a type variable  $X$  and implements the constraint  $\diamond.\text{Any}(X)$ . A class extending  $\diamond.\text{empty}$  instantiates  $X$  as its representation type.

the parameters  $[\varphi]$ , which is expressed using  $\Delta; K \vdash [\varphi] \text{OK}$ . Subsequent checks in these well-formedness rules are performed under the environments  $\Delta, \Delta_\varphi$  and  $K, K_\varphi$ , where  $\Delta_\varphi$  and  $K_\varphi$  consist of the type parameters and class parameters of  $[\varphi]$ . The well-formedness rules of class paths, interface paths, and method-call expressions correspondingly check the validity of the substitution of arguments  $[\omega]$  for parameters  $[\varphi]$ . These checks use the judgment form  $\Delta; K \vdash \{\omega/\varphi\} \text{OK}$ , and its rule is given by [INST] in Figure 16. In addition to the well-formedness of the arguments, it requires the constraints implemented by the dispatchers to entail the corresponding where-clause constraints. Constraint entailment is expressed using the judgment form  $K \vdash H_1(T_1) \leq H_2(T_2)$ .

**Object-oriented polymorphism.** The typing of pack- and unpack-expressions is given by rules [E-PACK] and [E-UNPACK] in Figure 16. The expression `pack (e, d)` packs  $e$  and the dispatcher  $d$  into an object, where  $e$  is the underlying representation and  $d$  is the class implementing the object type  $d.\text{itf}$ . The expression `unpack e1 as (x, p) in e2` unpacks object  $e_1$  into its representation and class (bound to  $x$  and  $p$ , respectively) and evaluates  $e_2$ , in which  $x$  and  $p$  may occur free. The standard existential-unpacking rule requires the freshly generated type variable not to occur free in the resulting type; likewise, rule [E-UNPACK] requires the same of the freshly generated class variable.

While Familia automatically generates natural classes for interfaces,  $F^2$  gives a concrete encoding of natural classes via unpack-expressions. For example, suppose variable  $x_0$  has object type  $\diamond.I$ , an interface that requires a single method  $m: \text{int} \rightarrow \text{int}$ . Then invoking  $m$  on  $x_0$  can be written as  $x_0.(\diamond.\text{natural\_I}.m)(8)$ , where the natural class `natural_I` is defined as follows:

```
class natural_I for  $\diamond.I(\diamond.I)$  extends  $\diamond.\text{empty}[\diamond.I]$ {
  m : int  $\rightarrow$  int (x1) { unpack this as (x2, p) in x2.(p.m)(x1) }
}
```

The natural class implements the method by unpacking the receiver and subsequently calling the method with the unpacked class as the dispatcher and the unpacked representation as the receiver. Some prior object encodings formalize objects as explicit existentials [9, 2]. The unpacking of receiver objects in natural classes is akin to the way these encodings unpack existentially typed objects before sending messages to them.

The way that natural classes are encoded suggests that not all interfaces have natural classes. In fact, an interface such as `Eq` that uses its constraint parameter in contravariant or invariant positions other than the receiver type does not have a natural class. The reason is that the encoding of such natural classes would involve unpacking objects of the representation type every time the representation type appears in the method signature, including one for the receiver, and that the unpacked receiver does not necessarily have the same representation type as the other occurrences. The lack of natural classes for interfaces like `Eq` means these interfaces cannot be used as object types as other interfaces (e.g., `Set[E]`) can. This restriction is not a limitation, though; a survey of a large corpus of open-source Java code finds that in practice programmers never actually use interfaces like `Eq` as types of objects [29].

**Method calls.** Rule [E-CALL] in Figure 16 type-checks a method call. The method signature that the call is checked against is retrieved from the linkage of the dispatcher’s interface; this linkage contains signatures for the methods the interface requires. When the dispatcher  $d$  is a natural class, we get a typical object-oriented method call; when  $d$  is a class variable, we have a method call enabled by a type-class constraint; and when  $d$  is any other class, we get an “expander call” [70] that endows the receiver with new behavior. Rule [E-CALL] unifies all these cases.

$P^!$ -linkages	$P$ -linkages	$Q^!$ -linkages	$Q$ -linkages
$\mathbb{P}^! ::= \left\{ \begin{array}{c} \diamond \\ \bullet \\ \bullet \\ \emptyset \\ \hline \overline{I: [\varphi_1] Q} \\ \overline{c: [\varphi_2] \mathbb{P}} \end{array} \right\}^! \mid \left\{ \begin{array}{c} P^! \\ Q(T) \\ P_{\text{sup}} \mid \bullet \\ \hline \overline{m: S(\overline{x})\{e\}} \\ \overline{I: [\varphi_1] Q} \\ \overline{c: [\varphi_2] \mathbb{P}} \end{array} \right\}^!$	$\mathbb{P} ::= \left\{ \begin{array}{c} \text{self}[P] \\ Q(T) \\ P_{\text{sup}} \mid \bullet \\ \hline \overline{m: S(\overline{x})\{e\}} \\ \overline{I: [\varphi_1] Q} \\ \overline{c: [\varphi_2] \mathbb{P}} \end{array} \right\}$	$Q^! ::= \left\{ \begin{array}{c} Q^! \\ v \\ \hline \overline{Q_{\text{sup}} \mid \bullet} \\ \overline{m: S} \end{array} \right\}^!$	$Q ::= \left\{ \begin{array}{c} \text{Self}[Q] \\ v \\ \hline \overline{Q_{\text{sup}} \mid \bullet} \\ \overline{m: S} \end{array} \right\}$

$\mathbb{P} = \left\{ \begin{array}{c} \text{self}[P] \\ \dots \\ \dots \\ \dots \\ \dots \\ \dots \end{array} \right\}$ <hr/> $path(\mathbb{P}) = P$	$\mathbb{P} = \left\{ \begin{array}{c} \dots \\ Q(\dots) \\ \dots \\ \dots \\ \dots \\ \dots \end{array} \right\}$ <hr/> $interface(\mathbb{P}) = Q$	$\mathbb{P} = \left\{ \begin{array}{c} \dots \\ \dots(T) \\ \dots \\ \dots \\ \dots \\ \dots \end{array} \right\}$ <hr/> $rep(\mathbb{P}) = T$	$\mathbb{P} = \left\{ \begin{array}{c} \dots \\ P \\ \dots \\ \dots \\ \dots \end{array} \right\}$ <hr/> $parent(\mathbb{P}) = P$
$Q = \left\{ \begin{array}{c} \text{Self}[Q] \\ \dots \\ \dots \\ \dots \end{array} \right\}$ <hr/> $path(Q) = Q$	$Q = \left\{ \begin{array}{c} \dots \\ v \\ \dots \\ \dots \end{array} \right\}$ <hr/> $variance(Q) = v$	$Q = \left\{ \begin{array}{c} \dots \\ Q \\ \dots \end{array} \right\}$ <hr/> $parent(Q) = Q$	$Q = \left\{ \begin{array}{c} \dots \\ \dots \\ \dots \\ \overline{m: S} \end{array} \right\}$ <hr/> $methods(Q) = \overline{m: S}$

**Figure 17.** Featherweight Familia: linkage syntax (top) and helper functions on linkages (bottom). Although not shown, the helper functions (except for  $path(\blacksquare)$ ) are also similarly defined for  $P^!$ -linkages and  $Q^!$ -linkages.

$$\begin{array}{c}
\boxed{K \vdash P \rightsquigarrow \mathbb{P} \quad K \vdash P' \rightsquigarrow \mathbb{P}'} \\
\text{[P]} \frac{\text{parent}(\mathbb{P}_{\text{nest}}\{\omega/\varphi\}) = P_{\text{sup}} \quad K \vdash P' \rightsquigarrow \mathbb{P}'_{\text{fam}} \quad \mathbb{P}'_{\text{fam}}(c) = [\varphi]_{\mathbb{P}_{\text{nest}}} \quad K \vdash P_{\text{sup}} \rightsquigarrow \mathbb{P}_{\text{sup}} \quad \mathbb{P}_{\text{sup}} \oplus \mathbb{P}_{\text{nest}}\{\omega/\varphi\} = \mathbb{P}}{K \vdash P'.c[\omega] \rightsquigarrow \mathbb{P}} \quad \text{[P!-PROG]} \frac{\diamond \rightsquigarrow \mathbb{P}' \in K}{K \vdash \diamond \rightsquigarrow \mathbb{P}'} \\
\text{[P!-SELF]} \frac{K \vdash P \rightsquigarrow \mathbb{P}}{K \vdash \text{self}[P] \rightsquigarrow \mathbb{P}'} \quad \text{[P!-NEST]} \frac{K \vdash P'.c[\omega] \rightsquigarrow \mathbb{P}}{K \vdash P'.c'[\omega] \rightsquigarrow \mathbb{P}'\{P'.c'[\omega]/\text{self}[P'.c[\omega]]\}} \\
\boxed{\mathbb{P}_1 \oplus \mathbb{P}_2 = \mathbb{P}_3} \\
\text{[CONCAT-P]} \frac{\overline{m_1 : S_1(\bar{x}_1)\{e_1\}} \text{self}[P_2]/\text{self}[P_1] \oplus \overline{m_2 : S_2(\bar{x}_2)\{e_2\}} = \overline{m_3 : S_3(\bar{x}_3)\{e_3\}}}{\overline{I_1 : [\varphi_{11}]\mathbb{Q}_1} \text{self}[P_2]/\text{self}[P_1] \oplus \overline{I_2 : [\varphi_{21}]\mathbb{Q}_2} = \overline{I_3 : [\varphi_{31}]\mathbb{Q}_3}} \\
\frac{\overline{c_1 : [\varphi_{12}]\mathbb{P}_1} \text{self}[P_2]/\text{self}[P_1] \oplus \overline{c_2 : [\varphi_{22}]\mathbb{P}_2} = \overline{c_3 : [\varphi_{32}]\mathbb{P}_3}}{\left\{ \begin{array}{c} \text{self}[P_1] \\ \dots \\ \dots \\ \overline{m_1 : S_1(\bar{x}_1)\{e_1\}} \\ \overline{I_1 : [\varphi_{11}]\mathbb{Q}_1} \\ \overline{c_1 : [\varphi_{12}]\mathbb{P}_1} \end{array} \right\} \oplus \left\{ \begin{array}{c} \text{self}[P_2] \\ Q_2(T_2) \\ P_{\text{sup}2} \\ \overline{m_2 : S_2(\bar{x}_2)\{e_2\}} \\ \overline{I_2 : [\varphi_{21}]\mathbb{Q}_2} \\ \overline{c_2 : [\varphi_{22}]\mathbb{P}_2} \end{array} \right\} = \left\{ \begin{array}{c} \text{self}[P_2] \\ Q_2(T_2) \\ P_{\text{sup}2} \\ \overline{m_3 : S_3(\bar{x}_3)\{e_3\}} \\ \overline{I_3 : [\varphi_{31}]\mathbb{Q}_3} \\ \overline{c_3 : [\varphi_{32}]\mathbb{P}_3} \end{array} \right\}} \\
\boxed{K \vdash Q \rightsquigarrow \mathbb{Q} \quad K \vdash Q' \rightsquigarrow \mathbb{Q}'} \\
\text{[Q]} \frac{\text{parent}(\mathbb{Q}_{\text{nest}}\{\omega/\varphi\}) = Q_{\text{sup}} \quad K \vdash P' \rightsquigarrow \mathbb{P}' \quad \mathbb{P}'(I) = [\varphi]_{\mathbb{Q}_{\text{nest}}} \quad K \vdash Q_{\text{sup}} \rightsquigarrow \mathbb{Q}_{\text{sup}} \quad \mathbb{Q}_{\text{sup}} \oplus \mathbb{Q}_{\text{nest}}\{\omega/\varphi\} = \mathbb{Q}}{K \vdash P'.I[\omega] \rightsquigarrow \mathbb{Q}} \quad \text{[Q!-NORM]} \frac{K \vdash Q'_1 \Rightarrow Q'_2 \quad K \vdash Q'_2 \rightsquigarrow \mathbb{Q}'}{K \vdash Q'_1 \rightsquigarrow \mathbb{Q}'} \\
\text{[Q!-SELF]} \frac{K \vdash Q \rightsquigarrow \mathbb{Q}}{K \vdash \text{Self}[Q] \rightsquigarrow \mathbb{Q}'} \quad \text{[Q!-NEST]} \frac{K \vdash P'.I[\omega] \rightsquigarrow \mathbb{Q}}{K \vdash P'.I'[\omega] \rightsquigarrow \mathbb{Q}'\{P'.I'[\omega]/\text{Self}[P'.I[\omega]]\}} \\
\text{[Q!-ITF-P]} \frac{K \vdash P' \rightsquigarrow \mathbb{P}' \quad \text{interface}(\mathbb{P}') = Q \quad K \vdash Q \rightsquigarrow \mathbb{Q}}{K \vdash P'.\text{itf} \rightsquigarrow \mathbb{Q}'\{P'.\text{itf}/\text{Self}[Q]\}} \quad \text{[Q!-ITF-CV]} \frac{\text{p for } Q(T) \in K \quad K \vdash Q \rightsquigarrow \mathbb{Q}}{K \vdash \text{p.itf} \rightsquigarrow \mathbb{Q}'\{\text{p.itf}/\text{Self}[Q]\}} \\
\boxed{K \vdash Q'_1 \Rightarrow Q'_2} \\
\text{[NORM-ABS]} \frac{K \vdash \diamond.c'[\omega] \rightsquigarrow \mathbb{P}' \quad \text{interface}(\mathbb{P}') = Q}{K \vdash \diamond.c'[\omega].\text{itf} \Rightarrow \mathbb{Q}'} \quad \text{[NORM-CV]} \frac{\text{p for } Q'(T) \in K}{K \vdash \text{p.itf} \Rightarrow \mathbb{Q}'}
\end{array}$$

**Figure 18.** Featherweight Familia: selected rules for computing linkages.



**Family polymorphism.** Central to the semantics is the notion of *linkages*. A class linkage  $\mathbb{P}$  (or  $\mathbb{P}^!$ ) collects information about a class path of the form  $P$  (or  $P^!$ ). As shown in the upper half of Figure 17, a class linkage is a tuple comprising (1) the path, (2) the constraint being implemented, (3) the superclass, (4) the nested method definitions, (5) the linkages of the nested interfaces, and (6) the linkages of the nested classes. The linkage of an inexact class path  $P$  is parameterized by a  $\text{self}[P]$  parameter; substitution for  $\text{self}[P]$  in that linkage is thus capture-avoiding. We emphasize this fact by putting this  $\text{self}$ -path, instead of the inexact path, as the first element of the tuple. Given the linkage  $\mathbb{P}$  of an inexact class path  $P$ , we use  $\mathbb{P}^!$  to mean the linkage of the exact class path  $\text{self}[P]$ . Interface linkages ( $\mathbb{Q}^!$  and  $\mathbb{Q}$ ) contain fewer components. In the linkage of an inexact interface path  $Q$ ,  $\text{Self}[Q]$  may occur free. Looking up an (exact) linkage for a nested component named  $\text{id}$  is denoted by  $\mathbb{P}^!(\text{id})$  or  $\mathbb{Q}^!(\text{id})$ . The lower half of Figure 17 defines some helper functions on linkages.

The well-formedness rules for paths can be found in Figure 22 in Appendix A, but here Figure 18 presents the rules that compute linkages for paths. The corresponding judgment forms are  $K \vdash P^! \rightsquigarrow \mathbb{P}^!$ ,  $K \vdash P \rightsquigarrow \mathbb{P}$ ,  $K \vdash Q^! \rightsquigarrow \mathbb{Q}^!$ , and  $K \vdash Q \rightsquigarrow \mathbb{Q}$ .

Linkages are computed in an outside-in manner. As shown in rule [PROG] in Figure 16, the linkage of a program is obtained via the helper function  $\text{flatten}(\blacksquare)$  and added to the environment. Rule [P!-PROG] in Figure 18 retrieves this linkage from the environment. The helper function  $\text{flatten}(\blacksquare)$  is defined in Figure 19 in Appendix A; it does not do anything interesting except converting the program text into a tree of linkages. Importantly, linkages nested within an outer linkage do not contain components that are inherited. Thus all nested linkages are *incomplete*.

Rule [P] in Figure 18 computes the linkage of an inexact class path  $P^!.c[\omega]$ . It first computes the linkage  $\mathbb{P}_{\text{fam}}^!$  of the family  $P^!$ , from which the nested linkage  $\mathbb{P}_{\text{nest}}$  corresponding to nested class  $c$  is obtained. The helper function  $\text{parent}(\blacksquare)$  finds the superclass, whose linkage is  $\mathbb{P}_{\text{sup}}$ . While  $\mathbb{P}_{\text{nest}}$  is incomplete, the superclass linkage  $\mathbb{P}_{\text{sup}}$  is complete. The complete linkage of  $P^!.c[\omega]$  is then obtained by *concatenating*  $\mathbb{P}_{\text{sup}}$  with  $\mathbb{P}_{\text{nest}}\{\omega/\varphi\}$ , using the linkage concatenation operator  $\oplus$  defined by rule [CONCAT-P] in Figure 18. Operator  $\oplus$  is defined recursively; a nested linkage is concatenated with the corresponding linkage it further-binds to produce a new nested linkage (see other  $\oplus$ -rules in Figure 28 in Appendix A). Importantly,  $\oplus$  replaces the  $\text{self}$ -parameter of the first linkage with that of the second linkage; this substitution is key to late binding of nested names. Linkage concatenation is also what enables dynamic dispatch for object-oriented method calls (i.e., calls using a natural class as the dispatcher), because a method in a linkage  $\mathbb{P}$  overrides less specific methods of the same name in linkages to which  $\mathbb{P}$  is concatenated.

Rule [P!-NEST] shows that the linkage of an exact path  $P^!.c^![\omega]$  is obtained by substituting  $P^!.c^![\omega]$  for  $\text{self}[P^!.c[\omega]]$  in the linkage of  $P^!.c[\omega]$ .

Some interface paths are equivalent. For example, interface path  $p.\text{itf}$ , where  $p$  is declared to witness constraint  $Q^!(T)$ , is equivalent to  $Q^!$ . This equivalence relation is captured by path normalization ( $\Rightarrow$ ). Rules [NORM-ABS] and [NORM-CV] in Figure 18 simplify interface paths of form  $d.\text{itf}$ . A path is simplified to its normal form after finite steps of simplification ( $\Rightarrow^*$ ). Other normalization rules are purely structural; they and the normal forms can be found in Figures 25 and 26 in Appendix A. The linkage computation rules in Figure 18—except for [Q!-NORM]—are defined for paths of normal forms. Rule [Q!-NORM] suggests that the linkage of a path is the same as that of its normal form. The equivalence relation  $\equiv$  (shown in Figure 27 in Appendix A) is then the symmetric closure of  $\Rightarrow^*$ . Because of this path equivalence, substitution for  $\text{self}[P]$  (resp.  $\text{Self}[Q]$ ) also replaces other  $\text{self}$ -paths (resp.  $\text{Self}$ -paths) that are equivalent with  $\text{self}[P]$  (resp.  $\text{Self}[Q]$ ).

Soundness of family polymorphism hinges on a few conformance checks. For example, if a nested interface definition adds new methods in a derived module, then classes implementing the interface in the base module should also be augmented in the derive module to provide definitions for the new methods. This conformance of classes to interfaces is expressed by the judgment form  $K \vdash \mathbb{P}^! \text{ I-Conform}$ .

Another conformance condition,  $K \vdash \mathbb{P}^!$  FB-Conform, requires that nested classes and interfaces conform to classes and interfaces they further-bind. In particular, the superclass (or interface) of a nested class in a derived module should be a subclass (or subinterface) of that of the further-bound class (or interface) in the base module. Also, a nested, further-binding interface should not change its variance with respect to the representation type. These checks ensure that inherited code still type-checks in derived modules.

The rules performing the conformance checks above are given in Figures 31 and 32 in Appendix A. They work by recursively invoking the checks on nested classes. At the top level, they are invoked from rule [PROG] in Figure 16.

**Decidability.** Because  $F^2$  does not infer default classes, the decidability of its static semantics is trivial: the well-formedness rules and the linkage-computation rules are syntax-directed (the subsumption rule can be easily factored into the other expression-typing rules, and the path normalization rules are defined algorithmically), and a subtyping algorithm works by climbing the subtyping hierarchy. The inference of default classes in Familia could potentially introduce non-termination, similar to how default model inference in Genus could lead to nontermination [74]. We expect that termination can be guaranteed by enforcing syntactic restrictions in the same fashion as in Genus. In particular, the restrictions include Material–Shape separation [29], which, in the context of Familia, prevents the supertype of an interface definition from mentioning the interface being defined; for example, an interface like `Double` cannot be declared to implement `Comparable[Double]`. Java allows such supertypes so that types like `Double` can satisfy F-bounded constraints [14] like `<T extends Comparable<? super T>>`. Familia would use a `where`-clause instead (i.e., `[T where Ord(T)]`), eliminating possible nontermination when checking subtyping [30] while adding the flexibility of retroactively adapting types to constraints.

## 6.4 Soundness

We establish the soundness of Featherweight Familia through the standard approach of progress and preservation [73]. The key lemmas and their proofs can be found in Appendix B.

**Lemma 6.1 (Progress)** If (i)  $\vdash \mathcal{P}$  OK, (ii)  $\text{flatten}(\mathcal{P}) = \mathbb{P}^!$ , and (iii)  $\emptyset; \diamond \rightsquigarrow \mathbb{P}^!; \emptyset \vdash e : T$ , then either  $e$  is a value or there exists  $e'$  such that  $\diamond \rightsquigarrow \mathbb{P}^! \vdash e \longrightarrow e'$ .

**Lemma 6.2 (Preservation)** If (i)  $\vdash \mathcal{P}$  OK, (ii)  $\text{flatten}(\mathcal{P}) = \mathbb{P}^!$ , (iii)  $\emptyset; \diamond \rightsquigarrow \mathbb{P}^!; \emptyset \vdash e : T$ , and (iv)  $\diamond \rightsquigarrow \mathbb{P}^! \vdash e \longrightarrow e'$ , then  $\emptyset; \diamond \rightsquigarrow \mathbb{P}^!; \emptyset \vdash e' : T$ .

**Theorem 6.1 (Soundness)** If (i)  $\vdash \diamond \{ \bar{I} \ \bar{C} \ e \}$  OK, (ii)  $\text{flatten}(\diamond \{ \bar{I} \ \bar{C} \ e \}) = \mathbb{P}^!$ , and (iii)  $\diamond \rightsquigarrow \mathbb{P}^! \vdash e \longrightarrow^* e'$ , then either  $e'$  is a value or there exists  $e''$  such that  $\diamond \rightsquigarrow \mathbb{P}^! \vdash e' \longrightarrow e''$ .

## 7 RELATED WORK

Language design remains a core topic of programming-languages research. One way to evaluate language designs is by comparison with prior work, and indeed decades of prior work on language support for extensible and composable software has developed many mechanisms for extensibility and genericity. However, we argue that no prior work integrates the different forms of polymorphism as successfully as Familia does.

**Constrained parametric polymorphism.** Central to a parametric-polymorphism mechanism is a way to specify and satisfy constraints on type parameters. Many prior languages have experimented with either nominal subtyping constraints (e.g., Java and C#) or structural matching constraints (e.g., CLU [39] and Cecil [18]). Both approaches are too inflexible: types must be pre-planned to either explicitly declare they implement the constraint or include the required methods

with conformant signatures. At the same time, typing is made difficult by the interaction between inheritance and constraints that require binary methods. F-bounded polymorphism [14] and match-bounded polymorphism [13, 11, 1] are proposed to address this typing problem. However, they do not address the more urgent need to allow types to retroactively satisfy constraints they are not prepared to satisfy; this inflexibility is an inherent limitation of subtyping-based approaches.

To allow retroactive adaptation, more recent work on language support for generic programming follows Haskell type classes [68]. JavaGI [71] supports generalized interfaces that can act as type classes. A special *implementation* construct is used as a type-class instance. Genus [75] introduces *constraints* and *models* on top of interfaces and classes. It avoids the *global uniqueness* limitation of Haskell and JavaGI—that type-class instances are globally scoped and that a given constraint can only be satisfied in one way. To avoid complicating the easy case, Genus allows constraints to be satisfied structurally via *natural models*. Genus also supports model-dependent types that strengthen static checking and model multimethods that offer convenience and extensibility. Familia incorporates all these Genus features without requiring extra constructs for constraints or models. Unlike Familia, neither JavaGI nor Genus supports associated types.

Support for generic programming in Rust [58] and Swift [64] is inspired by type classes as well. In Rust, objects and generics are expressed using the same constructs (`trait` and `impl`), but Rust lacks support for implementation inheritance. These languages also have the limitation of global uniqueness. Dreyer et al. [24] and Devriese and Piessens [23] integrate type classes into ML and Agda, respectively, with a goal of not complicating the host language with duplicate functionality. Although not intended for generic programming, expanders [70] and CaesarJ wrappers [5] support statically scoped adaptation of classes to interfaces.

In Scala, generics are supported by using the Concept design pattern, made more convenient by implicits [51]: traits act as constraints, and trait objects are implicitly resolved arguments to generic abstractions. This approach does not distinguish types instantiated with different trait objects (cf. Familia types that keep track of the classes used to satisfy constraints), and does not allow specializing behavior for subtypes of the constrained type (cf. class multimethods in Familia). Scala also supports *higher-order polymorphism* by allowing higher-kinded type parameters and virtual types [45]. Familia supports higher-order polymorphism via nested, parameterized types and interfaces. Because nested components can be further-bound, higher-order polymorphism in Familia goes beyond Scala’s higher-kinded virtual types.

**Family polymorphism.** Prior work on family polymorphism has been largely disjoint from work on parametric polymorphism. Virtual types [65, 66, 32] are unbound type members of an interface or class. They support family polymorphism [26], with families identified by an instance of the enclosing class. Virtual types inspired Haskell to add associated types to type classes [17, 16]. Virtual types are not really “virtual”: once they are bound in a class, their bindings cannot be refined as can those of virtual methods and virtual classes. In this sense, they act more like type parameters; in fact, virtual types are considered an alternative approach to parametric polymorphism [65]. It is understood that virtual types are good at expressing mutually recursive bounds [12]; this use of virtual types in generic programming is largely subsumed by the more flexible approach of multi-parameter type classes [37] available in Haskell, JavaGI, Genus, and Familia.

Virtual classes, both based on object families [43, 42, 25, 5, 7], and class families [47, 48, 19, 56], offer a more powerful form of family polymorphism than virtual types do: a subclass can specialize and enrich nested classes via further binding. Path-dependent types are used to ensure type safety for virtual types and virtual classes (e.g., Nystrom et al. [47], Ernst et al. [27]). A variety of other mechanisms support further binding, including virtual classes, mixin layers [61], delegation layers [52], and variant path types [33]. The family-polymorphism mechanism in Familia is closest to that in Jx [47]. Our use of prefix types is adapted from Jx; the fact that `self`-prefixes can be inferred makes family polymorphism lightweight in Familia.

Unlike the class-family approach taken in Familia, the object-family approach (virtual classes) does not readily support cross-family inheritance. For example, with virtual classes, class `a.b.c` cannot extend class `a.d.e` because class `a.b.c` has no enclosing instance of `a.d`. Tribe [19] and Scala support cross-family inheritance for virtual classes and virtual types, respectively, but by adding extra complexity to virtual classes or by resorting to verbose design patterns. Few prior languages support coordinated evolution of related, non-nested families. Cross-family inheritance and cross-family coevolution are crucial to deploying family polymorphism at large scale, where we expect components from different modules to be frequently reused and composed.

Scala supports virtual types but not virtual classes, simulating the latter with a design pattern [49]. While this pattern seems effective at a small scale for tasks like the Observer pattern, it does not scale to a larger setting where cross-family inheritance is needed, where entire frameworks are extended, and where further binding is therefore needed at arbitrary depth. The effort required to encode virtual classes in Scala appears to be significant [72]. Scala also supports mixin composition. A mixin has an unbound superclass that is bound in classes that incorporate the mixin. Familia is expressive enough to encode mixin composition via late binding of superclasses, rather than requiring a separate language mechanism for mixins.

Familia extends the expressivity and practicality of family polymorphism. It allows classes to be unbound yet non-abstract. It also allows externally imported names to coevolve with the current module by further-binding base modules. Prior languages that support family polymorphism beyond virtual types have omitted support for parametric polymorphism. We believe support for parametric polymorphism is important even when virtual types are available, because it allows applicative instantiation of generic abstractions, often a more convenient and interoperable approach than virtual types [12].

## 8 CONCLUSION

Familia achieves a high degree of expressive power by unifying multiple powerful mechanisms for type-safe polymorphism. The resulting language has low surface complexity—it can be used as an ordinary Java-like object-oriented language that supports inheritance, encapsulation, and subtyping. With little added syntax, several powerful features become available: parametric polymorphism with flexible type classes, wrapper-free adaptation, and deep family polymorphism with cross-family inheritance and cross-family coevolution. We have described the language intuitively and presented examples that illustrate its added expressive power. We have also given both operational and static semantics via  $F^2$ , a core language that we have proved type-safe. Comparisons with previous mechanisms for generic programming show that Familia improves expressive power in a lightweight way. Implementation of Familia is left to future work but should be guided by the formal semantics of  $F^2$ .

## ACKNOWLEDGMENTS

We thank Sophia Drossopoulou for thoughtful syntax suggestions and the anonymous reviewers for their many useful comments. This work was supported by NSF grant 1513797.

## REFERENCES

- [1] M. Abadi and L. Cardelli. On subtyping and matching. *ACM Trans. on Programming Languages and Systems*, 18(4), July 1996.
- [2] M. Abadi, L. Cardelli, and R. Viswanathan. An interpretation of objects and object types. In *23<sup>rd</sup> ACM Symp. on Principles of Programming Languages (POPL)*, 1996.

- [3] A. V. Aho, J. E. Hopcroft, and J. Ullman. *Data Structures and Algorithms*. Addison-Wesley Longman Publishing Co., Inc., Boston, MA, USA, 1st edition, 1983.
- [4] A. V. Aho, M. S. Lam, R. Sethi, and J. D. Ullman. *Compilers: Principles, Techniques, and Tools (2nd Edition)*. Addison-Wesley Longman Publishing Co., Inc., 2006.
- [5] I. Aracic, V. Gasiunas, M. Mezini, and K. Ostermann. An overview of CaesarJ. In A. Rashid and M. Aksit, editors, *Lecture Notes in Computer Science: Transactions on Aspect-Oriented Software Development I*, pages 135–173. Springer-Verlag, 2006.
- [6] A. P. Black, K. B. Bruce, and R. J. Noble. The essence of inheritance. In *A List of Successes That Can Change the World*, volume 9600 of *LNCS*, pages 73–94. Springer, Mar. 2016.
- [7] G. Bracha, P. von der Ahé, V. Bykov, Y. Kashai, W. Maddox, and E. Miranda. Modules as objects in Newspeak. In *24<sup>th</sup> European Conf. on Object-Oriented Programming*, 2010.
- [8] K. Bruce, L. Cardelli, and B. Pierce. Comparing object encodings. *Information and Computation*, 155(1):108–133, 1999.
- [9] K. B. Bruce. A paradigmatic object-oriented programming language: Design, static typing and semantics. *Journal of Functional Programming*, 4(2):127–206, 1994.
- [10] K. B. Bruce and J. N. Foster. LOOJ: Weaving LOOM into Java. 2004.
- [11] K. B. Bruce, A. Fiech, and L. Petersen. Subtyping is not a good “match” for object-oriented languages. In *Proceedings of 11th European Conference on Object-Oriented Programming (ECOOP’97)*, number 1241 in *Lecture Notes in Computer Science*, pages 104–127, June 1997.
- [12] K. B. Bruce, M. Odersky, and P. Wadler. A statically safe alternative to virtual types. In *12<sup>th</sup> European Conf. on Object-Oriented Programming*, number 1445 in *Lecture Notes in Computer Science*, pages 523–549, July 1998.
- [13] K. B. Bruce, A. Schuett, R. van Gent, and A. Fiech. PolyTOIL: A type-safe polymorphic object-oriented language. *ACM Trans. on Programming Languages and Systems*, 25(2):225–290, Mar. 2003.
- [14] P. Canning, W. Cook, W. Hill, J. Mitchell, and W. Olthoff. F-bounded polymorphism for object-oriented programming. In *Conf. on Functional Programming Languages and Computer Architecture*, pages 273–280, 1989.
- [15] L. Cardelli. A semantics of multiple inheritance. *Information and Computation*, 76(2–3):138–164, 1988. Also in *Readings in Object-Oriented Database Systems*, S. Zdonik and D. Maier, eds., Morgan Kaufmann, 1990.
- [16] M. M. T. Chakravarty, G. Keller, and S. P. Jones. Associated type synonyms. In *10<sup>th</sup> ACM SIGPLAN Int’l Conf. on Functional Programming*, 2005.
- [17] M. M. T. Chakravarty, G. Keller, S. P. Jones, and S. Marlow. Associated types with class. In *32<sup>nd</sup> ACM Symp. on Principles of Programming Languages (POPL)*, 2005.
- [18] C. Chambers. Object-oriented multi-methods in Cecil. In O. L. Madsen, editor, *20<sup>th</sup> European Conf. on Object-Oriented Programming*, volume 615, pages 33–56, 1992.
- [19] D. Clarke, S. Drossopoulou, J. Noble, and T. Wrigstad. Tribe: A simple virtual class calculus. In *AOSD ’07: Proceedings of the 6th International Conference on Aspect-Oriented Software Development*, pages 121–134, 2007.
- [20] W. Cook and J. Palsberg. A denotational semantics of inheritance and its correctness. In *4<sup>th</sup> ACM SIGPLAN Conf. on Object-Oriented Programming, Systems, Languages and Applications (OOPSLA)*, 1989.
- [21] W. R. Cook. On understanding data abstraction, revisited. In *24<sup>th</sup> ACM SIGPLAN Conf. on Object-Oriented Programming, Systems, Languages and Applications (OOPSLA)*, pages 557–572, 2009.
- [22] W. R. Cook, W. L. Hill, and P. S. Canning. Inheritance is not subtyping. In *Conference Record of the Seventeenth Annual ACM Symposium on Principles of Programming Languages, San Francisco, California*, pages 125–135, Jan. 1990. Also STL-89-17, Software Technology Laboratory, Hewlett-Packard

Laboratories, Palo Alto, CA, July 1989.

- [23] D. Devriese and F. Piessens. On the bright side of type classes: Instance arguments in Agda. In *16<sup>th</sup> ACM SIGPLAN Int'l Conf. on Functional Programming*, 2011.
- [24] D. Dreyer, R. Harper, M. M. T. Chakravarty, and G. Keller. Modular type classes. In *34<sup>th</sup> ACM Symp. on Principles of Programming Languages (POPL)*, 2007.
- [25] E. Ernst. *gbeta—a Language with Virtual Attributes, Block Structure, and Propagating, Dynamic Inheritance*. PhD thesis, Department of Computer Science, University of Aarhus, Aarhus, Denmark, 1999.
- [26] E. Ernst. Family polymorphism. In *15<sup>th</sup> European Conf. on Object-Oriented Programming*, LNCS 2072, pages 303–326, 2001.
- [27] E. Ernst, K. Ostermann, and W. R. Cook. A virtual class calculus. In *33<sup>rd</sup> ACM Symp. on Principles of Programming Languages (POPL)*, pages 270–282, Jan. 2006.
- [28] J. Gosling, B. Joy, G. Steele, and G. Bracha. *The Java Language Specification*. Addison Wesley, 3rd edition, 2005.
- [29] B. Greenman, F. Muehlboeck, and R. Tate. Getting F-bounded polymorphism into shape. In *35<sup>th</sup> ACM SIGPLAN Conf. on Programming Language Design and Implementation (PLDI)*, pages 89–99, 2014.
- [30] R. Grigore. Java generics are Turing complete. In *44<sup>th</sup> ACM Symp. on Principles of Programming Languages (POPL)*, 2017.
- [31] C. Gunter and J. C. Mitchell, editors. *Theoretical aspects of object-oriented programming*. MIT Press, 1994.
- [32] A. Igarashi and B. Pierce. Foundations for virtual types. In *Thirteenth European Conference on Object-Oriented Programming (ECOOP'99)*, number 1628 in Lecture Notes in Computer Science, pages 161–185, June 1999.
- [33] A. Igarashi and M. Viroli. Variant path types for scalable extensibility. In *22<sup>nd</sup> ACM SIGPLAN Conf. on Object-Oriented Programming, Systems, Languages and Applications (OOPSLA)*, pages 113–132, 2007.
- [34] A. Igarashi, B. Pierce, and P. Wadler. Featherweight Java: A minimal core calculus for Java and GJ. *ACM Trans. on Programming Languages and Systems*, 23(3):396–450, 2001.
- [35] J. Järvi, J. Willcock, and A. Lumsdaine. Associated types and constraint propagation for mainstream object-oriented generics. In *20<sup>th</sup> ACM SIGPLAN Conf. on Object-Oriented Programming, Systems, Languages and Applications (OOPSLA)*, 2005.
- [36] P. Jolly, S. Drossopoulou, C. Anderson, and K. Ostermann. Simple dependent types: Concord. In *ECOOP Workshop on Formal Techniques for Java Programs (FTJJP)*, June 2004.
- [37] S. P. Jones, M. Jones, and E. Meijer. Type classes: an exploration of the design space. In *Haskell Workshop*, 1997.
- [38] B. Liskov, A. Snyder, R. Atkinson, and J. C. Schaffert. Abstraction mechanisms in CLU. *Comm. of the ACM*, 20(8):564–576, Aug. 1977. Also in S. Zdonik and D. Maier, eds., *Readings in Object-Oriented Database Systems*.
- [39] B. Liskov, R. Atkinson, T. Bloom, J. E. Moss, J. C. Schaffert, R. Scheifler, and A. Snyder. *CLU Reference Manual*. Springer-Verlag, 1984. Also published as Lecture Notes in Computer Science 114, G. Goos and J. Hartmanis, Eds., Springer-Verlag, 1981.
- [40] D. MacQueen. Modules for Standard ML. In *1984 ACM Symposium on Lisp and Functional Programming*, pages 198–204, Aug. 1984.
- [41] O. L. Madsen. Semantic analysis of virtual classes and nested classes. In *14<sup>th</sup> ACM SIGPLAN Conf. on Object-Oriented Programming, Systems, Languages and Applications (OOPSLA)*, pages 114–131, Nov. 1999.
- [42] O. L. Madsen and B. Møller-Pedersen. Virtual classes: A powerful mechanism for object-oriented programming. In *4<sup>th</sup> ACM SIGPLAN Conf. on Object-Oriented Programming, Systems, Languages and*

*Applications (OOPSLA)*, pages 397–406, Oct. 1989.

- [43] O. L. Madsen, B. Møller-Pedersen, and K. Nygaard. *Object Oriented Programming in the BETA Programming Language*. Addison-Wesley, June 1993.
- [44] R. Milner. A theory of type polymorphism in programming. *Journal of Computer and System Sciences*, 17(3):348–375, 1978.
- [45] A. Moors, F. Piessens, and M. Odersky. Generics of a higher kind. In *23<sup>rd</sup> ACM SIGPLAN Conf. on Object-Oriented Programming, Systems, Languages and Applications (OOPSLA)*, 2008.
- [46] F. Nielson, H. R. Nielson, and C. Hankin. *Principles of Program Analysis*. Springer-Verlag New York, Inc., 1999.
- [47] N. Nystrom, S. Chong, and A. C. Myers. Scalable extensibility via nested inheritance. In *19<sup>th</sup> ACM SIGPLAN Conf. on Object-Oriented Programming, Systems, Languages and Applications (OOPSLA)*, pages 99–115, Oct. 2004.
- [48] N. Nystrom, X. Qi, and A. C. Myers. J&: Nested intersection for scalable software composition. In *21<sup>st</sup> ACM SIGPLAN Conf. on Object-Oriented Programming, Systems, Languages and Applications (OOPSLA)*, pages 21–36, Oct. 2006.
- [49] M. Odersky and M. Zenger. Scalable component abstractions. In *20<sup>th</sup> ACM SIGPLAN Conf. on Object-Oriented Programming, Systems, Languages and Applications (OOPSLA)*, pages 41–57, Oct. 2005.
- [50] M. Odersky, V. Cremet, C. Röckl, and M. Zenger. A nominal theory of objects with dependent types. In *Proceedings of 17th European Conference on Object-Oriented Programming (ECOOP 2003)*, number 2743 in Lecture Notes in Computer Science, pages 201–224, July 2003.
- [51] B. C. Oliveira, A. Moors, and M. Odersky. Type classes as objects and implicits. In *25<sup>th</sup> ACM SIGPLAN Conf. on Object-Oriented Programming, Systems, Languages and Applications (OOPSLA)*, pages 341–360, 2010.
- [52] K. Ostermann. Dynamically composable collaborations with delegation layers. In *16<sup>th</sup> European Conf. on Object-Oriented Programming*, volume 2374 of *Lecture Notes in Computer Science*, pages 89–110, 2002.
- [53] L. Palmer. Haskell antipattern: Existential typeclass. <https://lukepalmer.wordpress.com/2010/01/24/haskell-antipattern-existential-typeclass>, 2010.
- [54] S. Peyton Jones. Classes, Jim, but not as we know them—type classes in Haskell: What, why, and whither. In *23<sup>rd</sup> European Conf. on Object-Oriented Programming*, 2009.
- [55] B. Pierce and M. Steffen. Higher-order subtyping. *Theoretical Computer Science*, 176(1), 1997.
- [56] X. Qi and A. C. Myers. Homogeneous family sharing. In *25<sup>th</sup> ACM SIGPLAN Conf. on Object-Oriented Programming, Systems, Languages and Applications (OOPSLA)*, pages 520–538, Oct. 2010.
- [57] J. C. Reynolds. User-defined types and procedural data structures as complementary approaches to data abstraction. In S. A. Schuman, editor, *New Directions in Algorithmic Languages*, pages 157–168. Institut de Recherche d’Informatique et d’Automatique, Le Chesnay, France, 1975. Reprinted in [31], pages 13–23.
- [58] Rust 2014. Rust programming language. <http://doc.rust-lang.org/0.11.0/rust.html>, 2014.
- [59] S. Ryu. ThisType for object-oriented languages: From theory to practice. *ACM Trans. on Programming Languages and Systems*, 38(3), Apr. 2016.
- [60] J. G. Siek and A. Lumsdaine. A language for generic programming in the large. *Science of Computer Programming*, 76(5):423–465, 2011.
- [61] Y. Smaragdakis and D. Batory. Mixin layers: An object-oriented implementation technique for refinements and collaboration-based designs. *ACM Transactions on Software Engineering and Methodology*, 11(2):215–255, Apr. 2002.
- [62] B. Stroustrup. *The C++ Programming Language*. Addison-Wesley, 1987.
- [63] B. Stroustrup. The C++0x “remove concepts” decision. *Dr. Dobbs*, July 2009.

- [64] Swift 2014. Swift programming language. <https://developer.apple.com/swift/resources>, 2014.
- [65] K. K. Thorup. Genericity in Java with virtual types. In *European Conf. on Object-Oriented Programming*, number 1241 in Lecture Notes in Computer Science, pages 444–471, 1997.
- [66] M. Torgersen. Virtual types are statically safe. In *5th Workshop on Foundations of Object-Oriented Languages (FOOL)*, Jan. 1998.
- [67] M. Torgersen, C. P. Hansen, E. Ernst, P. von der Ahé, G. Bracha, and N. Gafter. Adding wildcards to the Java programming language. In *2004 ACM Symposium on Applied Computing, SAC '04*, pages 1289–1296, 2004.
- [68] P. Wadler and S. Blott. How to make ad-hoc polymorphism less ad hoc. In *16th ACM Symp. on Principles of Programming Languages (POPL)*, 1989.
- [69] P. Wadler et al. The expression problem, Dec. 1998. Discussion on Java-Genericity mailing list.
- [70] A. Warth, M. Stanojević, and T. Millstein. Statically scoped object adaptation with expanders. In *21st ACM SIGPLAN Conf. on Object-Oriented Programming, Systems, Languages and Applications (OOPSLA)*, Oct. 2006.
- [71] S. Wehr and P. Thiemann. JavaGI: The interaction of type classes with interfaces and inheritance. *ACM Trans. on Programming Languages and Systems*, 33(4):12:1–12:83, July 2011.
- [72] M. Weiel, I. Maier, S. Erdweg, M. Eichberg, and M. Mezini. Towards virtual traits in Scala. In *Scala '14*, pages 67–75, July 2014.
- [73] A. K. Wright and M. Felleisen. A syntactic approach to type soundness. Technical Report TR91-160, Rice University, 1992.
- [74] Y. Zhang, M. C. Loring, G. Salvaneschi, B. Liskov, and A. C. Myers. Genus: Making generics object-oriented, expressive, and lightweight. Technical Report 1813–39910, Cornell University Computing and Information Science, June 2015.
- [75] Y. Zhang, M. C. Loring, G. Salvaneschi, B. Liskov, and A. C. Myers. Lightweight, flexible object-oriented generics. In *36th ACM SIGPLAN Conf. on Programming Language Design and Implementation (PLDI)*, pages 436–445, June 2015.



## A STATIC SEMANTICS OF FEATHERWEIGHT FAMILIA

### A.1 Complete static semantics rules

Figures 19–33 in this appendix present the complete static semantics of Featherweight Familia.

$$\boxed{\text{flatten}(\mathcal{P}) = \mathbb{P}^!}$$

$$(\forall i) \text{flatten}(\mathcal{I}^{(i)}, \diamond) = \mathbb{I}^{(i)} : [\varphi_1^{(i)}] \mathbb{Q}^{(i)} \quad (\forall i) \text{flatten}(\mathcal{C}^{(i)}, \diamond) = \mathbb{c}^{(i)} : [\varphi_2^{(i)}] \mathbb{P}^{(i)}$$

$$\mathbb{Q}_{\text{Any}} = \left\{ \begin{array}{c} \diamond.\text{Any} \\ - \\ \bullet \\ \emptyset \end{array} \right\} \quad \mathbb{P}_{\text{empty}} = \left\{ \begin{array}{c} \diamond.\text{empty}[X] \\ \text{Any}(X) \\ \bullet \\ \emptyset \\ \emptyset \\ \emptyset \end{array} \right\}$$


---


$$\text{flatten}(\diamond \{ \bar{\mathcal{I}} \ \bar{\mathcal{C}} \ e \}) = \left\{ \begin{array}{c} \diamond \\ \bullet \\ \bullet \\ \emptyset \\ \hline \mathbb{I} : [\varphi_1] \mathbb{Q}, \text{Any} : \mathbb{Q}_{\text{Any}} \\ \hline \mathbb{c} : [\varphi_2] \mathbb{P}, \text{empty} : [X] \mathbb{P}_{\text{empty}} \end{array} \right\}^!$$

$$\boxed{\text{flatten}(\mathcal{I}, P^!) = \mathbb{I} : [\varphi] \mathbb{Q}}$$

$$\text{flatten}(\text{interface } \mathbb{I}^v [\varphi] \text{ extends } Q \{ \bar{m} : S \}, P^!) = \mathbb{I} : [\varphi] \left\{ \begin{array}{c} \text{Self}[P^!. \mathbb{I}[\varphi]] \\ v \\ \frac{Q}{m : S} \end{array} \right\}$$

$$\boxed{\text{flatten}(\mathcal{C}, P^!) = \mathbb{c} : [\varphi] \mathbb{P}}$$

$$(\forall i) \text{flatten}(\mathcal{I}^{(i)}, \text{self}[P^!. \mathbb{c}[\varphi]]) = \mathbb{I}^{(i)} : [\varphi_1^{(i)}] \mathbb{Q}^{(i)}$$

$$(\forall i) \text{flatten}(\mathcal{C}^{(i)}, \text{self}[P^!. \mathbb{c}[\varphi]]) = \mathbb{c}^{(i)} : [\varphi_2^{(i)}] \mathbb{P}^{(i)}$$

$$(\forall i) \mathcal{M}^{(i)} = \mathbb{m}^{(i)} : S^{(i)} (\bar{x}^{(i)}) \{ e^{(i)} \}$$


---


$$\text{flatten}(\text{class } \mathbb{c}[\varphi] \text{ for } Q(T) \text{ extends } P_{\text{sup}} \{ \bar{\mathcal{I}} \ \bar{\mathcal{C}} \ \bar{\mathcal{M}} \}, P^!) = \mathbb{c} : [\varphi] \left\{ \begin{array}{c} \text{self}[P^!. \mathbb{c}[\varphi]] \\ Q(T) \\ \frac{P_{\text{sup}}}{m : S (\bar{x}) \{ e \}} \\ \hline \mathbb{I} : [\varphi_1] \mathbb{Q} \\ \hline \mathbb{c} : [\varphi_2] \mathbb{P} \end{array} \right\}$$

**Figure 19.** Featherweight Familia: flattening programs and nested definitions into linkages.

$$\begin{array}{c}
\boxed{\Delta; K \vdash [\varphi] \text{ OK}} \\
\text{[PARAM]} \quad \frac{(\forall i) \Delta, \bar{x}; K \vdash H^{(i)} \text{ OK} \quad (\forall i) \Delta, \bar{x}; K \vdash T^{(i)} \text{ OK}}{\Delta; K \vdash \bar{x} \text{ where } \mathbf{p} \text{ for } H(T) \text{ OK}} \\
\boxed{\Delta; K \vdash \{\omega/\varphi\} \text{ OK}} \\
\text{[INST]} \quad \frac{(\forall i) \Delta; K \vdash T_1^{(i)} \text{ OK} \quad (\forall i) \Delta; K \vdash d^{(i)} \text{ OK} \quad (\forall i) K \vdash d^{(i)} \text{ dispatches } T_3^{(i)} \quad (\forall i) K \vdash d^{(i)}. \mathbf{itf}(T_3^{(i)}) \leq H^{(i)}(T_2^{(i)}) \left\{ \bar{T}_1 / \bar{x} \right\}}{\Delta; K \vdash \left\{ \bar{T}_1 \text{ with } \bar{d} / \bar{x} \text{ where } \mathbf{p} \text{ for } H(T_2) \right\} \text{ OK}}
\end{array}$$

**Figure 20.** Featherweight Familia: parametric polymorphism.

$$\begin{array}{c}
\boxed{\Delta; K; \Gamma \vdash e : T} \\
\text{[E-SUBSUME]} \quad \frac{\Delta; K; \Gamma \vdash e : T_1 \quad K \vdash T_1 \leq T_2}{\Delta; K; \Gamma \vdash e : T_2} \quad \text{[E-INT]} \Delta; K; \Gamma \vdash n : \text{int} \quad \text{[E-VAR]} \frac{x : T \in \Gamma}{\Delta; K; \Gamma \vdash x : T} \\
\text{[E-PACK]} \quad \frac{\Delta; K \vdash d \text{ OK} \quad K \vdash d \text{ dispatches } T \quad \Delta; K; \Gamma \vdash e : T}{\Delta; K; \Gamma \vdash \mathbf{pack}(e, d) : d. \mathbf{itf}} \\
\text{[E-UNPACK]} \quad \frac{\Delta; K; \Gamma \vdash e_1 : H \quad \Delta, X; K, \mathbf{p} \text{ for } H(X); \Gamma, x : X \vdash e_2 : T \quad X \notin \text{FTV}(T) \quad \mathbf{p} \notin \text{FCV}(T)}{\Delta; K; \Gamma \vdash \mathbf{unpack} e_1 \text{ as } (x, \mathbf{p}) \text{ in } e_2 : T} \\
\text{[E-CALL]} \quad \frac{\Delta; K \vdash d \text{ OK} \quad K \vdash d \text{ dispatches } T_0 \quad \Delta; K; \Gamma \vdash e_0 : T_0 \quad K \vdash d. \mathbf{itf} \rightsquigarrow \mathbb{Q}^! \quad \mathbb{Q}^!(m) \{T_0 / \mathbf{This}\} = [\varphi] \bar{T}_1 \rightarrow T_2 \quad \Delta; K \vdash \{\omega/\varphi\} \text{ OK} \quad (\forall i) \Delta; K; \Gamma \vdash e_1^{(i)} : T_1^{(i)} \{\omega/\varphi\}}{\Delta; K; \Gamma \vdash e_0. (d.m[\omega]) (\bar{e}_1) : T_2 \{\omega/\varphi\}}
\end{array}$$

**Figure 21.** Featherweight Familia: well-formedness of expressions.

$$\begin{array}{c}
\boxed{\Delta; K \vdash P \text{ OK} \quad \Delta; K \vdash P^! \text{ OK} \quad \Delta; K \vdash d \text{ OK}} \\
\frac{\Delta; K \vdash P^! \text{ OK} \quad K \vdash P^! \rightsquigarrow \mathbb{P}_{\text{fam}}^! \quad \mathbb{P}_{\text{fam}}^!(c) = [\varphi] \mathbb{P}_{\text{nest}}^! \quad \Delta; K \vdash \{\omega/\varphi\} \text{ OK} \quad \diamond \rightsquigarrow \mathbb{P}^! \in K}{\Delta; K \vdash P^!.c[\omega] \text{ OK} \quad \Delta; K \vdash \diamond \text{ OK}} \\
\frac{\mathbf{self}[P] \in K \quad \Delta; K \vdash P \text{ OK}}{\Delta; K \vdash \mathbf{self}[P] \text{ OK}} \quad \frac{\Delta; K \vdash P^!.c[\omega] \text{ OK}}{\Delta; K \vdash P^!.c^![\omega] \text{ OK}} \quad \frac{\mathbf{p} \text{ for } H(T) \in K}{\Delta; K \vdash \mathbf{p} \text{ OK}} \\
\boxed{\Delta; K \vdash Q \text{ OK} \quad \Delta; K \vdash Q^! \text{ OK} \quad \Delta; K \vdash T \text{ OK}} \\
\frac{\Delta; K \vdash P^! \text{ OK} \quad K \vdash P^! \rightsquigarrow \mathbb{P}_{\text{fam}}^! \quad \mathbb{P}_{\text{fam}}^!(I) = [\varphi] \mathbb{Q}_{\text{nest}}^! \quad \Delta; K \vdash \{\omega/\varphi\} \text{ OK}}{\Delta; K \vdash P^!.I[\omega] \text{ OK}} \quad \frac{\Delta; K \vdash d \text{ OK}}{\Delta; K \vdash d. \mathbf{itf} \text{ OK}} \\
\frac{\mathbf{Self}[Q] \in \Delta \quad \Delta; K \vdash Q \text{ OK}}{\Delta; K \vdash \mathbf{Self}[Q] \text{ OK}} \quad \frac{\Delta; K \vdash P^!.I[\omega] \text{ OK}}{\Delta; K \vdash P^!.I^![\omega] \text{ OK}} \quad \Delta; K \vdash \text{int OK} \quad \frac{X \in \Delta}{\Delta; K \vdash X \text{ OK}}
\end{array}$$

**Figure 22.** Featherweight Familia: well-formedness of paths, dispatchers, and types.

$$\begin{array}{c}
\boxed{K \vdash P \rightsquigarrow \mathbb{P}} \\
\text{[EMPTY]} \quad \frac{K \vdash \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \quad \mathbb{P}_{\text{prog}}^!(\text{empty}) = [\text{X}]\mathbb{P}}{K \vdash \diamond.\text{empty}[T] \rightsquigarrow \mathbb{P}\{T/\text{X}\}} \quad \text{[P]} \quad \frac{K \vdash P^! \rightsquigarrow \mathbb{P}_{\text{fam}}^! \quad \mathbb{P}_{\text{fam}}^!(c) = [\varphi]\mathbb{P}_{\text{nest}} \quad \text{parent}(\mathbb{P}_{\text{nest}}\{\omega/\varphi\}) = P_{\text{sup}}}{K \vdash P_{\text{sup}} \rightsquigarrow \mathbb{P}_{\text{sup}} \quad \mathbb{P}_{\text{sup}} \oplus \mathbb{P}_{\text{nest}}\{\omega/\varphi\} = \mathbb{P}}{K \vdash P^!.c[\omega] \rightsquigarrow \mathbb{P}} \\
\boxed{K \vdash P^! \rightsquigarrow \mathbb{P}^!} \\
\text{[P!-EQ]} \quad \frac{K \vdash P_1^! \Rightarrow P_2^! \quad K \vdash P_2^! \rightsquigarrow \mathbb{P}^!}{K \vdash P_1^! \rightsquigarrow \mathbb{P}^!} \quad \text{[P!-SELF]} \quad \frac{K \vdash P \rightsquigarrow \mathbb{P}}{K \vdash \text{self}[P] \rightsquigarrow \mathbb{P}^!} \\
\text{[P!-PROG]} \quad \frac{\diamond \rightsquigarrow \mathbb{P}^! \in K}{K \vdash \diamond \rightsquigarrow \mathbb{P}^!} \quad \text{[P!-NEST]} \quad \frac{K \vdash P^!.c[\omega] \rightsquigarrow \mathbb{P}}{K \vdash P^!.c^![\omega] \rightsquigarrow \mathbb{P}^!\{P^!.c^![\omega]/\text{self}[P^!.c[\omega]]\}} \\
\boxed{K \vdash Q \rightsquigarrow \mathbb{Q}} \\
\text{[ANY]} \quad \frac{K \vdash \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \quad \mathbb{P}_{\text{prog}}^!(\text{Any}) = \mathbb{Q}}{K \vdash \diamond.\text{Any} \rightsquigarrow \mathbb{Q}} \quad \text{[Q]} \quad \frac{K \vdash P^! \rightsquigarrow \mathbb{P}^! \quad \mathbb{P}^!(I) = [\varphi]\mathbb{Q}_{\text{nest}} \quad \text{parent}(\mathbb{Q}_{\text{nest}}\{\omega/\varphi\}) = Q_{\text{sup}}}{K \vdash Q_{\text{sup}} \rightsquigarrow \mathbb{Q}_{\text{sup}} \quad \mathbb{Q}_{\text{sup}} \oplus \mathbb{Q}_{\text{nest}}\{\omega/\varphi\} = \mathbb{Q}}{K \vdash P^!.I[\omega] \rightsquigarrow \mathbb{Q}} \\
\boxed{K \vdash Q^! \rightsquigarrow \mathbb{Q}^!} \\
\text{[Q!-EQ]} \quad \frac{K \vdash Q_1^! \Rightarrow Q_2^! \quad K \vdash Q_2^! \rightsquigarrow \mathbb{Q}^!}{K \vdash Q_1^! \rightsquigarrow \mathbb{Q}^!} \quad \text{[Q!-SELF]} \quad \frac{K \vdash Q \rightsquigarrow \mathbb{Q}}{K \vdash \text{Self}[Q] \rightsquigarrow \mathbb{Q}^!} \\
\text{[Q!-ITF-P]} \quad \frac{K \vdash P^! \rightsquigarrow \mathbb{P}^! \quad \text{interface}(\mathbb{P}^!) = \mathbb{Q} \quad K \vdash Q \rightsquigarrow \mathbb{Q}}{K \vdash P^!.itf \rightsquigarrow \mathbb{Q}^!\{P^!.itf/\text{Self}[Q]\}} \quad \text{[Q!-ITF-CV]} \quad \frac{\text{p for } Q(T) \in K \quad K \vdash Q \rightsquigarrow \mathbb{Q}}{K \vdash \text{p.itf} \rightsquigarrow \mathbb{Q}^!\{\text{p.itf}/\text{Self}[Q]\}} \\
\text{[Q!-NEST]} \quad \frac{K \vdash P^!.I[\omega] \rightsquigarrow \mathbb{Q}}{K \vdash P^!.I^![\omega] \rightsquigarrow \mathbb{Q}^!\{P^!.I^![\omega]/\text{Self}[P^!.I[\omega]]\}} \\
\boxed{K \vdash d \text{ dispatches } T} \\
\text{[D-PATH]} \quad \frac{K \vdash P^! \rightsquigarrow \mathbb{P}^! \quad \text{rep}(\mathbb{P}^!) = T}{K \vdash P^! \text{ dispatches } T} \quad \text{[D-VAR]} \quad \frac{\text{p for } H(T) \in K}{K \vdash \text{p} \text{ dispatches } T}
\end{array}$$

**Figure 23.** Featherweight Familia: obtaining the linkages of paths.

$$\begin{array}{c}
\boxed{K \vdash P_1 \leq P_2} \\
\text{[SC-EQ]} \quad \frac{K \vdash P_1 \equiv P_2}{K \vdash P_1 \leq P_2} \quad \text{[SC-TRAN]} \quad \frac{K \vdash P_1 \leq P_2 \quad K \vdash P_2 \leq P_3}{K \vdash P_1 \leq P_3} \quad \text{[SC-EXT]} \quad \frac{K \vdash P \rightsquigarrow \mathbb{P} \quad \text{parent}(\mathbb{P}) = P_{\text{sup}}}{K \vdash P \leq P_{\text{sup}}} \\
\boxed{K \vdash T_1 \leq T_2} \\
\text{[ST-EQ]} \quad \frac{K \vdash T_1 \equiv T_2}{K \vdash T_1 \leq T_2} \quad \text{[ST-TRAN]} \quad \frac{K \vdash T_1 \leq T_2 \quad K \vdash T_2 \leq T_3}{K \vdash T_1 \leq T_3} \quad \text{[ST-EXT]} \quad \frac{K \vdash Q \rightsquigarrow \mathbb{Q} \quad \text{parent}(\mathbb{Q}) = Q_{\text{sup}}}{K \vdash Q \leq Q_{\text{sup}}} \\
\text{[ST-SELF]} \quad K \vdash \text{Self}[Q] \leq Q \quad \text{[ST-ITF-P]} \quad \frac{K \vdash P^! \rightsquigarrow \mathbb{P}^! \quad \text{interface}(\mathbb{P}^!) = Q}{K \vdash P^!.itf \leq Q} \\
\text{[ST-ITF-CV]} \quad \frac{\text{p for } Q(T) \in K}{K \vdash \text{p.itf} \leq Q} \quad \text{[ST-NEST]} \quad K \vdash P^!.I^![\omega] \leq P^!.I[\omega] \\
\boxed{K \vdash H_1(T_1) \leq H_2(T_2)} \\
\text{[CE-TRAN]} \quad \frac{K \vdash H_1(T_1) \leq H_2(T_2) \quad K \vdash H_2(T_2) \leq H_3(T_3)}{K \vdash H_1(T_1) \leq H_3(T_3)} \quad \text{[CE-ST]} \quad \frac{K \vdash H_1 \leq H_2 \quad K \vdash T_1 \equiv T_2}{K \vdash H_1(T_1) \leq H_2(T_2)} \\
\text{[CE-VARY-Q]} \quad \frac{K \vdash Q \rightsquigarrow \mathbb{Q} \quad \text{variance}(\mathbb{Q}) = - \quad K \vdash T_2 \leq T_1}{K \vdash Q(T_1) \leq Q(T_2)} \quad \text{[CE-VARY-Q!]} \quad \frac{K \vdash P^!.I[\omega](T_1) \leq P^!.I[\omega](T_2)}{K \vdash P^!.I^![\omega](T_1) \leq P^!.I^![\omega](T_2)}
\end{array}$$

**Figure 24.** Featherweight Familia: subclassing, subtyping, and constraint entailment.

$$\begin{array}{c}
\boxed{K \vdash H_1 \Rightarrow H_2} \\
\frac{K \vdash \diamond.c'[\omega] \rightsquigarrow \mathbb{P}^! \quad \text{interface}(\mathbb{P}^!) = Q}{K \vdash \diamond.c'[\omega].\text{itf} \Rightarrow Q'} \quad \frac{\text{p for } Q'(T) \in K}{K \vdash \text{p.itf} \Rightarrow Q'} \\
\frac{K \vdash P_1^! \Rightarrow P_2^!}{K \vdash P_1^!.\text{itf} \Rightarrow P_2^!.\text{itf}} \quad \frac{K \vdash P_1^! \Rightarrow P_2^!}{K \vdash P_1^!.I[\omega] \Rightarrow P_2^!.I[\omega]} \quad \frac{K \vdash P^! \text{ NF} \quad K \vdash [\omega_1] \Rightarrow [\omega_2]}{K \vdash P^!.I[\omega_1] \Rightarrow P^!.I[\omega_2]} \\
\frac{K \vdash Q_1 \Rightarrow Q_2}{K \vdash \text{Self}[Q_1] \Rightarrow \text{Self}[Q_2]} \quad \frac{K \vdash P_1^! \Rightarrow P_2^!}{K \vdash P_1^!.I[\omega] \Rightarrow P_2^!.I[\omega]} \quad \frac{K \vdash P^! \text{ NF} \quad K \vdash [\omega_1] \Rightarrow [\omega_2]}{K \vdash P^!.I[\omega_1] \Rightarrow P^!.I[\omega_2]} \\
\boxed{K \vdash P_1^! \Rightarrow P_2^! \quad K \vdash P_1 \Rightarrow P_2} \\
\frac{K \vdash P_1^! \Rightarrow P_2^!}{K \vdash P_1^!.c'[\omega] \Rightarrow P_2^!.c'[\omega]} \quad \frac{K \vdash P^! \text{ NF} \quad K \vdash [\omega_1] \Rightarrow [\omega_2]}{K \vdash P^!.c'[\omega_1] \Rightarrow P^!.c'[\omega_2]} \\
\frac{K \vdash P_1 \Rightarrow P_2}{K \vdash \text{self}[P_1] \Rightarrow \text{self}[P_2]} \quad \frac{K \vdash P_1^! \Rightarrow P_2^!}{K \vdash P_1^!.c[\omega] \Rightarrow P_2^!.c[\omega]} \quad \frac{K \vdash P^! \text{ NF} \quad K \vdash [\omega_1] \Rightarrow [\omega_2]}{K \vdash P^!.c[\omega_1] \Rightarrow P^!.c[\omega_2]} \\
\boxed{K \vdash [\omega_1] \Rightarrow [\omega_2]} \\
\frac{(\forall i) K \vdash T_1^{(i)} \text{ NF} \quad K \vdash H_{21} \Rightarrow H_{22}}{K \vdash [\overline{T}_1, H_{21}, \overline{T}_3 \text{ with } \overline{d}] \Rightarrow [\overline{T}_1, H_{22}, \overline{T}_3 \text{ with } \overline{d}]} \\
\frac{(\forall i) K \vdash d_1^{(i)} \text{ NF} \quad K \vdash P_{21}^! \Rightarrow P_{22}^!}{K \vdash [\overline{T} \text{ with } \overline{d}_1, P_{21}^!, \overline{d}_3] \Rightarrow [\overline{T} \text{ with } \overline{d}_1, P_{22}^!, \overline{d}_3]}
\end{array}$$

**Figure 25.** Featherweight Familia: path normalization.

$$\begin{array}{c}
\boxed{K \vdash T \text{ NF} \quad K \vdash Q^! \text{ NF} \quad K \vdash Q \text{ NF}} \\
\\
K \vdash \text{int NF} \quad K \vdash \times \text{NF} \quad \frac{K \vdash Q \text{ NF}}{K \vdash \text{Self}[Q] \text{ NF}} \quad \frac{\text{p for } Q(T) \in K}{K \vdash \text{p.itf NF}} \\
\\
\frac{K \vdash \text{self}[P].\overline{c'[\omega]} \text{ NF}}{K \vdash \text{self}[P].\overline{c'[\omega]}. \text{itf NF}} \quad \frac{K \vdash P^!.I[\omega] \text{ NF}}{K \vdash P^!.I^![\omega] \text{ NF}} \quad \frac{K \vdash P^! \text{ NF} \quad K \vdash [\omega] \text{ NF}}{K \vdash P^!.I[\omega] \text{ NF}} \\
\\
\boxed{K \vdash d \text{ NF} \quad K \vdash P^! \text{ NF} \quad K \vdash P \text{ NF}} \\
\\
K \vdash \text{p NF} \quad K \vdash \diamond \text{NF} \quad \frac{K \vdash P \text{ NF}}{K \vdash \text{self}[P] \text{ NF}} \\
\\
\frac{K \vdash P^!.c[\omega] \text{ NF}}{K \vdash P^!.c^![\omega] \text{ NF}} \quad \frac{K \vdash P^! \text{ NF} \quad K \vdash [\omega] \text{ NF}}{K \vdash P^!.c[\omega] \text{ NF}} \\
\\
\boxed{K \vdash [\omega] \text{ NF}} \\
\\
\frac{(\forall i) K \vdash T^{(i)} \text{ NF} \quad (\forall i) K \vdash d^{(i)} \text{ NF}}{K \vdash [\overline{T} \text{ with } \overline{d}] \text{ NF}}
\end{array}$$

**Figure 26.** Featherweight Familia: normal forms.

$$\begin{array}{c}
\boxed{K \vdash T_1 \equiv T_2} \\
\\
K \vdash T \equiv T \quad \frac{K \vdash T_2 \equiv T_1}{K \vdash T_1 \equiv T_2} \quad \frac{K \vdash T_1 \equiv T_2 \quad K \vdash T_2 \equiv T_3}{K \vdash T_1 \equiv T_3} \quad \frac{K \vdash H_1 \Rightarrow H_2}{K \vdash H_1 \equiv H_2} \\
\\
\boxed{K \vdash P_1^! \equiv P_2^!} \\
\\
K \vdash P^! \equiv P^! \quad \frac{K \vdash P_2^! \equiv P_1^!}{K \vdash P_1^! \equiv P_2^!} \quad \frac{K \vdash P_1^! \equiv P_2^! \quad K \vdash P_2^! \equiv P_3^!}{K \vdash P_1^! \equiv P_3^!} \quad \frac{K \vdash P_1^! \Rightarrow P_2^!}{K \vdash P_1^! \equiv P_2^!} \\
\\
\boxed{K \vdash P_1 \equiv P_2} \\
\\
K \vdash P \equiv P \quad \frac{K \vdash P_2 \equiv P_1}{K \vdash P_1 \equiv P_2} \quad \frac{K \vdash P_1 \equiv P_2 \quad K \vdash P_2 \equiv P_3}{K \vdash P_1 \equiv P_3} \quad \frac{K \vdash P_1 \Rightarrow P_2}{K \vdash P_1 \equiv P_2} \\
\\
\boxed{K \vdash [\varphi_1] \equiv [\varphi_2]} \\
\\
\frac{(\forall i) K \vdash H_1^{(i)} \equiv H_2^{(i)} \{\overline{X_1}/\overline{X_2}\} \quad (\forall i) K \vdash T_1^{(i)} \equiv T_2^{(i)} \{\overline{X_1}/\overline{X_2}\}}{K \vdash [\overline{X_1} \text{ where } p_1 \text{ for } H_1(T_1)] \equiv [\overline{X_2} \text{ where } p_2 \text{ for } H_2(T_2)]} \\
\\
\boxed{K \vdash S_1 \equiv S_2} \\
\\
\frac{K \vdash [\varphi_1] \equiv [\varphi_2] \quad (\forall i) K \vdash T_{11}^{(i)} \equiv T_{21}^{(i)} \{\varphi_1/\varphi_2\} \quad K \vdash T_{12} \equiv T_{22} \{\varphi_1/\varphi_2\}}{K \vdash [\varphi_1] \overline{T_{11}} \rightarrow T_{12} \equiv [\varphi_2] \overline{T_{21}} \rightarrow T_{22}}
\end{array}$$

**Figure 27.** Featherweight Familia: equivalence.

$$\boxed{\mathbb{P}_1 \oplus \mathbb{P}_2 = \mathbb{P}_3}$$

$$\begin{aligned} \overline{m_1 : S_1(\overline{x}_1)\{e_1\}} \oplus \overline{m_2 : S_2(\overline{x}_2)\{e_2\}} &= \overline{m_3 : S_3(\overline{x}_3)\{e_3\}} \\ \overline{I_1 : [\varphi_{11}]Q_1} \oplus \overline{I_2 : [\varphi_{21}]Q_2} &= \overline{I_3 : [\varphi_{31}]Q_3} \\ \overline{c_1 : [\varphi_{12}]P_1} \oplus \overline{c_2 : [\varphi_{22}]P_2} &= \overline{c_3 : [\varphi_{32}]P_3} \end{aligned}$$

$$\left\{ \begin{array}{c} \text{self}[P_1] \\ \dots \\ \dots \\ \overline{m_1 : S_1(\overline{x}_1)\{e_1\}} \\ \overline{I_1 : [\varphi_{11}]Q_1} \\ \overline{c_1 : [\varphi_{12}]P_1} \end{array} \right\} \oplus \left\{ \begin{array}{c} \text{self}[P_2] \\ Q_2(T_2) \\ P_{\text{sup}2} \\ \overline{m_2 : S_2(\overline{x}_2)\{e_2\}} \\ \overline{I_2 : [\varphi_{21}]Q_2} \\ \overline{c_2 : [\varphi_{22}]P_2} \end{array} \right\} = \left\{ \begin{array}{c} \text{self}[P_2] \\ Q_2(T_2) \\ P_{\text{sup}2} \\ \overline{m_3 : S_3(\overline{x}_3)\{e_3\}} \\ \overline{I_3 : [\varphi_{31}]Q_3} \\ \overline{c_3 : [\varphi_{32}]P_3} \end{array} \right\}$$

$$\boxed{Q_1 \oplus Q_2 = Q_3}$$

$$\overline{m_1 : S_1\{\text{Self}[Q_2]/\text{Self}[Q_1]\}} \oplus \overline{m_2 : S_2} = \overline{m_3 : S_3}$$

$$\left\{ \begin{array}{c} \text{Self}[Q_1] \\ \dots \\ \dots \\ \overline{m_1 : S_1} \end{array} \right\} \oplus \left\{ \begin{array}{c} \text{Self}[Q_2] \\ v_2 \\ Q_{\text{sup}2} \\ \overline{m_2 : S_2} \end{array} \right\} = \left\{ \begin{array}{c} \text{Self}[Q_2] \\ v_2 \\ Q_{\text{sup}2} \\ \overline{m_3 : S_3} \end{array} \right\}$$

$$\boxed{\overline{c_1 : [\varphi_1]P_1} \oplus \overline{c_2 : [\varphi_2]P_2} = \overline{c_3 : [\varphi_3]P_3}}$$

$$\overline{c_3} = \overline{c_1} \cap \overline{c_2} \quad (\forall i) \quad \left. \begin{array}{l} c_3^{(i)} : [\varphi_{31}^{(i)}]P_{31}^{(i)} \in \overline{c_1 : [\varphi_1]P_1} \\ c_3^{(i)} : [\varphi_{32}^{(i)}]P_{32}^{(i)} \in \overline{c_2 : [\varphi_2]P_2} \end{array} \right\} \Rightarrow \mathbb{P}_{31}^{(i)}\{\varphi_{32}^{(i)}/\varphi_{31}^{(i)}\} \oplus \mathbb{P}_{32}^{(i)} = \mathbb{P}_3^{(i)}$$

$$\overline{c_1 : [\varphi_1]P_1} \oplus \overline{c_2 : [\varphi_2]P_2} = \left( \overline{c_1 : [\varphi_1]P_1} \setminus \overline{c_3} \right) \cup \overline{c_3 : [\varphi_{32}]P_3} \cup \left( \overline{c_2 : [\varphi_2]P_2} \setminus \overline{c_3} \right)$$

$$\boxed{\overline{I_1 : [\varphi_1]Q_1} \oplus \overline{I_2 : [\varphi_2]Q_2} = \overline{I_3 : [\varphi_3]Q_3}}$$

$$\overline{I_3} = \overline{I_1} \cap \overline{I_2} \quad (\forall i) \quad \left. \begin{array}{l} I_3^{(i)} : [\varphi_{31}^{(i)}]Q_{31}^{(i)} \in \overline{I_1 : [\varphi_1]Q_1} \\ I_3^{(i)} : [\varphi_{32}^{(i)}]Q_{32}^{(i)} \in \overline{I_2 : [\varphi_2]Q_2} \end{array} \right\} \Rightarrow Q_{31}^{(i)}\{\varphi_{32}^{(i)}/\varphi_{31}^{(i)}\} \oplus Q_{32}^{(i)} = Q_3^{(i)}$$

$$\overline{I_1 : [\varphi_1]Q_1} \oplus \overline{I_2 : [\varphi_2]Q_2} = \left( \overline{I_1 : [\varphi_1]Q_1} \setminus \overline{I_3} \right) \cup \overline{I_3 : [\varphi_{32}]Q_3} \cup \left( \overline{I_2 : [\varphi_2]Q_2} \setminus \overline{I_3} \right)$$

$$\boxed{\overline{m_1 : S_1} \oplus \overline{m_2 : S_2} = \overline{m_3 : S_3}}$$

$$\overline{m_1 : S_1} \oplus \overline{m_2 : S_2} = \left( \overline{m_1 : S_1} \setminus \overline{m_2} \right) \cup \overline{m_2 : S_2}$$

$$\boxed{\overline{m_1 : S_1(\overline{x}_1)\{e_1\}} \oplus \overline{m_2 : S_2(\overline{x}_2)\{e_2\}} = \overline{m_3 : S_3(\overline{x}_3)\{e_3\}}}$$

$$\overline{m_1 : S_1(\overline{x}_1)\{e_1\}} \oplus \overline{m_2 : S_2(\overline{x}_2)\{e_2\}} = \left( \overline{m_1 : S_1(\overline{x}_1)\{e_1\}} \setminus \overline{m_2} \right) \cup \overline{m_2 : S_2(\overline{x}_2)\{e_2\}}$$

**Figure 28.** Featherweight Familia: concatenating linkages.

$$\begin{array}{c}
\boxed{\vdash \mathcal{P} \text{ OK}} \\
\text{[PROG]} \quad \frac{\text{flatten}(\diamond \{ \bar{I} \ \bar{C} \ e \}) = \mathbb{P}! \quad K \stackrel{\text{def}}{=} \diamond \rightsquigarrow \mathbb{P}! \quad K \vdash \mathbb{P}! \text{ I-Conform} \quad K \vdash \mathbb{P}! \text{ FB-Conform}}{(\forall i) \emptyset; K; \diamond \vdash \mathcal{I}^{(i)} \text{ OK} \quad (\forall i) \emptyset; K; \diamond \vdash \mathcal{C}^{(i)} \text{ OK} \quad \emptyset; K; \emptyset \vdash e : T} \quad \vdash \diamond \{ \bar{I} \ \bar{C} \ e \} \text{ OK} \\
\\
\boxed{\Delta; K; P! \vdash \mathcal{I} \text{ OK}} \\
\text{[IDEF]} \quad \frac{\Delta; K \vdash [\varphi] \text{ OK} \quad \Delta, \Delta_\varphi; K, K_\varphi \vdash Q_{\text{sup}} \text{ OK} \quad (\forall i) \Delta, \Delta_\varphi, \text{Self}[P!.I[\varphi]], \text{This}; K, K_\varphi \vdash S^{(i)} \text{ OK}}{K, K_\varphi \vdash Q_{\text{sup}} \rightsquigarrow Q_{\text{sup}} \quad \text{variance}(Q_{\text{sup}}) = 0 \Rightarrow v = 0 \quad (\forall i) \text{vary}^v(S^{(i)})} \quad \Delta; K; P! \vdash \text{interface } \Gamma^v[\varphi] \text{ extends } Q_{\text{sup}} \{ \bar{m}; \bar{S} \} \text{ OK} \\
\\
\boxed{\Delta; K; P! \vdash \mathcal{C} \text{ OK}} \\
\text{[CDEF]} \quad \frac{\Delta; K \vdash [\varphi] \text{ OK} \quad \Delta' \stackrel{\text{def}}{=} \Delta, \Delta_\varphi \quad K' \stackrel{\text{def}}{=} K, K_\varphi \quad \Delta'; K' \vdash P_{\text{sup}} \text{ OK} \quad \Delta'; K' \vdash Q \text{ OK} \quad K'' \stackrel{\text{def}}{=} K', \text{self}[P!.c[\varphi]] \quad \Delta'; K'' \vdash T \text{ OK} \quad (\forall i) \Delta'; K''; \text{this}:T \vdash \mathcal{M}^{(i)} \text{ OK}}{(\forall i) \Delta'; K''; \text{self}[P!.c[\varphi]] \vdash \mathcal{I}^{(i)} \text{ OK} \quad (\forall i) \Delta'; K''; \text{self}[P!.c[\varphi]] \vdash \mathcal{C}^{(i)} \text{ OK}} \quad \Delta; K; P! \vdash \text{class } c[\varphi] \text{ for } Q(T) \text{ extends } P_{\text{sup}} \{ \bar{I} \ \bar{C} \ \bar{M} \} \text{ OK} \\
\\
\boxed{\Delta; K; \Gamma \vdash \mathcal{M} \text{ OK}} \\
\text{[MDEF]} \quad \frac{\Delta; K \vdash [\varphi] \bar{T}_1 \rightarrow T_2 \text{ OK} \quad \Delta, \Delta_\varphi; K, K_\varphi; \Gamma, \bar{x}:\bar{T}_1 \vdash e : T_2}{\Delta; K; \Gamma \vdash m : [\varphi] \bar{T}_1 \rightarrow T_2 (\bar{x}) \{ e \} \text{ OK}} \\
\\
\boxed{\Delta; K \vdash S \text{ OK}} \\
\text{[MSIG]} \quad \frac{\Delta; K \vdash [\varphi] \text{ OK} \quad (\forall i) \Delta, \Delta_\varphi; K, K_\varphi \vdash T_1^{(i)} \text{ OK} \quad \Delta, \Delta_\varphi; K, K_\varphi \vdash T_2 \text{ OK}}{\Delta; K \vdash [\varphi] \bar{T}_1 \rightarrow T_2 \text{ OK}}
\end{array}$$

**Figure 29.** Featherweight Familia: well-formedness of programs and nested definitions.

$$\begin{array}{c}
\boxed{\text{vary}^v(S)} \\
\text{vary}^0(S) \quad \frac{\text{This} \notin \text{FTV}(\varphi) \quad (\forall i) \text{vary}^+(T_1^{(i)}) \quad \text{This} \notin \text{FTV}(T_2)}{\text{vary}^-\left([\varphi] \bar{T}_1 \rightarrow T_2\right)} \\
\\
\boxed{\text{vary}^+(T)} \\
\text{vary}^+(\text{This}) \quad \frac{\text{This} \notin \text{FTV}(T)}{\text{vary}^+(T)}
\end{array}$$

**Figure 30.** Featherweight Familia: variance of method signatures with respect to **This**.



$$\begin{array}{c}
\boxed{K \vdash P \text{ I-Conform}} \\
\text{[IC-INEXACT]} \quad \frac{K \vdash P \rightsquigarrow \mathbb{P} \quad K, \text{self}[P] \vdash \mathbb{P}! \text{ I-Conform}}{K \vdash P \text{ I-Conform}} \\
\\
\boxed{K \vdash \mathbb{P}! \text{ I-Conform}} \\
(\forall i) K, K_{\varphi^{(i)}} \vdash P!.c^{(i)}[\varphi^{(i)}] \text{ I-Conform} \\
\text{[IC-EXACT]} \quad \frac{K \vdash P!.itf \rightsquigarrow Q! \quad \text{methods}(Q!) = \overline{m_2:S_2} \quad (\forall j, \exists i) \left\{ \begin{array}{l} m_1^{(i)} = m_2^{(j)} \\ K \vdash S_1^{(i)} \equiv S_2^{(j)}\{T/\text{This}\} \end{array} \right.}{K \vdash \left\{ \begin{array}{l} P! \\ \dots(T) \\ \dots \\ \overline{m_1:S_1(\overline{x})\{e\}} \\ \dots \\ \overline{c:[\varphi]\mathbb{P}} \end{array} \right\}! \text{ I-Conform}} \\
\\
(\forall i) K, K_{\varphi^{(i)}} \vdash \diamond.c^{(i)}[\varphi^{(i)}] \text{ I-Conform} \\
\text{[IC-PROG]} \quad \frac{(\forall i) K, K_{\varphi^{(i)}} \vdash \diamond.c^{(i)}[\varphi^{(i)}] \text{ I-Conform}}{K \vdash \left\{ \begin{array}{l} \diamond \\ \bullet \\ \bullet \\ \emptyset \\ \dots \\ \overline{c:[\varphi]\mathbb{P}} \end{array} \right\}! \text{ I-Conform}}
\end{array}$$

**Figure 31.** Featherweight Familia: conformance of classes to interfaces.

$$\begin{array}{c}
\boxed{K \vdash P \text{ FB-Conform}} \\
\text{[FBC-P]} \quad \frac{K \vdash P \rightsquigarrow \mathbb{P} \quad K, \text{self}[P] \vdash \mathbb{P}^! \text{ FB-Conform}}{K \vdash P \text{ FB-Conform}}
\end{array}$$
  

$$\begin{array}{c}
\boxed{K \vdash \mathbb{P}^! \text{ FB-Conform}} \\
\text{[FBC-P!]} \quad \frac{\mathbb{P}^! = \left\{ \begin{array}{c} P^! \\ \dots \\ P_{\text{sup}} \\ \dots \\ \hline \text{I} : [\varphi_1] \mathbb{Q}_{\text{nest}} \\ \hline \text{c} : [\varphi_2] \mathbb{P}_{\text{nest}} \end{array} \right\}^! \quad \left. \begin{array}{l} P^! = \text{self}[P_0] \\ K \vdash P_{\text{sup}} \rightsquigarrow \mathbb{P}_{\text{sup}} \end{array} \right\} \Rightarrow K \vdash \mathbb{P}^! \ni \mathbb{P}_{\text{sup}}^! \{ \text{self}[P_0] / \text{self}[P_{\text{sup}}] \}}{\begin{array}{l} (\forall i) K, K_{\varphi_1^{(i)}} \vdash P^!.I[\varphi_1^{(i)}] \text{ FB-Conform} \\ (\forall i) K, K_{\varphi_2^{(i)}} \vdash P^!.c[\varphi_2^{(i)}] \text{ FB-Conform} \end{array}}}{K \vdash \mathbb{P}^! \text{ FB-Conform}}
\end{array}$$
  

$$\begin{array}{c}
\boxed{K \vdash Q \text{ FB-Conform}} \\
\text{[FBC-Q]} \quad \frac{K \vdash Q \rightsquigarrow \mathbb{Q} \quad K \vdash \mathbb{Q}^! \text{ FB-Conform}}{K \vdash Q \text{ FB-Conform}}
\end{array}$$
  

$$\begin{array}{c}
\boxed{K \vdash \mathbb{Q}^! \text{ FB-Conform}} \\
\text{[FBC-Q!]} \quad \frac{\mathbb{Q}^! = \left\{ \begin{array}{c} Q^! \\ \dots \\ Q_{\text{sup}} \\ \dots \end{array} \right\} \quad \left. \begin{array}{l} Q^! = \text{Self}[Q_0] \\ K \vdash Q_{\text{sup}} \rightsquigarrow \mathbb{Q}_{\text{sup}} \end{array} \right\} \Rightarrow K \vdash \mathbb{Q}^! \ni \mathbb{Q}_{\text{sup}}^! \{ \text{Self}[Q_0] / \text{Self}[Q_{\text{sup}}] \}}{K \vdash \mathbb{Q}^! \text{ FB-Conform}}
\end{array}$$

**Figure 32.** Featherweight Familia: conformance to further-bound components.

$$\boxed{K \vdash \mathbb{P}_1^! \ni \mathbb{P}_2^!}$$

$$K \vdash Q_1 \leq Q_2 \quad K \vdash P_{\text{sup1}} \leq P_{\text{sup2}} \quad K \vdash T_1 \equiv T_2 \quad (\forall j, \exists i) \left\{ \begin{array}{l} m_1^{(i)} = m_2^{(j)} \\ K \vdash S_1^{(i)} \equiv S_2^{(j)} \end{array} \right.$$

$$(\forall j, \exists i) \left\{ \begin{array}{l} I_1^{(i)} = I_2^{(j)} \\ K \vdash [\varphi_{11}^{(i)}] \equiv [\varphi_{21}^{(j)}] \\ K, K_{\varphi_{11}^{(i)}} \vdash Q_1^{(i)} \ni Q_2^{(j)} \{ \varphi_{11}^{(i)} / \varphi_{21}^{(j)} \} \end{array} \right.$$

$$(\forall j, \exists i) \left\{ \begin{array}{l} c_1^{(i)} = c_2^{(j)} \\ K \vdash [\varphi_{12}^{(i)}] \equiv [\varphi_{22}^{(j)}] \\ K, K_{\varphi_{12}^{(i)}} \vdash \mathbb{P}_1^{(i)} \ni \mathbb{P}_2^{(j)} \{ \varphi_{12}^{(i)} / \varphi_{22}^{(j)} \} \end{array} \right.$$


---


$$K \vdash \left\{ \begin{array}{c} P^! \\ Q_1(T_1) \\ \frac{P_{\text{sup1}}}{m_1 : S_1(\bar{x}_1) \{ e_1 \}} \\ \frac{I_1 : [\varphi_{11}] Q_1}{c_1 : [\varphi_{12}] \mathbb{P}_1} \end{array} \right\}^! \ni \left\{ \begin{array}{c} P^! \\ Q_2(T_2) \\ \frac{P_{\text{sup2}}}{m_2 : S_2(\bar{x}_2) \{ e_2 \}} \\ \frac{I_2 : [\varphi_{21}] Q_2}{c_2 : [\varphi_{22}] \mathbb{P}_2} \end{array} \right\}^!$$

$$\boxed{K \vdash \mathbb{P}_1 \ni \mathbb{P}_2}$$

$$\frac{\text{path}(\mathbb{P}_1) = P_1 \quad \text{path}(\mathbb{P}_2) = P_2 \quad K, \text{self}[P_1] \vdash \mathbb{P}_1^! \ni \mathbb{P}_2^! \{ \text{self}[P_1] / \text{self}[P_2] \}}{K \vdash \mathbb{P}_1 \ni \mathbb{P}_2}$$

$$\boxed{K \vdash Q_1^! \ni Q_2^!}$$

$$K \vdash Q_{\text{sup1}} \leq Q_{\text{sup2}} \quad (\forall j, \exists i) \left\{ \begin{array}{l} m_1^{(i)} = m_2^{(j)} \\ K \vdash S_1^{(i)} \equiv S_2^{(j)} \end{array} \right.$$

$$K \vdash \left\{ \begin{array}{c} Q^! \\ \dots \\ \frac{Q_{\text{sup1}}}{m_1 : S_1} \end{array} \right\}^! \ni \left\{ \begin{array}{c} Q^! \\ \dots \\ \frac{Q_{\text{sup2}}}{m_2 : S_2} \end{array} \right\}^!$$

$$\boxed{K \vdash Q_1 \ni Q_2}$$

$$\frac{\text{path}(Q_1) = Q_1 \quad \text{path}(Q_2) = Q_2 \quad K \vdash Q_1^! \ni Q_2^! \{ \text{Self}[Q_1] / \text{Self}[Q_2] \}}{\text{variance}(Q_1) = v_1 \quad \text{variance}(Q_2) = v_2 \quad v_1 = v_2}$$

$$K \vdash Q_1 \ni Q_2$$

**Figure 33.** Featherweight Familia: the “nests-more” relation  $\ni$  on linkages.

## A.2 More on linkage concatenation

We also elaborate on the implications of linkage concatenation below, complementing the discussion in Section 6.3.

**Linkage concatenation and late binding.** Consider the  $F^2$  program in Figure 34, where class  $c2$  extends  $c1$ . Class  $c1$  nests an interface  $I$  and two classes  $d1$  and  $d2$ , where  $d2$  extends  $d1$  and both classes implement  $I(int)$ . The  $d1$  in  $c1$  implements the methods  $m1$  and  $m2$  required by its interface, and the  $d1$  in  $c2$  specializes  $m2$  with a different implementation. The main expression on line 24 uses the class  $\diamond.c2!.d1!$  to invoke  $m1$ , which type-checks since  $\diamond.c2!.d1$  inherits  $m1$  from  $\diamond.c1!.d1$ . The implementation of  $m1$  calls  $m2$  using the `self`-path of the enclosing  $d1$  class (line 8), so this method call is late-bound—it uses the class that the `self`-path is bound to at run time. Therefore, the programmer should expect the main expression to transitively invoke the  $m2$  defined in  $\diamond.c2!.d1!$ .

Late binding via `self`-parameters ensures that the programmer’s expectation is met. The reduction rule [CALL] in Figure 14 dictates that the linkage of path  $\diamond.c2!.d1!$  be looked up for the method code of  $m1$ . Since linkages are computed in an outside-in manner, we first show how the linkage of the path’s family (i.e.,  $\diamond.c2!$ ) is obtained per the linkage concatenation rules in Figure 28. Figure 35 visualizes this process. On the left-hand side of  $\oplus$  is the complete linkage of the superclass  $\diamond.c1$ , and on the right-hand side is the nested, incomplete linkage corresponding to  $c2$  in  $\diamond$ ’s linkage. After concatenation, the resulting linkage acquires entries from both linkages being concatenated, with the entries in the second one overriding those with the same names in the first one. As noted in Section 6.3, substitution for the `self`-parameter is performed on the entries of the first linkage. Thus, in the resulting linkage, the method call on line 8 becomes

```
this.(self[self[ $\diamond.c2$ ].d1].m2)(x).
```

This is the method code of  $m1$  in the linkage of `self[self[ $\diamond.c2$ ].d1]`, but what we want is that in the linkage of  $\diamond.c2!.d1!$ . Applying rule [P!-NEST] (i.e., substituting  $\diamond.c2!$  for `self[ $\diamond.c2$ ]`) gives us the linkage of  $\diamond.c2!$ , in which the method call is

```
this.(self[ $\diamond.c2!.d1$ ].m2)(x).
```

This is also the method code for  $m1$  in the complete linkage of the inexact path  $\diamond.c2!.d1$ , simply because the superclass of  $\diamond.c2!.d1$  is  $\diamond.empty[\diamond.Any]$ . Applying rule [P!-NEST] again gives us the linkage of  $\diamond.c2!.d1!$ , in which the method call is

```
this.( $\diamond.c2!.d1!.m2$ )(x).
```

Therefore, we see that it is indeed the  $m2$  in  $\diamond.c2!.d1!$  that is invoked at run time.

**Linkage concatenation and dispatch order.** The linkage concatenation rules in Figure 28 also define the order in which inherited methods are dispatched. For example, consider where the method code of  $m2$  in the linkage of  $\diamond.c2!.d2$  comes from. Denote the complete linkage of  $\diamond.c2!.d1$  using  $\mathbb{P}_{sup}$ , and the incomplete linkage corresponding to  $d2$  nested in the linkage of  $\diamond.c2!$  using  $\mathbb{P}_{nest}$ . Both linkages contain an  $m2$  method, corresponding to the  $m2$  on lines 20 and 12, respectively. Per rule [P], the linkage of  $\diamond.c2!.d2$  is the concatenation of  $\mathbb{P}_{sup}$  and  $\mathbb{P}_{nest}$ . Figure 28 suggests that in the resulting linkage, the methods in  $\mathbb{P}_{nest}$  take precedence over methods with the same names in  $\mathbb{P}_{sup}$ . So in the presence of both  $m2$  methods, the one on line 12 is considered more specific than the one on line 20 in Figure 34.

This dispatch order is also chosen by previous work on nested inheritance and delegation layers [52, 47], based on the argument that all  $d2$  classes are specializations of  $d1$  classes, and thus all  $d2$  classes should be regarded as being more specific than any  $d1$  class. The linkage concatenation operator in  $F^2$  cleanly characterizes this choice.

```

1 ◇ {
2   class c1 for ◇.Any(◇.Any) extends ◇.empty[◇.Any] {
3     interface I extends ◇.Any {
4       m1 : int→int
5       m2 : int→int
6     }
7     class d1 for self[◇.c1].I(int) extends ◇.empty[int] {
8       m1 : int→int (x) { this.(self[self[◇.c1].d1].m2)(x) }
9       m2 : int→int (x) { ... }
10    }
11    class d2 for self[◇.c1].I(int) extends self[◇.c1].d1 {
12      m2 : int→int (x) { ... } // specializes the m2 in the d1 nested in c1
13    }
14  }
15  class c2 for ◇.Any(◇.Any) extends ◇.c1 {
16    interface I extends ◇.Any {
17      m3 : int→int
18    }
19    class d1 for self[◇.c1].I(int) extends ◇.empty[int] {
20      m2 : int→int (x) { ... } // specializes the m2 in the d1 nested in c1
21      m3 : int→int (x) { ... }
22    }
23  }
24  72. (◇.c2!.d1!.m1)(101) // the main expression
25 }

```

Figure 34. An example  $F^2$  program.




Figure 35. Computing the linkage of path  $\diamond.c2$ .

## B SOUNDNESS OF FEATHERWEIGHT FAMILIA

**Definition B.1** The inference rules for judgments  $\Delta; K \vdash P$  Methods-OK and  $\Delta; K \vdash \mathbb{P}^!$  Methods-OK are defined as follows:

$$\text{[DT-INEXACT]} \quad \frac{\boxed{\Delta; K \vdash P \text{ Methods-OK}} \quad \frac{K \vdash P \rightsquigarrow \mathbb{P} \quad \text{parent}(\mathbb{P}) = P_{\text{sup}}}{\Delta; K \vdash P_{\text{sup}} \text{ Methods-OK}}}{\Delta; K \vdash P \text{ Methods-OK}}$$

$$\text{[DT-EXACT]} \quad \frac{\boxed{\Delta; K \vdash \mathbb{P}^! \text{ Methods-OK}} \quad \frac{(\forall i) \Delta, \Delta_\varphi; K, K_\varphi \vdash P^!.c^{(i)}[\varphi^{(i)}] \text{ Methods-OK} \quad (\forall i) \Delta; K; \text{this}:T \vdash m^{(i)}:S^{(i)}(\bar{x}^{(i)})\{e^{(i)}\} \text{ OK}}{\Delta; K \vdash \left\{ \begin{array}{c} P^! \\ \dots(T) \\ \dots \\ \frac{m:S(\bar{x})\{e\}}{c:[\varphi]\mathbb{P}} \end{array} \right\}^! \text{ Methods-OK}}}{\Delta; K \vdash \left\{ \begin{array}{c} \diamond \\ \bullet \\ \bullet \\ \bullet \\ \dots \\ \frac{\phantom{c:[\varphi]\mathbb{P}}}{c:[\varphi]\mathbb{P}} \end{array} \right\}^! \text{ Methods-OK}}$$

$$\text{[DT-PROG]} \quad \frac{(\forall i) \Delta, \Delta_\varphi; K, K_\varphi \vdash \diamond.c^{(i)}[\varphi^{(i)}] \text{ Methods-OK}}{\Delta; K \vdash \left\{ \begin{array}{c} \diamond \\ \bullet \\ \bullet \\ \bullet \\ \dots \\ \frac{\phantom{c:[\varphi]\mathbb{P}}}{c:[\varphi]\mathbb{P}} \end{array} \right\}^! \text{ Methods-OK}}$$

These rules express the condition that all methods nested in a linkage are well-formed.

**Lemma B.1** Define the abbreviated notation  $\blacksquare_{\{\}} to be  $\blacksquare_{\{P_0^!/\text{self}[P_0]\}}$ . If  $K, \text{self}[P_0] \vdash \text{self}[P_0] \rightsquigarrow \mathbb{P}_0^!$  and  $K_{\{\}} \vdash P_0^! \rightsquigarrow \mathbb{P}_{\{\}}^!$ , then the substitution of  $P_0^!$  for  $\text{self}[P_0]$  is semantics-preserving. Specifically, the following propositions hold:$

- (1)  $\Delta; K, \text{self}[P_0] \vdash \mathbb{P}^! \text{ Methods-OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash \mathbb{P}_{\{\}}^! \text{ Methods-OK}$
- (2)  $\Delta; K, \text{self}[P_0] \vdash P \text{ Methods-OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash P_{\{\}} \text{ Methods-OK}$
- (3)  $\Delta; K, \text{self}[P_0]; \Gamma \vdash \mathcal{M} \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}}; \Gamma_{\{\}} \vdash \mathcal{M}_{\{\}} \text{ OK}$
- (4)  $\Delta; K, \text{self}[P_0] \vdash S \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash S_{\{\}} \text{ OK}$
- (5)  $\Delta; K, \text{self}[P_0]; \Gamma \vdash e:T \Rightarrow \Delta_{\{\}}; K_{\{\}}; \Gamma_{\{\}} \vdash e_{\{\}}:T_{\{\}}$
- (6)  $\Delta; K, \text{self}[P_0] \vdash [\varphi] \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash [\varphi]_{\{\}} \text{ OK}$
- (7)  $\Delta; K, \text{self}[P_0] \vdash \{\omega/\varphi\} \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash \{\omega_{\{\}}/\varphi_{\{\}}\} \text{ OK}$
- (8)  $\Delta; K, \text{self}[P_0] \vdash d \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash d_{\{\}} \text{ OK}$
- (9)  $\Delta; K, \text{self}[P_0] \vdash P^! \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash P_{\{\}}^! \text{ OK}$
- (10)  $\Delta; K, \text{self}[P_0] \vdash P \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash P_{\{\}} \text{ OK}$
- (11)  $\Delta; K, \text{self}[P_0] \vdash T \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash T_{\{\}} \text{ OK}$
- (12)  $\Delta; K, \text{self}[P_0] \vdash Q^! \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash Q_{\{\}}^! \text{ OK}$
- (13)  $\Delta; K, \text{self}[P_0] \vdash Q \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash Q_{\{\}} \text{ OK}$
- (14)  $K, \text{self}[P_0] \vdash \mathbb{P}^! \text{ I-Conform} \Rightarrow K_{\{\}} \vdash \mathbb{P}_{\{\}}^! \text{ I-Conform}$
- (15)  $K, \text{self}[P_0] \vdash P \text{ I-Conform} \Rightarrow K_{\{\}} \vdash P_{\{\}} \text{ I-Conform}$
- (16)  $K, \text{self}[P_0] \vdash \mathbb{P}^! \text{ FB-Conform} \Rightarrow K_{\{\}} \vdash \mathbb{P}_{\{\}}^! \text{ FB-Conform}$

- (17)  $K, \text{self}[P_0] \vdash P \text{ FB-Conform} \Rightarrow K\{\} \vdash P\{\} \text{ FB-Conform}$
- (18)  $K, \text{self}[P_0] \vdash Q^! \text{ FB-Conform} \Rightarrow K\{\} \vdash Q^!\{\} \text{ FB-Conform}$
- (19)  $K, \text{self}[P_0] \vdash Q \text{ FB-Conform} \Rightarrow K\{\} \vdash Q\{\} \text{ FB-Conform}$
- (20)  $K, \text{self}[P_0] \vdash P^! \rightsquigarrow \mathbb{P}^! \Rightarrow K\{\} \vdash P^!\{\} \rightsquigarrow \mathbb{P}^!\{\}$
- (21)  $K, \text{self}[P_0] \vdash P \rightsquigarrow \mathbb{P} \Rightarrow K\{\} \vdash P\{\} \rightsquigarrow \mathbb{P}\{\}$
- (22)  $K, \text{self}[P_0] \vdash d \text{ dispatches } T \Rightarrow K\{\} \vdash d\{\} \text{ dispatches } T\{\}$
- (23)  $K, \text{self}[P_0] \vdash Q^! \rightsquigarrow Q^! \Rightarrow K\{\} \vdash Q^!\{\} \rightsquigarrow Q^!\{\}$
- (24)  $K, \text{self}[P_0] \vdash Q \rightsquigarrow Q \Rightarrow K\{\} \vdash Q\{\} \rightsquigarrow Q\{\}$
- (25)  $K, \text{self}[P_0] \vdash P_1 \leq P_2 \Rightarrow K\{\} \vdash P_1\{\} \leq P_2\{\}$
- (26)  $K, \text{self}[P_0] \vdash T_1 \leq T_2 \Rightarrow K\{\} \vdash T_1\{\} \leq T_2\{\}$
- (27)  $K, \text{self}[P_0] \vdash H_1(T_1) \leq H_2(T_2) \Rightarrow K\{\} \vdash H_1\{\}(T_1\{\}) \leq H_2\{\}(T_2\{\})$
- (28)  $K, \text{self}[P_0] \vdash H_1 \Rightarrow H_2 \Rightarrow K\{\} \vdash H_1\{\} \Rightarrow^* H_2\{\}$
- (29)  $K, \text{self}[P_0] \vdash P_1^! \Rightarrow P_2^! \Rightarrow K\{\} \vdash P_1^!\{\} \Rightarrow^* P_2^!\{\}$
- (30)  $K, \text{self}[P_0] \vdash P_1 \Rightarrow P_2 \Rightarrow K\{\} \vdash P_1\{\} \Rightarrow^* P_2\{\}$
- (31)  $K, \text{self}[P_0] \vdash [\omega_1] \Rightarrow [\omega_2] \Rightarrow K\{\} \vdash [\omega_1]\{\} \Rightarrow^* [\omega_2]\{\}$
- (32)  $K, \text{self}[P_0] \vdash T_1 \equiv T_2 \Rightarrow K\{\} \vdash T_1\{\} \equiv T_2\{\}$
- (33)  $K, \text{self}[P_0] \vdash P_1 \equiv P_2 \Rightarrow K\{\} \vdash P_1\{\} \equiv P_2\{\}$
- (34)  $K, \text{self}[P_0] \vdash [\varphi_1] \equiv [\varphi_2] \Rightarrow K\{\} \vdash [\varphi_1]\{\} \equiv [\varphi_2]\{\}$
- (35)  $K, \text{self}[P_0] \vdash S_1 \equiv S_2 \Rightarrow K\{\} \vdash S_1\{\} \equiv S_2\{\}$
- (36)  $K, \text{self}[P_0] \vdash \mathbb{P}_1^! \supseteq \mathbb{P}_2^! \Rightarrow K\{\} \vdash \mathbb{P}_1^!\{\} \supseteq \mathbb{P}_2^!\{\}$
- (37)  $K, \text{self}[P_0] \vdash \mathbb{P}_1 \supseteq \mathbb{P}_2 \Rightarrow K\{\} \vdash \mathbb{P}_1\{\} \supseteq \mathbb{P}_2\{\}$
- (38)  $K, \text{self}[P_0] \vdash \mathbb{Q}_1^! \supseteq \mathbb{Q}_2^! \Rightarrow K\{\} \vdash \mathbb{Q}_1^!\{\} \supseteq \mathbb{Q}_2^!\{\}$
- (39)  $K, \text{self}[P_0] \vdash \mathbb{Q}_1 \supseteq \mathbb{Q}_2 \Rightarrow K\{\} \vdash \mathbb{Q}_1\{\} \supseteq \mathbb{Q}_2\{\}$
- (40)  $\mathbb{P}_1 \oplus \mathbb{P}_2 = \mathbb{P}_3 \Rightarrow \mathbb{P}_1\{\} \oplus \mathbb{P}_2\{\} = \mathbb{P}_3\{\}$
- (41)  $\mathbb{Q}_1 \oplus \mathbb{Q}_2 = \mathbb{Q}_3 \Rightarrow \mathbb{Q}_1\{\} \oplus \mathbb{Q}_2\{\} = \mathbb{Q}_3\{\}$

*Proof.* By induction on derivations. □

**Lemma B.2** Define the abbreviated notation  $\blacksquare\{\}$  to be  $\blacksquare\{T_0/X_0\}$ . If  $\Delta\{\}; K\{\} \vdash T_0$  OK, then the substitution of  $T_0$  for  $X_0$  is semantics-preserving. Specifically, the following propositions hold:

- (1)  $\Delta, X_0; K \vdash \mathbb{P}^! \text{ Methods-OK} \Rightarrow \Delta\{\}; K\{\} \vdash \mathbb{P}^!\{\} \text{ Methods-OK}$
- (2)  $\Delta, X_0; K \vdash P \text{ Methods-OK} \Rightarrow \Delta\{\}; K\{\} \vdash P\{\} \text{ Methods-OK}$
- (3)  $\Delta, X_0; K; \Gamma \vdash \mathcal{M} \text{ OK} \Rightarrow \Delta\{\}; K\{\}; \Gamma\{\} \vdash \mathcal{M}\{\} \text{ OK}$
- (4)  $\Delta, X_0; K \vdash S \text{ OK} \Rightarrow \Delta\{\}; K\{\} \vdash S\{\} \text{ OK}$
- (5)  $\Delta, X_0; K; \Gamma \vdash e : T \Rightarrow \Delta\{\}; K\{\}; \Gamma\{\} \vdash e\{\} : T\{\}$
- (6)  $\Delta, X_0; K \vdash [\varphi] \text{ OK} \Rightarrow \Delta\{\}; K\{\} \vdash [\varphi]\{\} \text{ OK}$
- (7)  $\Delta, X_0; K \vdash \{\omega/\varphi\} \text{ OK} \Rightarrow \Delta\{\}; K\{\} \vdash \{\omega\{\}/\varphi\{\}\} \text{ OK}$
- (8)  $\Delta, X_0; K \vdash d \text{ OK} \Rightarrow \Delta\{\}; K\{\} \vdash d\{\} \text{ OK}$
- (9)  $\Delta, X_0; K \vdash P^! \text{ OK} \Rightarrow \Delta\{\}; K\{\} \vdash P^!\{\} \text{ OK}$
- (10)  $\Delta, X_0; K \vdash P \text{ OK} \Rightarrow \Delta\{\}; K\{\} \vdash P\{\} \text{ OK}$
- (11)  $\Delta, X_0; K \vdash T \text{ OK} \Rightarrow \Delta\{\}; K\{\} \vdash T\{\} \text{ OK}$
- (12)  $\Delta, X_0; K \vdash Q^! \text{ OK} \Rightarrow \Delta\{\}; K\{\} \vdash Q^!\{\} \text{ OK}$
- (13)  $\Delta, X_0; K \vdash Q \text{ OK} \Rightarrow \Delta\{\}; K\{\} \vdash Q\{\} \text{ OK}$
- (14)  $K \vdash \mathbb{P}^! \text{ I-Conform} \Rightarrow K\{\} \vdash \mathbb{P}^!\{\} \text{ I-Conform}$
- (15)  $K \vdash P \text{ I-Conform} \Rightarrow K\{\} \vdash P\{\} \text{ I-Conform}$
- (16)  $K \vdash \mathbb{P}^! \text{ FB-Conform} \Rightarrow K\{\} \vdash \mathbb{P}^!\{\} \text{ FB-Conform}$
- (17)  $K \vdash P \text{ FB-Conform} \Rightarrow K\{\} \vdash P\{\} \text{ FB-Conform}$
- (18)  $K \vdash \mathbb{Q}^! \text{ FB-Conform} \Rightarrow K\{\} \vdash \mathbb{Q}^!\{\} \text{ FB-Conform}$
- (19)  $K \vdash Q \text{ FB-Conform} \Rightarrow K\{\} \vdash Q\{\} \text{ FB-Conform}$
- (20)  $K \vdash P^! \rightsquigarrow \mathbb{P}^! \Rightarrow K\{\} \vdash P^!\{\} \rightsquigarrow \mathbb{P}^!\{\}$
- (21)  $K \vdash P \rightsquigarrow \mathbb{P} \Rightarrow K\{\} \vdash P\{\} \rightsquigarrow \mathbb{P}\{\}$
- (22)  $K \vdash d \text{ dispatches } T \Rightarrow K\{\} \vdash d\{\} \text{ dispatches } T\{\}$

- (23)  $K \vdash Q' \rightsquigarrow Q' \Rightarrow K\{\cdot\} \vdash Q'\{\cdot\} \rightsquigarrow Q'\{\cdot\}$
- (24)  $K \vdash Q \rightsquigarrow Q \Rightarrow K\{\cdot\} \vdash Q\{\cdot\} \rightsquigarrow Q\{\cdot\}$
- (25)  $K \vdash P_1 \leq P_2 \Rightarrow K\{\cdot\} \vdash P_1\{\cdot\} \leq P_2\{\cdot\}$
- (26)  $K \vdash T_1 \leq T_2 \Rightarrow K\{\cdot\} \vdash T_1\{\cdot\} \leq T_2\{\cdot\}$
- (27)  $K \vdash H_1(T_1) \leq H_2(T_2) \Rightarrow K\{\cdot\} \vdash H_1\{\cdot\}(T_1\{\cdot\}) \leq H_2\{\cdot\}(T_2\{\cdot\})$
- (28)  $K \vdash H_1 \Rightarrow H_2 \Rightarrow K\{\cdot\} \vdash H_1\{\cdot\} \Rightarrow^* H_2\{\cdot\}$
- (29)  $K \vdash P_1^! \Rightarrow P_2^! \Rightarrow K\{\cdot\} \vdash P_1^!\{\cdot\} \Rightarrow^* P_2^!\{\cdot\}$
- (30)  $K \vdash P_1 \Rightarrow P_2 \Rightarrow K\{\cdot\} \vdash P_1\{\cdot\} \Rightarrow^* P_2\{\cdot\}$
- (31)  $K \vdash [\omega_1] \Rightarrow [\omega_2] \Rightarrow K\{\cdot\} \vdash [\omega_1]\{\cdot\} \Rightarrow^* [\omega_2]\{\cdot\}$
- (32)  $K \vdash T_1 \equiv T_2 \Rightarrow K\{\cdot\} \vdash T_1\{\cdot\} \equiv T_2\{\cdot\}$
- (33)  $K \vdash P_1 \equiv P_2 \Rightarrow K\{\cdot\} \vdash P_1\{\cdot\} \equiv P_2\{\cdot\}$
- (34)  $K \vdash [\varphi_1] \equiv [\varphi_2] \Rightarrow K\{\cdot\} \vdash [\varphi_1]\{\cdot\} \equiv [\varphi_2]\{\cdot\}$
- (35)  $K \vdash S_1 \equiv S_2 \Rightarrow K\{\cdot\} \vdash S_1\{\cdot\} \equiv S_2\{\cdot\}$
- (36)  $K \vdash \mathbb{P}_1^! \sqsupseteq \mathbb{P}_2^! \Rightarrow K\{\cdot\} \vdash \mathbb{P}_1^!\{\cdot\} \sqsupseteq \mathbb{P}_2^!\{\cdot\}$
- (37)  $K \vdash \mathbb{P}_1 \sqsupseteq \mathbb{P}_2 \Rightarrow K\{\cdot\} \vdash \mathbb{P}_1\{\cdot\} \sqsupseteq \mathbb{P}_2\{\cdot\}$
- (38)  $K \vdash \mathbb{Q}_1^! \sqsupseteq \mathbb{Q}_2^! \Rightarrow K\{\cdot\} \vdash \mathbb{Q}_1^!\{\cdot\} \sqsupseteq \mathbb{Q}_2^!\{\cdot\}$
- (39)  $K \vdash \mathbb{Q}_1 \sqsupseteq \mathbb{Q}_2 \Rightarrow K\{\cdot\} \vdash \mathbb{Q}_1\{\cdot\} \sqsupseteq \mathbb{Q}_2\{\cdot\}$
- (40)  $\mathbb{P}_1 \oplus \mathbb{P}_2 = \mathbb{P}_3 \Rightarrow \mathbb{P}_1\{\cdot\} \oplus \mathbb{P}_2\{\cdot\} = \mathbb{P}_3\{\cdot\}$
- (41)  $\mathbb{Q}_1 \oplus \mathbb{Q}_2 = \mathbb{Q}_3 \Rightarrow \mathbb{Q}_1\{\cdot\} \oplus \mathbb{Q}_2\{\cdot\} = \mathbb{Q}_3\{\cdot\}$

*Proof.* By induction on derivations. □

**Lemma B.3** Define the abbreviated notation  $\blacksquare\{\cdot\}$  to be  $\blacksquare\{d_0/p_0\}$ . If  $K\{\cdot\} \vdash d_0.\text{itf}(T_{02}) \leq H_0(T_{01})$ , then the following propositions hold:

- (1)  $K, p_0$  for  $H_0(T_{01}) \vdash \mathbb{P}^!$  FB-Conform  $\Rightarrow K\{\cdot\} \vdash \mathbb{P}^!\{\cdot\}$  FB-Conform
- (2)  $K, p_0$  for  $H_0(T_{01}) \vdash P$  FB-Conform  $\Rightarrow K\{\cdot\} \vdash P\{\cdot\}$  FB-Conform
- (3)  $K, p_0$  for  $H_0(T_{01}) \vdash \mathbb{Q}^!$  FB-Conform  $\Rightarrow K\{\cdot\} \vdash \mathbb{Q}^!\{\cdot\}$  FB-Conform
- (4)  $K, p_0$  for  $H_0(T_{01}) \vdash Q$  FB-Conform  $\Rightarrow K\{\cdot\} \vdash Q\{\cdot\}$  FB-Conform
- (5)  $K, p_0$  for  $H_0(T_{01}) \vdash P^! \rightsquigarrow \mathbb{P}^! \Rightarrow K\{\cdot\} \vdash P^!\{\cdot\} \rightsquigarrow \mathbb{P}^!\{\cdot\}$
- (6)  $K, p_0$  for  $H_0(T_{01}) \vdash P \rightsquigarrow \mathbb{P} \Rightarrow K\{\cdot\} \vdash P\{\cdot\} \rightsquigarrow \mathbb{P}\{\cdot\}$
- (7)  $K, p_0$  for  $H_0(T_{01}) \vdash Q^! \rightsquigarrow \mathbb{Q}^! \wedge Q^! \neq p_0.\text{itf} \Rightarrow K\{\cdot\} \vdash Q^!\{\cdot\} \rightsquigarrow \mathbb{Q}^!\{\cdot\}$
- (8)  $K, p_0$  for  $H_0(T_{01}) \vdash Q \rightsquigarrow \mathbb{Q} \Rightarrow K\{\cdot\} \vdash Q\{\cdot\} \rightsquigarrow \mathbb{Q}\{\cdot\}$
- (9)  $K, p_0$  for  $H_0(T_{01}) \vdash P_1 \leq P_2 \Rightarrow K\{\cdot\} \vdash P_1\{\cdot\} \leq P_2\{\cdot\}$
- (10)  $K, p_0$  for  $H_0(T_{01}) \vdash T_1 \leq T_2 \Rightarrow K\{\cdot\} \vdash T_1\{\cdot\} \leq T_2\{\cdot\}$
- (11)  $K, p_0$  for  $H_0(T_{01}) \vdash H_1(T_1) \leq H_2(T_2) \Rightarrow K\{\cdot\} \vdash H_1\{\cdot\}(T_1\{\cdot\}) \leq H_2\{\cdot\}(T_2\{\cdot\})$
- (12)  $K, p_0$  for  $H_0(T_{01}) \vdash H_1 \Rightarrow H_2 \Rightarrow K\{\cdot\} \vdash H_1\{\cdot\} \Rightarrow^* H_2\{\cdot\}$
- (13)  $K, p_0$  for  $H_0(T_{01}) \vdash P_1^! \Rightarrow P_2^! \Rightarrow K\{\cdot\} \vdash P_1^!\{\cdot\} \Rightarrow^* P_2^!\{\cdot\}$
- (14)  $K, p_0$  for  $H_0(T_{01}) \vdash P_1 \Rightarrow P_2 \Rightarrow K\{\cdot\} \vdash P_1\{\cdot\} \Rightarrow^* P_2\{\cdot\}$
- (15)  $K, p_0$  for  $H_0(T_{01}) \vdash [\omega_1] \Rightarrow [\omega_2] \Rightarrow K\{\cdot\} \vdash [\omega_1]\{\cdot\} \Rightarrow^* [\omega_2]\{\cdot\}$
- (16)  $K, p_0$  for  $H_0(T_{01}) \vdash T_1 \equiv T_2 \Rightarrow K\{\cdot\} \vdash T_1\{\cdot\} \equiv T_2\{\cdot\}$
- (17)  $K, p_0$  for  $H_0(T_{01}) \vdash P_1 \equiv P_2 \Rightarrow K\{\cdot\} \vdash P_1\{\cdot\} \equiv P_2\{\cdot\}$
- (18)  $K, p_0$  for  $H_0(T_{01}) \vdash [\varphi_1] \equiv [\varphi_2] \Rightarrow K\{\cdot\} \vdash [\varphi_1]\{\cdot\} \equiv [\varphi_2]\{\cdot\}$
- (19)  $K, p_0$  for  $H_0(T_{01}) \vdash S_1 \equiv S_2 \Rightarrow K\{\cdot\} \vdash S_1\{\cdot\} \equiv S_2\{\cdot\}$
- (20)  $K, p_0$  for  $H_0(T_{01}) \vdash \mathbb{P}_1^! \sqsupseteq \mathbb{P}_2^! \Rightarrow K\{\cdot\} \vdash \mathbb{P}_1^!\{\cdot\} \sqsupseteq \mathbb{P}_2^!\{\cdot\}$
- (21)  $K, p_0$  for  $H_0(T_{01}) \vdash \mathbb{P}_1 \sqsupseteq \mathbb{P}_2 \Rightarrow K\{\cdot\} \vdash \mathbb{P}_1\{\cdot\} \sqsupseteq \mathbb{P}_2\{\cdot\}$
- (22)  $K, p_0$  for  $H_0(T_{01}) \vdash \mathbb{Q}_1^! \sqsupseteq \mathbb{Q}_2^! \Rightarrow K\{\cdot\} \vdash \mathbb{Q}_1^!\{\cdot\} \sqsupseteq \mathbb{Q}_2^!\{\cdot\}$
- (23)  $K, p_0$  for  $H_0(T_{01}) \vdash \mathbb{Q}_1 \sqsupseteq \mathbb{Q}_2 \Rightarrow K\{\cdot\} \vdash \mathbb{Q}_1\{\cdot\} \sqsupseteq \mathbb{Q}_2\{\cdot\}$
- (24)  $\mathbb{P}_1 \oplus \mathbb{P}_2 = \mathbb{P}_3 \Rightarrow \mathbb{P}_1\{\cdot\} \oplus \mathbb{P}_2\{\cdot\} = \mathbb{P}_3\{\cdot\}$
- (25)  $\mathbb{Q}_1 \oplus \mathbb{Q}_2 = \mathbb{Q}_3 \Rightarrow \mathbb{Q}_1\{\cdot\} \oplus \mathbb{Q}_2\{\cdot\} = \mathbb{Q}_3\{\cdot\}$

*Proof.* By induction on the derivations. □

**Lemma B.4** If  $\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash \mathbb{P}_{\text{prog}}^!$  FB-Conform, then the following propositions hold:



- (1)  $K \vdash P^! \rightsquigarrow \mathbb{P}^! \Rightarrow K \vdash \mathbb{P}^!$  FB-Conform  
(2)  $K \vdash P \rightsquigarrow \mathbb{P} \Rightarrow K \vdash P$  FB-Conform

*Proof.* The proof is by induction on the linkage derivations of  $P$  and  $P^!$ .

Case 1 The path is  $\diamond$  in this case. The result follows immediately from the assumption.

Case 2 The path is  $\text{self}[P]$  in this case. Per [P!-SELF], we have

$$\frac{K \vdash P \rightsquigarrow \mathbb{P}}{K \vdash \text{self}[P] \rightsquigarrow \mathbb{P}^!}, \quad (\text{B.4.1})$$

which gives the induction hypothesis

$$K \vdash P \text{ FB-Conform.}$$

Per [FBC-P], we then have  $K \vdash \mathbb{P}^!$  FB-Conform.

Case 3 The path is  $P^!.c^![\omega]$  in this case. Per [P!-NEST], we have

$$\frac{K \vdash P^!.c^![\omega] \rightsquigarrow \mathbb{P}}{K \vdash P^!.c^![\omega] \rightsquigarrow \mathbb{P}^!\{P^!.c^![\omega]/\text{self}[P^!.c^![\omega]]\}},$$

which gives us the induction hypothesis

$$K \vdash P^!.c^![\omega] \text{ FB-Conform.} \quad (\text{B.4.2})$$

Per [FBC-P], (B.4.2) implies

$$K, \text{self}[P^!.c^![\omega]] \vdash \mathbb{P}^! \text{ FB-Conform.} \quad (\text{B.4.3})$$

By Lemma B.1, substituting  $P^!.c^![\omega]$  for  $\text{self}[P^!.c^![\omega]]$  in (B.4.3) yields

$$K \vdash \mathbb{P}^!\{P^!.c^![\omega]/\text{self}[P^!.c^![\omega]]\} \text{ FB-Conform.}$$

Case 4 The path is  $P^!.c[\omega]$ . Its linkage derivation is

$$\frac{K \vdash P^! \rightsquigarrow \mathbb{P}_{\text{fam}}^! \quad \mathbb{P}_{\text{fam}}^!(c) = [\varphi] \mathbb{P}_{\text{nest}} \quad \text{parent}(\mathbb{P}_{\text{nest}}\{\omega/\varphi\}) = P_{\text{sup}}}{K \vdash P_{\text{sup}} \rightsquigarrow \mathbb{P}_{\text{sup}} \quad \mathbb{P}_{\text{sup}} \oplus \mathbb{P}_{\text{nest}}\{\omega/\varphi\} = \mathbb{P}}{K \vdash P^!.c[\omega] \rightsquigarrow \mathbb{P}}.$$

So we have the induction hypothesis

$$K \vdash \mathbb{P}_{\text{fam}}^! \text{ FB-Conform.} \quad (\text{B.4.4})$$

Per [FBC-P!], judgment (B.4.4) implies

$$K, K_{\varphi} \vdash P^!.c[\varphi] \text{ FB-Conform,}$$

which, by Lemmas B.2 and B.3, leads to

$$K \vdash P^!.c[\omega] \text{ FB-Conform.} \quad \square$$

**Lemma B.5** Suppose  $\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash \mathbb{P}_{\text{prog}}^!$  FB-Conform. If  $K \vdash P_1 \leq P_2$ ,  $K \vdash P_1 \rightsquigarrow \mathbb{P}_1$ , and  $K \vdash P_2 \rightsquigarrow \mathbb{P}_2$ , then  $K \vdash \mathbb{P}_1 \sqsubseteq \mathbb{P}_2$ .

*Proof.* Since the subclassing relation  $\leq$  and the nests-more relation  $\supseteq$  are transitive and reflexive, it suffices to show that the result holds when  $P_1$  directly extends  $P_2$ . When  $P_1$  directly extends  $P_2$ , we have

$$\text{parent}(\mathbb{P}_1^!) = P_2. \quad (\text{B.5.1})$$

Meanwhile, by Lemma B.4, we have  $K \vdash P_1$  FB-Conform and further.

$$K, \text{self}[P_1] \vdash \mathbb{P}_1^! \text{ FB-Conform.} \quad (\text{B.5.2})$$

Per rule [FBC-P] and by (B.5.1), judgment (B.5.2) gives us

$$K, \text{self}[P_1] \vdash \mathbb{P}_1^! \supseteq \mathbb{P}_2^! \{\text{self}[P_1]/\text{self}[P_2]\},$$

from which the result follows.  $\square$

**Lemma B.6** Define the abbreviated notation  $\blacksquare_{\{\}} to be  $\blacksquare_{\{\text{self}[P_0]/\text{self}[P_{\text{sup}0}]\}$ , where  $P_{\text{sup}0}$  is the immediate superclass of  $P_0$ ; that is,  $K_{\{\}} \vdash \text{self}[P_0] \rightsquigarrow \mathbb{P}_0^!$  and  $\text{parent}(\mathbb{P}_0) = P_{\text{sup}0}$ . If  $\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^!$   $\mathbb{P}_{\text{prog}}^!$  FB-Conform, then the following propositions hold:$

- (1)  $\Delta; K \vdash P \text{ Methods-OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash P_{\{\}} \text{ Methods-OK}$
- (2)  $\Delta; K \vdash \mathbb{P}^! \text{ Methods-OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash \mathbb{P}_{\{\}}^! \text{ Methods-OK}$
- (3)  $\Delta; K; \Gamma \vdash \mathcal{M} \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}}; \Gamma_{\{\}} \vdash \mathcal{M}_{\{\}} \text{ OK}$
- (4)  $\Delta; K \vdash S \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash S_{\{\}} \text{ OK}$
- (5)  $\Delta; K; \Gamma \vdash e : T \Rightarrow \Delta_{\{\}}; K_{\{\}}; \Gamma_{\{\}} \vdash e_{\{\}} : T_{\{\}}$
- (6)  $\Delta; K \vdash [\varphi] \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash [\varphi]_{\{\}} \text{ OK}$
- (7)  $\Delta; K \vdash \{\omega/\varphi\} \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash \{\omega_{\{\}}/\varphi_{\{\}}\} \text{ OK}$
- (8)  $\Delta; K \vdash d \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash d_{\{\}} \text{ OK}$
- (9)  $\Delta; K \vdash P^! \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash P_{\{\}}^! \text{ OK}$
- (10)  $\Delta; K \vdash P \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash P_{\{\}} \text{ OK}$
- (11)  $\Delta; K \vdash T \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash T_{\{\}} \text{ OK}$
- (12)  $\Delta; K \vdash Q^! \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash Q_{\{\}}^! \text{ OK}$
- (13)  $\Delta; K \vdash Q \text{ OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash Q_{\{\}} \text{ OK}$
- (14)  $K \vdash P^! \rightsquigarrow \mathbb{P}^! \Rightarrow K_{\{\}} \vdash P_{\{\}}^! \rightsquigarrow \mathbb{P}_{\{\}}^! \wedge K_{\{\}} \vdash \mathbb{P}_2^! \supseteq \mathbb{P}_{\{\}}^!$
- (15)  $K \vdash P \rightsquigarrow \mathbb{P} \Rightarrow K_{\{\}} \vdash P_{\{\}} \rightsquigarrow \mathbb{P}_{\{\}} \wedge K_{\{\}} \vdash \mathbb{P}_2 \supseteq \mathbb{P}_{\{\}}$
- (16)  $K \vdash d \text{ dispatches } T \Rightarrow K_{\{\}} \vdash d_{\{\}} \text{ dispatches } T_{\{\}}$
- (17)  $K \vdash Q^! \rightsquigarrow \mathbb{Q}^! \Rightarrow K_{\{\}} \vdash Q_{\{\}}^! \rightsquigarrow \mathbb{Q}_{\{\}}^! \wedge K_{\{\}} \vdash \mathbb{Q}_2^! \supseteq \mathbb{Q}_{\{\}}^!$
- (18)  $K \vdash Q \rightsquigarrow \mathbb{Q} \Rightarrow K_{\{\}} \vdash Q_{\{\}} \rightsquigarrow \mathbb{Q}_{\{\}} \wedge K_{\{\}} \vdash \mathbb{Q}_2 \supseteq \mathbb{Q}_{\{\}}$
- (19)  $K \vdash P_1 \leq P_2 \Rightarrow K_{\{\}} \vdash P_{1\{\}} \leq P_{2\{\}}$
- (20)  $K \vdash T_1 \leq T_2 \Rightarrow K_{\{\}} \vdash H_{1\{\}} \leq H_{2\{\}}$
- (21)  $K \vdash H_1(T_1) \leq H_2(T_2) \Rightarrow K_{\{\}} \vdash H_{1\{\}}(T_{1\{\}}) \leq H_{2\{\}}(T_{2\{\}})$
- (22)  $K \vdash H_1 \Rightarrow H_2 \Rightarrow K_{\{\}} \vdash H_{1\{\}} \Rightarrow^* H_{2\{\}}$
- (23)  $K \vdash P_1^! \Rightarrow P_2^! \Rightarrow K_{\{\}} \vdash P_{1\{\}}^! \Rightarrow^* P_{2\{\}}^!$
- (24)  $K \vdash P_1 \Rightarrow P_2 \Rightarrow K_{\{\}} \vdash P_{1\{\}} \Rightarrow^* P_{2\{\}}$
- (25)  $K \vdash [\omega_1] \Rightarrow [\omega_2] \Rightarrow K_{\{\}} \vdash [\omega_1]_{\{\}} \Rightarrow^* [\omega_2]_{\{\}}$
- (26)  $K \vdash T_1 \equiv T_2 \Rightarrow K_{\{\}} \vdash T_{1\{\}} \equiv T_{2\{\}}$
- (27)  $K \vdash P_1 \equiv P_2 \Rightarrow K_{\{\}} \vdash P_{1\{\}} \equiv P_{2\{\}}$
- (28)  $K \vdash [\varphi_1] \equiv [\varphi_2] \Rightarrow K_{\{\}} \vdash [\varphi_1]_{\{\}} \equiv [\varphi_2]_{\{\}}$
- (29)  $K \vdash S_1 \equiv S_2 \Rightarrow K_{\{\}} \vdash S_{1\{\}} \equiv S_{2\{\}}$
- (30)  $\mathbb{P}_1 \oplus \mathbb{P}_2 = \mathbb{P}_3 \Rightarrow \mathbb{P}_{1\{\}} \oplus \mathbb{P}_{2\{\}} = \mathbb{P}_{3\{\}}$
- (31)  $\mathbb{Q}_1 \oplus \mathbb{Q}_2 = \mathbb{Q}_3 \Rightarrow \mathbb{Q}_{1\{\}} \oplus \mathbb{Q}_{2\{\}} = \mathbb{Q}_{3\{\}}$

*Proof.* The proof is by induction on derivations of the judgments on the left-hand side of  $\Rightarrow$ . Below we show the proof of Propositions (14) and (15) above, which involves non-trivial use of induction hypothesis.

The left-hand side judgment of Proposition (14) derives the linkage of an exact class path.

Case 1 The exact class path is  $\text{self}[P]$ . Per [P!-SELF],

$$\frac{K \vdash P \rightsquigarrow \mathbb{P}}{K \vdash \text{self}[P] \rightsquigarrow \mathbb{P}!}.$$

Case 1.1  $\text{self}[P]$  is not  $\text{self}[P_{\text{sup}0}]$ . In this case, we have the induction hypotheses

$$\begin{aligned} K_{\{\}} \vdash P_{\{\}} \rightsquigarrow \mathbb{P}_2, \\ K_{\{\}} \vdash \mathbb{P}_2 \ni \mathbb{P}_{\{\}}. \end{aligned}$$

The result then follows directly from these induction hypotheses.

Case 1.2  $\text{self}[P]$  is  $\text{self}[P_{\text{sup}0}]$ . Because the assumption includes  $K_{\{\}} \vdash \text{self}[P_0] \rightsquigarrow \mathbb{P}_0^!$ , by Lemma B.4, we know

$$K_{\{\}} \vdash \mathbb{P}_0^! \text{ FB-Conform.} \quad (\text{B.6.1})$$

Since  $\text{parent}(\mathbb{P}_0^!) = P_{\text{sup}0}$ , per rule [FBC-P!], the result follows from the derivation of (B.6.1).

Case 2 The exact class path is  $\diamond$ . The result is trivial in this case.

Case 3 The exact class path is  $P!.c[\omega]$ . In this case the result follows from the induction hypothesis and Lemma B.1.

The left-hand side judgment of Proposition (15) derives the linkage of an inexact class path of form  $P!.c[\omega]$ , which is derived via rule [P]:

$$\frac{K \vdash P! \rightsquigarrow \mathbb{P}_{\text{fam}1}^! \quad \mathbb{P}_{\text{fam}1}^!(c) = [\varphi_1]_{\mathbb{P}_{\text{nest}1}} \quad \text{parent}(\mathbb{P}_{\text{nest}1}\{\omega/\varphi_1\}) = P_{\text{sup}1} \quad K \vdash P_{\text{sup}1} \rightsquigarrow \mathbb{P}_{\text{sup}1} \quad \mathbb{P}_{\text{sup}1} \oplus \mathbb{P}_{\text{nest}1}\{\omega/\varphi_1\} = \mathbb{P}_1}{K \vdash P!.c[\omega] \rightsquigarrow \mathbb{P}_1}$$

We have the following induction hypotheses:

$$K_{\{\}} \vdash P_{\{\}} \rightsquigarrow \mathbb{P}_{\text{fam}2}^!, \quad (\text{B.6.2})$$

$$K_{\{\}} \vdash \mathbb{P}_{\text{fam}2}^! \ni \mathbb{P}_{\text{fam}1}^!_{\{\}}. \quad (\text{B.6.3})$$

Define  $\mathbb{P}_{\text{nest}2}$  as in  $\mathbb{P}_{\text{fam}2}^!(c) = [\varphi_2]_{\mathbb{P}_{\text{nest}2}}$ . By (B.6.3),

$$K_{\{\}} \vdash [\varphi_2] \equiv [\varphi_1]_{\{\}}. \quad (\text{B.6.4})$$

Define  $P_{\text{sup}2}$  as in  $\text{parent}(\mathbb{P}_{\text{nest}2}\{\omega/\varphi_2\}) = P_{\text{sup}2}$ . Then

$$\begin{aligned} K_{\{\}} \vdash P_{\text{sup}2} \rightsquigarrow \mathbb{P}_{\text{sup}2}, \\ \mathbb{P}_{\text{sup}2} \oplus \mathbb{P}_{\text{nest}2}\{\omega_{\{\}}/\varphi_2\} = \mathbb{P}_2. \end{aligned} \quad (\text{B.6.5})$$

By the derivation of (B.6.3), we have

$$K_{\{\}} \vdash P_{\text{sup}2} \leq P_{\text{sup}1}_{\{\}}. \quad (\text{B.6.6})$$

By Lemma B.5 and (B.6.6), we have

$$K\{\}\vdash \mathbb{P}_{\text{sup}2} \cong \mathbb{P}_{\text{sup}1}\{\}. \quad (\text{B.6.7})$$

Judgment (B.6.3) implies

$$K\{\}\vdash \mathbb{P}_{\text{nest}2}\{\omega\{\}/\varphi_2\} \cong \mathbb{P}_{\text{nest}1}\{\}\{\omega\{\}/\varphi_1\{\}\}. \quad (\text{B.6.8})$$

By (B.6.5), (B.6.7), and (B.6.8), we have  $K\{\}\vdash \mathbb{P}_2 \cong \mathbb{P}_1\{\}$ .  $\square$

**Lemma B.7** Assume a program  $\mathcal{P}$  and a series class definitions  $C_i$ , where  $C_i$  ( $i \geq 1$ ) is the immediately enclosing class of  $C_{i+1}$ , and  $C_1$  is immediately nested in  $\mathcal{P}$ . Define  $P_i$  as follows:

$$\begin{aligned} P_1 &\stackrel{\text{def}}{=} \diamond.c_1[\varphi_1], \\ P_{i+1} &\stackrel{\text{def}}{=} \text{self}[P_i].c_{i+1}[\varphi_{i+1}] \quad (i \geq 1). \end{aligned}$$

Suppose  $\mathcal{P}$  is well-formed; that is,  $\vdash \mathcal{P}$  OK and  $\text{flatten}(\mathcal{P}) = \mathbb{P}_0^!$ . Define  $\Delta_i$  and  $K_i$  as in

$$\begin{aligned} \Delta_1 &= \Delta_{\varphi_1} & \Delta_{i+1} &= \Delta_i, \Delta_{\varphi_{i+1}} \\ K_1 &= \diamond \rightsquigarrow \mathbb{P}_0^!, K_{\varphi_1} & K_{i+1} &= K_i, \text{self}[P_i], K_{\varphi_{i+1}} \end{aligned}$$

Denote the linkages of  $P_i$  and its superclass  $P_{\text{sup}i}$  using  $\mathbb{P}_i$  and  $\mathbb{P}_{\text{sup}i}$ , respectively; that is,

$$K_i \vdash P_i \rightsquigarrow \mathbb{P}_i, \quad \text{parent}(P_i) = P_{\text{sup}i}, \quad K_i \vdash P_{\text{sup}i} \rightsquigarrow \mathbb{P}_{\text{sup}i}.$$

If  $\Delta_i; K_i \vdash P_{\text{sup}i}$  Methods-OK ( $1 \leq i \leq n-1$ ), then  $\Delta_n; K_n \vdash P_n$  Methods-OK.

*Proof.* Because  $\mathcal{P}$  is well-formed, we have the well-formedness of  $C_i$  ( $i \geq 1$ ):

$$\begin{aligned} \emptyset; \diamond \rightsquigarrow \mathbb{P}_0^!; \diamond \vdash C_1 \text{ OK}, \\ \Delta_i; K_i, \text{self}[P_i]; \text{self}[P_i] \vdash C_{i+1} \text{ OK}. \end{aligned}$$

The proof is then by induction on the derivations of these judgments. Per rules [DT-INEXACT] and [DT-EXACT], it suffices to show that given

$$\Delta_n; K_n \vdash P_{\text{sup}n} \text{ Methods-OK}, \quad (\text{B.7.1})$$

the following propositions hold:

- (i)  $\Delta_{n+1}; K_{n+1} \vdash \text{self}[P_n].c_{n+1}$  Methods-OK holds for any class  $c_{n+1}$  nested within  $\mathbb{P}_n^!$ , and
- (ii)  $\Delta_n; K_n, \text{self}[P_n]; \text{this}:T \vdash m : S(\bar{x})\{e\}$  OK holds for any method  $m : S(\bar{x})\{e\}$  of  $\mathbb{P}_n^!$ , where  $\text{rep}(\mathbb{P}_n^!) = T$ .

Their proofs are as follows.

- (i) A class  $c_{n+1}$  nested within  $\mathbb{P}_n^!$  either has its own definition  $C_{n+1}$  nested lexically within the enclosing class definition  $C_n$ , or is inherited from the linkages  $\mathbb{P}_{\text{sup}i}$  ( $1 \leq i \leq n$ ). In the former case, since the well-formedness of  $C_n$  implies the well-formedness of  $C_{n+1}$ , the result  $\Delta_{n+1}; K_{n+1} \vdash P_n.c_{n+1}$  Methods-OK is direct from the induction hypothesis. In the latter case, construct the linkage  $\hat{\mathbb{P}}_0^!$  by removing all methods, classes, and interfaces nested within  $\mathbb{P}_0^!$  except the classes  $P_i$  (i.e.,  $\hat{\mathbb{P}}_0^!$  removes the tree structure under  $\mathbb{P}_0^!$  except the lineage formed by the linkages of  $C_1, \dots, C_n$ , but their other nested components are removed as well). Define  $\hat{\mathbb{P}}_i^!$  ( $1 \leq i \leq n+1$ ) as follows:

$$\begin{aligned} \hat{\mathbb{P}}_{i-1}^!(c_i) &= [\varphi_i]\hat{\mathbb{P}}_{\text{nest}i}^!, \\ \mathbb{P}_{\text{sup}i} \oplus \hat{\mathbb{P}}_{\text{nest}i}^! &= \hat{\mathbb{P}}_i^!. \end{aligned} \quad (\text{B.7.2})$$

By the well-formedness of  $\mathcal{P}$ , we also have

$$\begin{aligned}\mathbb{P}_{i-1}^! (c_i) &= [\varphi_i] \mathbb{P}_{\text{nest}i}, \\ \mathbb{P}_{\text{sup}i} \oplus \mathbb{P}_{\text{nest}i} &= \mathbb{P}_i.\end{aligned}$$

Because there is not a class definition named  $c_{n+1}$  nested lexically within  $C_n$ , we know  $\mathbb{P}_{n+1}$  and  $\hat{\mathbb{P}}_{n+1}$  are equivalent; the nested components in  $\mathbb{P}_{n+1}$  are not from  $\mathbb{P}_0^!$  but from  $\mathbb{P}_{\text{sup}i}$  ( $1 \leq i \leq n$ ). So per [DT-INEXACT] it suffices to show

$$\Delta_{n+1}; K_{n+1}, \text{self}[P_{n+1}] \vdash \hat{\mathbb{P}}_{n+1}^! \text{ Methods-OK} \quad (\text{B.7.3})$$

holds given

$$\Delta_{n+1}; K_{n+1} \vdash P_{\text{sup}n+1} \text{ Methods-OK.} \quad (\text{B.7.4})$$

Our assumption includes  $\Delta_1; K_1 \vdash P_{\text{sup}1} \text{ Methods-OK}$ , which, per [DT-INEXACT], implies

$$\Delta_1; K_1, \text{self}[P_{\text{sup}1}] \vdash \mathbb{P}_{\text{sup}1}^! \text{ Methods-OK.} \quad (\text{B.7.5})$$

By Lemma B.6 and (B.7.5), we have

$$\Delta_1; K_1, \text{self}[P_1] \vdash \mathbb{P}_{\text{sup}1}^! \{\text{self}[P_{\text{sup}1}]/\text{self}[P_1]\} \text{ Methods-OK.} \quad (\text{B.7.6})$$

It follows from (B.7.2) and (B.7.6) that

$$\Delta_1; K_1, \text{self}[P_1] \vdash \hat{\mathbb{P}}_1^! \text{ Methods-OK.}$$

Per [DT-EXACT] and [DT-INEXACT], by the assumptions  $\Delta_i; K_i \vdash P_{\text{sup}i} \text{ Methods-OK}$  ( $2 \leq i \leq n-1$ ), (B.7.1), and (B.7.4), we know (B.7.3) holds.

- (ii) A method of  $\mathbb{P}_n^!$  either has its definition nested lexically within the enclosing class definition  $C_n$ , or is inherited from  $\mathbb{P}_{\text{sup}i}$  ( $1 \leq i \leq n$ ). In the former case, the well-formedness of  $C_n$  implies the well-formedness of the method. In the latter case, the result can be derived in a similar way as we did above for the nested class  $c_{n+1}$ .  $\square$

**Corollary B.1** If  $\vdash \mathcal{P}$  OK and  $\text{flatten}(\mathcal{P}) = \mathbb{P}^!$ , then  $\emptyset; \diamond \rightsquigarrow \mathbb{P}^! \vdash \mathbb{P}^! \text{ Methods-OK}$ .

*Proof.* The result follows from Lemma B.7.  $\square$

**Lemma B.8** Define the abbreviated notation  $\blacksquare_{\{\}} to be  $\blacksquare_{\{d_0/p_0\}}$ . If  $\Delta_{\{\}}; K_{\{\}} \vdash d_0$  OK and  $K_{\{\}} \vdash d_0.\text{itf}(T_{02}) \leq H_0(T_{01})$ , then the following propositions hold:$

- (1)  $\Delta; K, p_0$  for  $H_0(T_{01}) \vdash \mathbb{P}^! \text{ Methods-OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash \mathbb{P}_{\{\}}^! \text{ Methods-OK}$
- (2)  $\Delta; K, p_0$  for  $H_0(T_{01}) \vdash P \text{ Methods-OK} \Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash P_{\{\}} \text{ Methods-OK}$
- (3)  $\Delta; K, p_0$  for  $H_0(T_{01}); \Gamma \vdash \mathcal{M}$  OK  $\Rightarrow \Delta_{\{\}}; K_{\{\}}; \Gamma_{\{\}} \vdash \mathcal{M}_{\{\}} \text{ OK}$
- (4)  $\Delta; K, p_0$  for  $H_0(T_{01}) \vdash S$  OK  $\Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash S_{\{\}} \text{ OK}$
- (5)  $\Delta; K, p_0$  for  $H_0(T_{01}); \Gamma \vdash e : T \Rightarrow \Delta_{\{\}}; K_{\{\}}; \Gamma_{\{\}} \vdash e_{\{\}} : T_{\{\}}$
- (6)  $\Delta; K, p_0$  for  $H_0(T_{01}) \vdash [\varphi]$  OK  $\Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash [\varphi]_{\{\}} \text{ OK}$
- (7)  $\Delta; K, p_0$  for  $H_0(T_{01}) \vdash \{\omega/\varphi\}$  OK  $\Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash \{\omega_{\{\}}/\varphi_{\{\}}\} \text{ OK}$
- (8)  $\Delta; K, p_0$  for  $H_0(T_{01}) \vdash d$  OK  $\Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash d_{\{\}} \text{ OK}$
- (9)  $\Delta; K, p_0$  for  $H_0(T_{01}) \vdash P^!$  OK  $\Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash P_{\{\}}^! \text{ OK}$
- (10)  $\Delta; K, p_0$  for  $H_0(T_{01}) \vdash P$  OK  $\Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash P_{\{\}} \text{ OK}$
- (11)  $\Delta; K, p_0$  for  $H_0(T_{01}) \vdash T$  OK  $\Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash T_{\{\}} \text{ OK}$
- (12)  $\Delta; K, p_0$  for  $H_0(T_{01}) \vdash Q^!$  OK  $\Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash Q_{\{\}}^! \text{ OK}$
- (13)  $\Delta; K, p_0$  for  $H_0(T_{01}) \vdash Q$  OK  $\Rightarrow \Delta_{\{\}}; K_{\{\}} \vdash Q_{\{\}} \text{ OK}$
- (14)  $K, p_0$  for  $H_0(T_{01}) \vdash \mathbb{P}^!$  l-Conform  $\Rightarrow K_{\{\}} \vdash \mathbb{P}_{\{\}}^! \text{ l-Conform}$

- (15)  $K, p_0$  for  $H_0(T_{01}) \vdash P$  I-Conform  $\Rightarrow K\{\}\vdash P\{\}$  I-Conform
- (16)  $K, p_0$  for  $H_0(T_{01}) \vdash P^! \rightsquigarrow \mathbb{P}^! \Rightarrow K\{\}\vdash P^!\{\} \rightsquigarrow \mathbb{P}^!\{\}$
- (17)  $K, p_0$  for  $H_0(T_{01}) \vdash P \rightsquigarrow \mathbb{P} \Rightarrow K\{\}\vdash P\{\} \rightsquigarrow \mathbb{P}\{\}$
- (18)  $K, p_0$  for  $H_0(T_{01}) \vdash d$  dispatches  $T \Rightarrow K\{\}\vdash d\{\}$  dispatches  $T_2 \wedge K\{\}\vdash T\{\} \leq T_2$
- (19)  $K, p_0$  for  $H_0(T_{01}) \vdash Q^! \rightsquigarrow \mathbb{Q}^! \Rightarrow K\{\}\vdash Q^!\{\} \rightsquigarrow \mathbb{Q}_2^! \wedge K\{\}\vdash \mathbb{Q}_2^! \ni \mathbb{Q}^!\{\}$
- (20)  $K, p_0$  for  $H_0(T_{01}) \vdash Q \rightsquigarrow \mathbb{Q} \Rightarrow K\{\}\vdash Q\{\} \rightsquigarrow \mathbb{Q}\{\}$
- (21)  $K, p_0$  for  $H_0(T_{01}) \vdash P_1 \leq P_2 \Rightarrow K\{\}\vdash P_1\{\} \leq P_2\{\}$
- (22)  $K, p_0$  for  $H_0(T_{01}) \vdash T_1 \leq T_2 \Rightarrow K\{\}\vdash T_1\{\} \leq T_2\{\}$
- (23)  $K, p_0$  for  $H_0(T_{01}) \vdash H_1(T_1) \leq H_2(T_2) \Rightarrow K\{\}\vdash H_1\{\}(T_1\{\}) \leq H_2\{\}(T_2\{\})$
- (24)  $K, p_0$  for  $H_0(T_{01}) \vdash H_1 \Rightarrow H_2 \Rightarrow K\{\}\vdash H_1\{\} \Rightarrow^* H_2\{\}$
- (25)  $K, p_0$  for  $H_0(T_{01}) \vdash P_1^! \Rightarrow P_2^! \Rightarrow K\{\}\vdash P_1^!\{\} \Rightarrow^* P_2^!\{\}$
- (26)  $K, p_0$  for  $H_0(T_{01}) \vdash P_1 \Rightarrow P_2 \Rightarrow K\{\}\vdash P_1\{\} \Rightarrow^* P_2\{\}$
- (27)  $K, p_0$  for  $H_0(T_{01}) \vdash [\omega_1] \Rightarrow [\omega_2] \Rightarrow K\{\}\vdash [\omega_1]\{\} \Rightarrow^* [\omega_2]\{\}$
- (28)  $K, p_0$  for  $H_0(T_{01}) \vdash T_1 \equiv T_2 \Rightarrow K\{\}\vdash T_1\{\} \equiv T_2\{\}$
- (29)  $K, p_0$  for  $H_0(T_{01}) \vdash P_1 \equiv P_2 \Rightarrow K\{\}\vdash P_1\{\} \equiv P_2\{\}$
- (30)  $K, p_0$  for  $H_0(T_{01}) \vdash [\varphi_1] \equiv [\varphi_2] \Rightarrow K\{\}\vdash [\varphi_1]\{\} \equiv [\varphi_2]\{\}$
- (31)  $K, p_0$  for  $H_0(T_{01}) \vdash S_1 \equiv S_2 \Rightarrow K\{\}\vdash S_1\{\} \equiv S_2\{\}$
- (32)  $\mathbb{P}_1 \oplus \mathbb{P}_2 = \mathbb{P}_3 \Rightarrow \mathbb{P}_1\{\} \oplus \mathbb{P}_2\{\} = \mathbb{P}_3\{\}$
- (33)  $\mathbb{Q}_1 \oplus \mathbb{Q}_2 = \mathbb{Q}_3 \Rightarrow \mathbb{Q}_1\{\} \oplus \mathbb{Q}_2\{\} = \mathbb{Q}_3\{\}$

*Proof.* By induction on the derivations. □

**Lemma B.9** If  $\vdash \mathcal{P}$  OK and  $\text{flatten}(\mathcal{P}) = \mathbb{P}_{\text{prog}}^!$ , then the following propositions hold:

- (1)  $\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^! \rightsquigarrow \mathbb{P}^! \Rightarrow \emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash \mathbb{P}^!$  Methods-OK
- (2)  $\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P \rightsquigarrow \mathbb{P} \Rightarrow \emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P$  Methods-OK

*Proof.* The proof is by induction on the linkage derivations of  $P^!$  and  $P$ .

Case 1 The path is  $\diamond$  in this case. The result is direct by Corollary B.1.

Case 2 The path is  $\text{self}[P]$  in this case. However, this case is impossible because the class environment does not contain  $\text{self}[P]$ .

Case 3 The path is  $P^!.c^![\omega]$  in this case, and we have the following derivation:

$$\frac{\frac{\frac{\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^! \rightsquigarrow \mathbb{P}_{\text{fam}}^! \quad \mathbb{P}_{\text{fam}}^!(c) = [\varphi]\mathbb{P}_{\text{nest}} \quad \text{parent}(\mathbb{P}_{\text{nest}}\{\omega/\varphi\}) = P_{\text{sup}}}{\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P_{\text{sup}} \rightsquigarrow \mathbb{P}_{\text{sup}}} \quad \mathbb{P}_{\text{sup}} \oplus \mathbb{P}_{\text{nest}}\{\omega/\varphi\} = \mathbb{P}}{\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^!.c[\omega] \rightsquigarrow \mathbb{P}}}{\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^!.c^![\omega] \rightsquigarrow \mathbb{P}^!\{P^!.c^![\omega]/\text{self}[P^!.c[\omega]]\}}$$

So we have the induction hypotheses

$$\emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^!.c[\omega] \text{ Methods-OK}, \tag{B.9.1}$$

$$\emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P_{\text{sup}} \text{ Methods-OK}. \tag{B.9.2}$$

Per [DT-INEXACT], judgments (B.9.1) and (B.9.2) imply

$$\emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^!, \text{self}[P^!.c[\omega]] \vdash \mathbb{P}^! \text{ Methods-OK}.$$

The result then follows from Lemma B.1.

Case 4 The path is  $P^!.c[\omega]$  in this case, and its linkage is derived via [P]. Per [P], we have

$$\frac{\begin{array}{c} \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P \rightsquigarrow \mathbb{P}_{\text{fam}}^! \quad \mathbb{P}_{\text{fam}}^!(c) = [\varphi]_{\mathbb{P}_{\text{nest}}} \quad \text{parent}(\mathbb{P}_{\text{nest}}\{\omega/\varphi\}) = P_{\text{sup}} \\ \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P_{\text{sup}} \rightsquigarrow \mathbb{P}_{\text{sup}} \quad \mathbb{P}_{\text{sup}} \oplus \mathbb{P}_{\text{nest}}\{\omega/\varphi\} = \mathbb{P} \end{array}}{\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^!.c[\omega] \rightsquigarrow \mathbb{P}}.$$

So we have the induction hypothesis

$$\emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash \mathbb{P}_{\text{fam}}^! \text{ Methods-OK.} \quad (\text{B.9.3})$$

Per [DT-EXACT], (B.9.3) implies

$$\Delta_{\varphi}; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^!, K_{\varphi} \vdash P^!.c[\varphi] \text{ Methods-OK,}$$

which, by Lemmas B.2 and B.8, leads to

$$\emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^!.c[\omega] \text{ Methods-OK.} \quad \square$$

**Lemma B.10** If  $\vdash \mathcal{P}$  OK and  $\text{flatten}(\mathcal{P}) = \mathbb{P}_{\text{prog}}^!$ , then the following propositions hold:

- (1)  $\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^! \rightsquigarrow \mathbb{P}^! \Rightarrow \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash \mathbb{P}^! \text{ I-Conform}$
- (2)  $\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P \rightsquigarrow \mathbb{P} \Rightarrow \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P \text{ I-Conform}$

*Proof.* By induction on the linkage derivations of  $P^!$  and  $P$ . □

**Lemma B.11** If  $\emptyset; \emptyset; \emptyset \vdash v : T_0$  and  $\Delta; K; \Gamma, x : T_0 \vdash e : T_1$ , then  $\Delta; K; \Gamma \vdash e\{v/x\} : T_1$ .

*Proof.* By induction on the well-formedness derivations of expressions. □

**Lemma 6.1 (Progress)** If (i)  $\vdash \mathcal{P}$  OK, (ii)  $\text{flatten}(\mathcal{P}) = \mathbb{P}_{\text{prog}}^!$ , and (iii)  $\emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^!; \emptyset \vdash e : T$ , then either  $e$  is a value or there exists  $e'$  such that  $\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash e \longrightarrow e'$ .

*Proof.* The proof is by induction on the well-formedness derivations of expressions. Below we show how to derive the result for the interesting case where the expression is of form  $v_0.(P^!.m[\omega])(\overline{v_1})$ . In this case, we have

$$\frac{\begin{array}{c} \emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^! \text{ OK} \quad \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^! \text{ dispatches } T_0 \\ \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^!.itf \rightsquigarrow \mathbb{Q}^! \quad \mathbb{Q}^!(m)\{T_0/\text{This}\} = [\varphi] \overline{T_1} \rightarrow T_2 \\ \emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^!; \emptyset \vdash v_0 : T_0 \\ \emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash \{\omega/\varphi\} \text{ OK} \quad (\forall i) \emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^!; \emptyset \vdash v_1^{(i)} : T_1^{(i)}\{\omega/\varphi\} \end{array}}{\emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^!; \emptyset \vdash v_0.(P^!.m[\omega])(\overline{v_1}) : T_2\{\omega/\varphi\}}.$$

Per [D-PATH], judgment  $\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^!$  dispatches  $T_0$  implies that there exists  $\mathbb{P}^!$  such that

$$\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^! \rightsquigarrow \mathbb{P}^!. \quad (\text{B.11.1})$$

By (B.11.1) and Lemma B.10, we know  $\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash \mathbb{P}^! \text{ I-Conform}$ . Therefore, there exists a method body  $e$  such that

$$\mathbb{P}^!(m) = [\varphi] \overline{T_1} \rightarrow T_2(\overline{x})\{e\}.$$

Per [CALL], we have

$$\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash v_0.(P^!.m[\omega])(\overline{v_1}) \longrightarrow e\{v_0/\text{this}\}\{\omega/\varphi\}\{\overline{v_1}/\overline{x}\}. \quad \square$$

**Lemma 6.2 (Preservation)** If (i)  $\vdash \mathcal{P}$  OK, (ii)  $\text{flatten}(\mathcal{P}) = \mathbb{P}_{\text{prog}}^!$ , (iii)  $\emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^!; \emptyset \vdash e : T$ , and (iv)  $\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash e \longrightarrow e'$ , then  $\emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^!; \emptyset \vdash e' : T$ .

*Proof.* The proof is by induction on the well-formedness derivations of expressions. Below we show how to derive the result for the interesting case where the expression is of form  $v_0.(P^!.m[\omega])(\overline{v_1})$ . In this case, per [CALL], we have

$$\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash P^! \rightsquigarrow \mathbb{P}^!, \quad (\text{B.11.1})$$

$$\mathbb{P}^!(m) = [\varphi] \overline{T_1} \rightarrow T_2(\overline{x}) \{e\}, \quad (\text{B.11.2})$$

$$\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash v_0.(P^!.m[\omega])(\overline{v_1}) \longrightarrow e\{v_0/\text{this}\}\{\omega/\varphi\}\{\overline{v_1}/\overline{x}\}.$$

By (B.11.1) and Lemma B.9, we have

$$\emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash \mathbb{P}^! \text{ Methods-OK}. \quad (\text{B.11.3})$$

Per [DT-EXACT], (B.11.2) and (B.11.3) imply

$$\emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^!; \text{this}:T_0 \vdash [\varphi] \overline{T_1} \rightarrow T_2(\overline{x}) \{e\} \text{ OK} \quad (\text{B.11.4})$$

where  $\text{rep}(\mathbb{P}^!) = (T_0)$ . Per [MDEF], (B.11.4) implies

$$\Delta_\varphi; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^!; K_\varphi; \text{this}:T_0, \overline{x}:T_1 \vdash e : T_2. \quad (\text{B.11.5})$$

By (B.11.5) and Lemmas B.2, B.8 and B.11, we have

$$\emptyset; \diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^!; \emptyset \vdash e\{v_0/\text{this}\}\{\omega/\varphi\}\{\overline{v_1}/\overline{x}\} : T_2\{\omega/\varphi\}.$$

Meanwhile, by the same argument as in the proof of Lemma 6.1, we know that the type of the original expression  $v_0.(P^!.m[\omega])(\overline{v_1})$  must be  $T_2\{\omega/\varphi\}$ .  $\square$

**Theorem 6.1 (Soundness)** If (i)  $\vdash \diamond\{\overline{I} \ \overline{C} \ e\} \text{ OK}$ , (ii)  $\text{flatten}(\diamond\{\overline{I} \ \overline{C} \ e\}) = \mathbb{P}_{\text{prog}}^!$ , and (iii)  $\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash e \longrightarrow^* e'$ , then either  $e'$  is a value or there exists  $e''$  such that  $\diamond \rightsquigarrow \mathbb{P}_{\text{prog}}^! \vdash e' \longrightarrow e''$ .

*Proof.* Soundness follows from Lemmas 6.1 and 6.2.  $\square$