Introduction to Decision Networks

Alice Gao Lecture 20

Based on work by K. Leyton-Brown, K. Larson, and P. van Beek

Outline

Learning Goals

Introduction to Decision Theory

Decision Network for Mail Delivery Robot

Evaluating the Robot Decision Network

Revisiting the Learning goals

By the end of the lecture, you should be able to

- Model a one-off decision problem by constructing a decision network containing nodes, arcs, conditional probability distributions, and a utility function.
- Choose the best action by evaluating a decision network.

Decision Theory

Decision theory = Probability theory + Utility theory

- Decision theory: describes what an agent should do
- Probability theory: describes what an agent should believe on the basis of the evidence
- Utility theory: describes what an agent wants

Decision Networks

Decision networks

= Bayesian network + actions + utilities

The robot must choose its route to pickup the mail. There is a short route and a long route. The long route is slower, but on the short route the robot might slip and fall. The robot can put on pads. This won't change the probability of an accident, but it will make it less severe if it happens. Unfortunately, the pads add weight and slow the robot down. The robot would like to pick up the mail quickly with little/no damage.


What should the robot do?

Variables

What are the random variables?

What are the decision variables (actions)?

Nodes in a Decision Network



Arcs in the Decision Network

How do the random variables and the decision variables relate to one another?

CQ: The robot's happiness

CQ: Which variables directly influence the robot's happiness?

- (A) P only
- (B) S only
- (C) A only
- (D) Two of (A), (B), and (C)
- (E) All of (A), (B) and (C)

The robot must choose its route to pickup the mail. There is a short route and a long route. The long route is slower, but on the short route the robot might slip and fall. The robot can put on pads. This won't change the probability of an accident, but it will make it less severe if it happens. Unfortunately, the pads add weight and slow the robot down. The robot would like to pick up the mail quickly with little/no damage.

CQ: When an accident does not happen, which of the following is true?

(A) The robot prefers not wearing pads than wearing pads.

(B) The robot prefers the long route over the short route.

(C) Both (A) and (B) are true.

(D) Neither (A) and (B) is true.

The robot's utility function

	State	$U(w_i)$
$\neg P, \neg S, \neg A$	<i>w</i> 0 slow, no weight	6
$\neg P, \neg S, A$	w_1 impossible	
$\neg P, S, \neg A$	<i>w</i> ₂ quick, no weight	10
$\neg P, S, A$	w_3 severe damage	0
$P, \neg S, \neg A$	<i>w</i> ₄ slow, extra weight	4
$P, \neg S, A$	w5 impossible	
$P, S, \neg A$	<i>w</i> ₆ quick, extra weight	8
P, S, A	<i>w</i> 7 moderate damage	2

The robot's utility function

How does the robot's utility/happiness depend on the random variables and the decision variables?

The robot's utility function

How does the robot's utility/happiness depend on the random variables and the decision variables?

Evaluating a decision network

How do we choose an action?

- 1. Set evidence variables for current state
- 2. For each possible value of decision node
 - (a) set decision node to that value
 - (b) calculate posterior probability for parent nodes of the utility node
 - (c) calculate expected utility for the action
- 3. Return action with highest expected utility

By the end of the lecture, you should be able to

- Model a one-off decision problem by constructing a decision network containing nodes, arcs, conditional probability distributions, and a utility function.
- Choose the best action by evaluating a decision network.